

MOMENTUM AND ENERGY TRANSPORT IN THE ACCELERATED FULLY ROUGH TURBULENT BOUNDARY LAYER

By

H. W. Coleman, R. J. Moffat and W. M. Kays

Report No. HMT-24


Prepared with Support from

The Office of Naval Research N00014-67-A-0112-0072 76-C-0532



Thermosciences Division
Department of Mechanical Engineering
Stanford University
Stanford, California

March 1976



MOMENTUM AND ENERGY TRANSPORT IN THE ACCELERATED FULLY ROUGH TURBULENT BOUNDARY LAYER

By

H. W. Coleman, R. J. Moffat and W. M. Kays

Report No. HMT-24

Prepared with Support from

The Office of Naval Research
N00014-67-A 0112-0072
76-C 05-32

Thermosciences Division
Department of Mechanical Engineering
Stanford University
Stanford, California

Unclassified SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered) READ INSTRUCTIONS REPORT DOCUMENTATION PAGE BEFORE COMPLETING FORM 2. GOVT ACCESSION NO. 3 RECIPIENT'S CATALOG NUMBER HMT-24 E OF REPORT & PERIOD COVERED Momentum and Energy Transport in the Accelera-Interim Repert. ted Fully Rough Turbulent Boundary Layer. HMT-24 CONTRACT OR GRANT NUMBER(*) Hugh W. Coleman, Robert J. Moffat and N00014-67-A-0112-0072 ne William M. Kays 76 6 0532 PROGRAM ELEMENT, PROJECT, TASK PERFORMING ORGANIZATION NAME AND ADDRESS Department of Mechanical Engineering NR094-368 Stanford University Stanford, California 94305 CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research Mar 1 2976 Code 473 NUMBER OF P Arlington, Virginia 22217 150 MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office) SECURITY CLASS. (of this report) Office of Naval Research, Resident Rep. Unclassified Room 165, Durand Building 15a. DECLASSIFICATION/DOWNGRADING Stanford University Stanford, California 94305 16. DISTRIBUTION STATEMENT (of this Report) DISTRIBUTION STATEMENT A Unlimited Approved for public release; Distribution Unlimited 100014-76-C-053 Unlimited 18. SUPPLEMENTARY NOTES Duplicates contents of Ph.D. dissertation of Hugh W. Coleman: same title. 19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Heat transfer Roughness Rough surfaces Boundary layer Turbulence structure Turbulence

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

The behavior of the fully rough turbulent boundary layer subjected to favorable pressure gradients was investigated experimentally using a porous test surface composed of densely packed spheres of uniform size. Measurements of profiles of mean velocity, mean temperature and the components of the Reynolds stress tensor are reported for both unblown and blown layers. Stanton numbers were determined from energy balances on the test surface and skin friction coefficients from measurements of the Reynolds shear stress and mean velocity.

DD 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE S/N 0102 LF 014 6601

Unclassified
SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

401973

SECURITY CLASSIFICATION OF THIS PAGE(When Date Entered)

A new acceleration parameter, $K_{\rm T}$, for fully rough layers is defined and shown to be dependent on a characteristic roughness dimension but independent of molecular viscosity. For $K_{\rm T}$ constant and the blowing fraction, F, constant and greater than or equal to zero, it is shown that the fully rough turbulent boundary layer reaches an equilibrium state in which profiles of the mean velocity and the Reynolds stress tensor components are similar in the flow direction and skin friction coefficient, momentum thickness, boundary layer shape factor, and the Clauser shape factor and pressure gradient parameter all become constant. The thermal data indicate the possibility that such a layer, with wall temperature constant, may approach a state of equilibrium in the thermal sense, also. Such a state would be characterized by Stanton number becoming constant, enthalpy thickness approaching an asymptote, and temperature profiles exhibiting similarity in the flow direction.

For fully rough turbulent flow, acceleration causes an increase in Stanton number compared to zero pressure gradient values at the same enthalpy thickness, Reynolds number, or position. For the present range of accelerations, these increases were approximately ten and twenty percent for the unblown and blown cases, respectively. Data for variable test surface temperature cases show that nondimensionally equivalent positive axial gradients of freestream velocity and temperature potential across the boundary layer have identical effects on Stanton number. The fully rough Stanton number behavior observed in this study is contrary to that previously reported for unblown accelerated smooth wall layers.

Acceleration of a fully rough layer decreases the normalized turbulent kinetic energy and makes the turbulence field much less isotropic in the inner region (for F equal zero) compared to zero pressure gradient fully rough layers. The values of the Reynolds shear stress correlation coefficients, however, are unaffected by acceleration or blowing and are identical with values previously reported for zero pressure gradient smooth and rough wall flows. Increasing values of roughness Reynolds number with acceleration indicate that the fully rough layer does not tend toward the transitionally rough or smooth wall state when accelerated.

An integral prediction method is presented which successfully describes Stanton number behavior in a fully rough turbulent flow with variable velocity, wall temperature, and blowing using only a kernel function determined from zero pressure gradient flow with an unheated starting length.

ACKNOWLEDGMENTS

This research was made possible by support from the Office of 76 c 0532

Naval Research, Contract NO0014-67-A-0172-0072. The experimental apparatus was constructed during an earlier contract from the Department of the Navy, Contract N00123-71-0-0372. The authors wish to thank

Dr. W. H. Thielbahr, Mr. James Patton, and Dr. Ralph Roberts for their support.

The first author also gratefully acknowledges financial support from Sandia Laboratories during the research program.

The authors also wish to thank Dr. Marcos Pimenta for his invaluable contributions during the initial phases of this project and Mr. Robin Birch, whose skill in constructing and repairing probes contibuted greatly to the success of the program.

ABSTRACT

The behavior of the fully rough turbulent boundary layer subjected to favorable pressure gradients was investigated experimentally using a porous test surface composed of densely packed spheres of uniform size. Measurements of profiles of mean velocity, mean temperature and the components of the Reynolds stress tensor are reported for both unblown and blown layers. Stanton numbers were determined from energy balances on the test surface and skin friction coefficients from measurements of the Reynolds shear stress and mean velocity.

A new acceleration parameter, K_r , for fully rough layers is defined and shown to be dependent on a characteristic roughness dimension but independent of molecular viscosity. For K_r constant and the blowing fraction, F, constant and greater than or equal to zero, it is shown that the fully rough turbulent boundary layer reaches an equilibrium state in which profiles of the mean velocity and the Reynolds stress tensor components are similar in the flow direction and skin friction coefficient, momentum thickness, boundary layer shape factor, and the Clauser shape factor and pressure gradient parameter all become constant. The thermal data indicate the possibility that such a layer, with wall temperature constant, may approach a state of equilibrium in the thermal sense, also. Such a state would be characterized by Stanton number becoming constant, enthalpy thickness approaching an asymptote, and temperature profiles exhibiting similarity in the flow direction.

For fully rough turbulent flow, acceleration causes an increase in Stanton number compared to zero pressure gradient values at the same enthalpy thickness, Reynolds number, or position. For the present range

of accelerations, these increases were approximately ten and twenty percent for the unblown and blown cases, respectively. Data for variable test surface temperature cases show that nondimensionally equivalent positive axial gradients of freestream velocity and temperature potential across the boundary layer have identical effects on Stanton number. The fully rough Stanton number behavior observed in this study is contrary to that previously reported for unblown accelerated smooth wall layers.

Acceleration of a fully rough layer decreases the normalized turbulent kinetic energy and makes the turbulence field much less isotropic in the inner region (for F equal zero) compared to zero pressure gradient fully rough layers. The values of the Reynolds shear stress correlation coefficients, however, are unaffected by acceleration or blowing and are identical with values previously reported for zero pressure gradient smooth and rough wall flows. Increasing values of roughness Reynolds number with acceleration indicate that the fully rough layer does not tend toward the transitionally rough or smooth wall state when accelerated.

An integral prediction method is presented which successfully describes Stanton number behavior in a fully rough turbulent flow with variable velocity, wall temperature, and blowing using only a kernel function determined from zero pressure gradient flow with an unheated starting length.

TABLE OF CONTENTS

																						Page
Acknow:	ledgm	ents .																				iii
																						i١
		ntents																				vi
List of	f Fig	ures .																				viii
Nomenc:	latur	e																				хi
Chapter	r																					
1		DUCTION	1.																			1
	1.1	Backgro	ound																			2
	1.2	Objecti The Exp	ives	ent				•	•	•	•	•				•		•	•	•	•	4 5 7
	1.4	General	Orga	aniz	at	ior	· ·	:	:	:	:	:				:	:	:	:	:	:	7
2		EQUILIBE R WITH F	RIUM	FULI	Y	ROI	JGH	T	IRB	UL	EN	T	BO	JNI	AR'	Y						10
	2.1																					
	2.1 Previous Studies of Equilibrium Turbulent Boundary Layers							11														
	2.3	Transpi	ratio	on en a t	· h	Sci		in	. Δ		-1.	er	ot i	or		•		•	•	•		13
7	EVDEI	Paramet RIMENTAL	er	r		•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	16
3																						19
	3.1	Zero Pr Data wi																				20 24
		3.2.1	Integ	gral	Q	uar	tit	ie	S													26
		3.2.2 3.2.3	Mean	Ve)	oc	it) t m	ar	id Te	Te	mp	er	atı	are	er	ro	[1]	Les	;	•	•	•	29 33
		3.2.4	Turbu	ıler	it	Pra	mdt	:1	Nu	mb	er	ar	nd	Re	lat	tec	1					
	3.3	Heat Tr	Quan	titi	es	di		· nc		nd		·	116	· ·	nt:	·		· St	•	•	•	39
	3.3	Data .																				44
4		CTS OF A																				81
5	CONCI	LUSIONS																				87
Referen	ices .																					90
Appendi	ces																					
I		DESCRIP	TION	OF	EX	PEF	RIME	INT	AL	A	PP	ARA	TT	JS	ANI	O N	Œ.	SU	JRE	3-		
		MENT TE	CHNIC	QUES	5																	96
II		QUALIFI	CATI	ON 7	ES	TS																105

Appendices		Page
III	INDUCED TRANSPIRATION EFFECTS ON ACCELERATION	
	DATA	
IV	TABULATION OF EXPERIMENTAL DATA	110

LIST OF FIGURES

Figure		Page
1-1	Schematic of the Experimental Apparatus	8
1-2	Closeup Photograph of the Rough Test Surface	9
3-1	Zero Pressure Gradient Stanton Number Data	49
3-2	Zero Pressure Gradient Skin Friction Coefficient Data	49
3-3	Typical Mean Velocity Profile for Fully Rough, Zero Pressure Gradient Flow	50
3-4	Components of Turbulent Kinetic Energy for Fully Rough, Zero Pressure Gradient Flow	50
3-5	Summary Data for $K_r = 0.15 \times 10^{-3}$, $F = 0$ Equilibrium Acceleration Case	51
3-6	Summary Data for $K_r = 0.29 \times 10^{-3}$, $F = 0$ Equilibrium Acceleration Case	52
3-7	Summary Data for $K_r = 0.29 \times 10^{-3}$, $F = 0.0039$ Equilibrium Acceleration Case	53
3-8	Summary Data for $K = 0.28 \times 10^{-6}$, $F = 0$ Nonequilibrium Acceleration Case	54
3-9	Comparison of Enthalpy Thickness Data and Solution for Equilibrium Enthalpy Thickness Behavior	55
3-10	Equilibrium Acceleration Stanton Number Data vs. (Enthalpy Thickness/Sphere Radius)	55
3-11	Skin Friction Coefficient Data vs. (Momentum Thickness/Sphere Radius)	56
3-12	Thermal and Velocity Boundary Layer Thicknesses Variation with Axial Distance	57
3-13	Enthalpy Thickness Variation with Axial Distance	58
3-14	Roughness Reynolds Number Variation with Axial Distance	59
3-15	Mean Velocity Profiles Illustrating Similarity in Flow Direction $(K_r = 0.15 \times 10^{-3}) \dots$	60
3-16	Mean Velocity Profiles Illustrating Similarity in Flow Direction $(K_r = 0.29 \times 10^{-3}, F = 0) \dots$	60
3-17	Mean Velocity Profiles Illustrating Similarity in Flow Direction $(K_r = 0.29 \times 10^{-3}, F = 0.0039)$	61
3~18		61
3-19	Mean Velocity Profile Plotted Using Shifted Wall Position $(K_r = 0.15 \times 10^{-3}) \dots$	62

Figure		Page
3-20	Mean Velocity Profile Plotted Using Shifted Wall Position $(K_r = 0.29 \times 10^{-3}, F = 0) \dots$	62
3-21	Comparison of Blown and Unblown Mean Velocity Profiles at Same Axial Position $(K_r = 0.29 \times 10^{-3})$	63
3-22	Nondimensional Mean Temperature Profiles Illustrating Similarity in Flow Direction $(K_r = 0.15 \times 10^{-3})$	63
3-23	Nondimensional Mean Temperature Profiles Illustrating Similarity in Flow Direction ($K_r = 0.29 \times 10^{-3}$, F = 0).	64
3-24	Nondimensional Mean Temperature Profiles Illustrating Similarity in Flow Direction, $K_r = 0.29 \times 10^{-3}$, $F = 0.0039$)	64
3-25	Nondimensional Mean Temperature Profiles for Non-equilibrium Acceleration Run $(K = 0.28 \times 10^{-6})$	65
3-26	Nondimensional Mean Temperature Plotted versus Non-dimensional Mean Velocity $(K_r = 0.15 \times 10^{-3}) \dots$	65
3-27	Comparison of Blown and Unblown Nondimensional Mean Temperature Profiles at Same Axial Position $(K_r = 0.29 \times 10^{-3})$	66
3-28	Profiles of Turbulent Kinetic Energy Components Illustrating Similarity in Flow Direction $(K_r = 0.15 \times 10^{-3})$.	66
3-29	Profiles of Reynolds Shear Stress Compared at Two Axial Positions $(K_r = 0.15 \times 10^{-3}) \dots$	67
3-30	$\overline{u^{12}}/U_T^2$ Profiles Compared for $K_r = 0$ and $K_r = 0.15 \times 10^{-3}$	67
3-31	Profiles of Components of Turbulent Kinetic Energy Compared for $K_r = 0$ and $K_r = 0.15 \times 10^{-3}$	68
3-32	Profiles of Components of Turbulent Kinetic Energy Compared for $K_r = 0$ and $K_r = 0.29 \times 10^{-3}$, $F = 0$	68
3-33	Profiles of Components of Turbulent Kinetic Energy Compared for $K_r = 0$ and $K = 0.28 \times 10^{-6}$	69
3-34	Profiles of Components of Turbulent Kinetic Energy Compared for $K_r = 0$, $F = 0.0039$ and $K_r = 0.29 \times 10^{-3}$, $F = 0.0039$	69
3-35	Comparison of Blown and Unblown Profiles of $u^{'2}/U_{\infty}^2$ for Unaccelerated $(K_r=0)$ and Accelerated $(K_r=0.29\times 10^{-3})$ Cases	70
3-36	Comparison of Reynolds Shear Stress Profiles for $K_r = 0$ and $K_r = 0.15 \times 10^{-3} \dots$	70
3-37	Distribution of Reynolds Shear Stress Correlation Coefficients through the Boundary Layer	71
3-38	Comparison of Turbulent Prandtl Numbers Measured by Pimenta(2) and Calculated by Present Method for K = 0.	72

Figure		Page
3-39	Turbulent Prandtl Number Distributions for the Acceleration Cases of the Present Study	72
3-40	Mixing Length Distributions for the Equilibrium Acceleration Cases of the Present Study	73
3-41	τ^+ and Q ⁺ Distributions for the K _r = 0.29 × 10 ⁻³ , F = 0 and F = 0.0039 Runs	74
3-42	Comparison of the Unblown $\overline{v't'}/U_{\tau}T_{\tau}$ Profiles for the Equilibrium Accelerations of the Present Study with the Unaccelerated Profiles for Smooth and Rough Wall Layers	75
3-43	Calculated Distribution of the Nondimensional Turbulent Kinetic Energy Production for $K_r = 0$ and $K_r = 0.15 \times 10^{-3}$	76
3-44	Comparison of St Data and Interpolation Expression for $\mathbf{U}_{\!_{\infty}},\mathbf{T}_{\!_{\mathbf{W}}}$ and F Constant	77
3-45	Comparison of Unheated Starting Length St Data with Results of Kernel Solution for $ {\rm U}_{\infty} $ and $ {\rm F} $ Constant	77
3-46	Comparison of St Data and Prediction for a Bilinear Variation of T_W with U_∞ Constant, $F=0$	78
3-47	Comparison of St Data and Predictions for $K = 0.28 \times 10^{-6}$, $F = 0$ Run Both With and Without an Unheated Starting Length	78
3-48	Comparison of St Data and Prediction for K = 0.50×10^{-3} , F = 0 Rum with T Constant	79
3-49	Comparison of St Data and Predictions for Arbitrary $\rm U_{\infty}$ Variation with Steps in F, F Variable and $\rm T_{W}$ Constant	80
3-50	Comparison of St Data and Predictions for Arbitrary U Variation with Steps in F, F Variable and a Step in T_W in the Blowing Region	80
I-1	Cross-Section of Typical Test Plate Casting Configuration	103
I-2	Schematic of the Horizontal Hot-Wire Probe Configuration $$.	103
I-3	Schematic of the Rotatable Slant Hot-Wire Probe Configuration	104
I-4	Coordinate Systems for Analysis of Slant-Wire Directional Characteristics	104

NOMENCLATURE

^B h	Blowing parameter, F/St
C _f /2	Skin friction coefficient, $\tau_{\rm W}/(\rho U_{\infty}^2)$
C _P	Specific heat of fluid
Е	Turbulent kinetic energy, $\rho q^2/2$
e'	Fluctuating voltage
F	Blowing fraction, $\rho_{\rm W} \ {\rm v_0/\rho_{\infty}} \ {\rm U_{\infty}}$
G	Clauser shape factor, Equation 2.1
Н	Shape factor, δ_1/δ_2
I	Total enthalpy referenced to freestream, $(i + U^2/2) - (i_{\infty} + U_{\infty}^2/2)$
i	Static enthalpy
k	Thermal conductivity
k _s	Equivalent sand grain roughness
K	Smooth wall acceleration parameter, $(V/U_{\infty}^{2})(dU_{\infty}/dx)$
Kr	Fully rough acceleration parameter, $(r/U_{\infty})(dU_{\infty}/dx)$

- Mixing length
- x-position of step in wall temperature
- P Mean pressure
- p' Fluctuating pressure
- P Turbulent kinetic energy production, Equation 3.27
- Pr_{T} Turbulent Prandtl number, $\epsilon_{M}/\epsilon_{H}$
- q'' Heat flux
- q^2 $\overline{u'^2} + \overline{v'^2} + \overline{w'^2}$
- Q⁺ q''/q''_w
- r Radius of spheres comprising test surface
- ${\rm Re}_{\delta_2}$ Momentum thickness Reynolds number, $\delta_2 \ {\rm U}_{\infty}/{\rm V}$
- Re_{Δ_2} Enthalpy thickness Reynolds number, $\Delta_2 U_{\infty}/v$

$$R_{uv}$$
 $-\overline{u^{\dagger}v^{\dagger}} / \sqrt{\overline{u^{\dagger}^2} \overline{v^{\dagger}^2}}$

$$R_{q^2}$$
 $-\overline{u'v'}/q^2$

- St Stanton number, $\dot{q}_{W}^{"}/[\rho_{\infty} U_{\infty} C_{p} (T_{W} T_{\infty}, 0)]$
- St_{o} Stanton number for U_{∞} , T_{w} , F constant
- t' Fluctuating temperature

T	Mean temperature
$T_{\mathbf{w}}$	Wall temperature
$T_{\infty,0}$	Total freestream temperature
ΔΤ	$(T_W - T_{\infty,0})$
T_{τ}	$(ΔT)$ St $/\sqrt{C_f/2}$
u	Instantaneous longitudinal velocity
u'	Longitudinal velocity fluctuation
^u eff	Instantaneous effective velocity sensed by the hot wire
U	Mean longitudinal velocity
U_{∞}	Freestream velocity
U_{τ}	Friction velocity, $U_{\infty} \sqrt{C_f/2}$
v	Instantaneous velocity normal to surface
v'	Normal velocity fluctuation
v _o	Velocity of transpired fluid at the wall
W	Instantaneous transverse velocity
w'	Transverse velocity fluctuation
x	Longitudinal coordinate
у	Coordinate normal to surface

- Δy y-coordinate shift
- z Transverse coordinate
- α Thermal diffusivity
- β Pressure gradient parameter, Equation 2.2
- Thermal boundary layer thickness, $(T_w T)/(T_w T_\infty) = 0.99$
- Enthalpy thickness, $\int_{0}^{\infty} \frac{\rho U}{\rho_{\infty} U_{\infty}} \left(\frac{T T_{\infty}}{T_{W} T_{\infty}} \right) dy$
- δ Momentum boundary layer thickness, $U/U_{\infty} = 0.99$
- δ_1 Displacement thickness, $\int_0^\infty \left(1 \frac{\rho U}{\rho_\infty U_\infty}\right) dy$
- $\delta_2 \qquad \qquad \text{Momentum thickness,} \int\limits_0^\infty \ \frac{\rho U}{\rho_\infty U_\infty} \ \left(1 \ \frac{U}{U_\infty}\right) \ \mathrm{d}y$
- ϵ_{H} Eddy diffusivity for heat, Equation 3.21
- $\epsilon_{\mbox{\scriptsize M}}$ Eddy diffusivity for momentum, Equation 3.20
- K Karman constant
- ν Kinematic viscosity
- ρ Density
- τ Shear stress
- τ^{+} τ/τ_{W}

Subscripts

a Position where K or K_r becomes constant

w Wall

∞ Freestream

Superscripts

Mean (time-averaged) value

CHAPTER 1. INTRODUCTION

Although turbulent flow has been a prime area of both theoretical and experimental research for the past several decades, the present understanding of the behavior and basic mechanisms of tubulence fields is rather tenuous, at best. Experimental data on turbulent boundary layers is either very limited or nonexistent for many classes of boundary conditions. With the recent advent of more sophisticated prediction schemes and turbulence models, requirements for more detailed data on the turbulence field have increased. Measurements of skin friction, Stanton number, and mean temperature and velocity fields no longer provide a sufficient data base from which turbulence behavior may be examined. Additional measurements of the turbulence quantities (fluctuations, correlations) are required.

An experimental study of the effects of roughness on the fluid dynamics and heat transfer in the turbulent boundary layer has been in progress at Stanford for the past several years. Results of this investigation for zero pressure gradient flows have been reported previously [1,2]. The present study considers the effects of acceleration on a turbulent boundary layer in the fully rough state. This subject was investigated not only because of its importance in the flow in nozzles and over turbine blades and reentry vehicles, but also to provide more information on the nature of turbulence by observing the response of the turbulence field to the imposed perturbations (roughness and acceleration).

1.1 Background

Discussions of the literature on turbulent flows over rough surfaces have been presented previously by Healzer [1] and Pimenta [2] and will not be repeated here. In this section a brief introduction on the effects of roughness on a turbulent boundary layer will be made, followed by brief reviews of the zero pressure gradient results reported previously for the present rough surface, the results of accelerated smooth wall turbulent boundary layer studies, and the few previous investigations of accelerated turbulent flow over rough surfaces.

The influence of surface roughness on turbulent flows is usually divided into three regimes, which are characterized by the magnitude of the "roughness Reynolds number," Re_k , where

$$Re_{k} = \frac{k_{S} U_{\tau}}{V}$$
 (1.1)

The equivalent sand grain roughness parameter, k_s , is a commonly used, single-length-scale descriptor of rough surfaces determined by comparison with Nikuradse's [3] classic rough pipe flow experiments. For $\text{Re}_k \leq 5$, the roughness elements are contained entirely within the viscous sublayer and the flow is termed "smooth." For $5 < \text{Re}_k < 55\text{-}70$ some of the elements protrude through the sublayer, and the flow is called "transitionally rough". For $\text{Re}_k > 55\text{-}70$ the viscous sublayer is effectively destroyed, and the flow is termed "fully rough".

In general, skin friction coefficients and Stanton numbers are greater in a turbulent boundary layer influenced by roughness than in a smooth wall layer at the same Reynolds number. This causes larger temperature and velocity defects through the layer and hence thicker boundary layers, since more freestream fluid is entrained.

Experimental results for zero pressure gradient turbulent boundary layers on the present rough surface were reported by Healzer [1] and Pimenta [2]. Healzer constructed the present experimental apparatus and reported $C_{\mathbf{f}}/2$ and St data both with and without blowing for several velocities which included the transitionally rough and fully rough flow regimes. He confirmed that, for fully rough flow over the present surface, both $C_{\mathbf{f}}/2$ and St were independent of Reynolds number, i.e.

$$C_f/2 = f\left(\frac{\delta_2}{r}, F\right) \tag{1.2}$$

$$St = g\left(\frac{\Delta_2}{r}, F\right) \tag{1.3}$$

Pimenta [2] reported results of an extensive investigation of the fluid dynamics and heat transfer in both transitionally rough and fully rough zero pressure gradient layers both with and without blowing. His observations on the fully rough state included:

- (1) The effect of roughness on the turbulence field structure extends over most of the layer.
- (2) Blowing makes the layer behave as if the surface has physically larger roughness elements.
- (3) For very large enthalpy thicknesses, the Stanton number appears to converge to an asymptotic value.
- (4) Reynolds shear stress correlation coefficients are unchanged from the values reported for smooth wall flows.

The response of smooth wall boundary layers to acceleration is discussed in the summary report by Kays and Moffat [4]. Briefly, smooth wall layer accelerations are characterized by the acceleration parameter, $K = \frac{v}{U_{-}^2} \frac{dU_{\infty}}{dx}$.

Above a certain value of K, the turbulent layer develops toward a state resembling laminar flow. For a given Reynolds number, Stanton number decreases with increasing K, and the profiles of ${\bf u'}^2/{\bf U_\infty}^2$ are lowered with acceleration [5]. In a constant K flow, the smooth wall turbulent boundary layer reaches an asymptotic state where mean profiles are similar, ${\rm Re}_{\delta_2}$ and ${\rm C}_{\bf f}/2$ are constant, and boundary layer thickness decreases.

Previously published studies of the combined effects of acceleration and roughness on the turbulent boundary layer have reported only values of wall heat flux. Reshotko, et al. [6], and Banerian and McKillop [7] investigated nozzle wall flows, while Chen [8] cited experimental results for flow over hemispheres. No boundary layer information was obtained in any of these studies.

1.2 Objectives

This investigation was undertaken to determine the effects of acceleration on the fluid dynamics and heat transfer in the fully rough turbulent boundary layer. Specific objectives were:

- (1) To define and experimentally verify the conditions required for equilibrium in the fully rough turbulent boundary layer with pressure gradient and transpiration.
- (2) To obtain a comprehensive fluid dynamic and thermal data set for both equilibrium and nonequilibrium accelerations of the fully rough turbulent boundary layer.
- (3) To examine the behavior of the mean and turbulence fields in the accelerated fully rough turbulent boundary layer.
- (4) To investigate the effect of blowing on the equilibrium accelerated layer.

1.3 The Experiment

A brief description of the experimental apparatus and measurement techniques will be given in this section. Additional information is provided in Appendix I.

The Stanford Roughness Rig (Figure 1-1) is a closed-loop wind tunnel using air as both the primary and transpiration fluids. Air temperature is controlled using water-cooled heat exchangers in both the primary and transpiration loops. The eight-foot long, 20-inch wide test section is four inches high at its entrance. A flexible plexiglass upper wall (constructed in five sections connected by thin plexiglass joints) can be adjusted to give the desired variation in \mathbb{U}_{∞} .

The test surface consists of 24 plates each four inches in the axial direction. The plates (Figure 1-2) are 0.5 inch thick and uniformly porous. They are constructed of 11 layers of 0.050-inch diameter Oxygen-Free High Conductivity (OFHC) copper spheres packed in the most dense array and brazed together. This configuration produces a rough test surface which is uniform and deterministic.

Each plate has individual electrical power and transpiration air controls and thermocouples for determining plate temperature. Stanton number is determined by subtracting the plate losses (known from energy balance qualification tests) from the measured power input. Uncertainty of the St data is within \pm 0.0001 Stanton number units (i.e., if St = 0.00200, the uncertainty is within \pm 5%).

The Stanton number data reported here were taken with a wall-to-freestream temperature difference of approximately 30°F to maintain a constant property boundary layer. Unless specifically stated otherwise, all St data presented are for constant wall temperature. The freestream

velocity at the test section inlet was a nominal 88 ft/sec, and all data were taken with a 1/2" wide, 1/32" high phenolic trip installed three inches inside the nozzle exit. The turbulent boundary layer was in a fully rough state for all cases reported.

Mean temperature profiles were measured with a 0.003-inch diameter, butt-welded, Chromel-constantan thermocouple mounted in a traversing probe holder. The design was similar to that of Blackwell [9].

All velocity measurements were made in an isothermal flow using linearized, constant temperature hot-wire anemometry. Measurements of U and $\overline{u'}^2$ were obtained using a horizontal wire, while measurements of $\overline{v'}^2$, $\overline{w'}^2$ and $\overline{u'v'}$ were made with a rotatable, 45° slant wire.

The physical size of the Roughness Rig and the porosity of the plates imposed limitations on the strengths of the accelerations which could be investigated. The height of the tunnel (four inches at the nozzle exit) limited both the length and severity of the acceleration region since interference of the top wall boundary layer with that on the test surface was carefully avoided. Also, since the plates were porous, the pressure gradient in the axial direction induced flow through the plates even with the transpiration supply valves closed. An analysis and discussion of this effect is presented in Appendix III. No effects of the induced transpiration were apparent in the data. It was concluded that the quantitative effect of the induced transpiration was negligible, certainly for the mildest and also the blown acceleration runs, and that the qualitative trends in all the data (and the conclusions drawn from them) were unaffected.

1.4 General Organization

The general organization of the results presented in the following chapters is described below. In Chapter 2 the concept of "equilibrium" in turbulent boundary layers is discussed, and the requirements for establishing equilibrium in the fully rough turbulent boundary layer with pressure gradient and transpiration are developed. The experimental data are presented in Chapter 3, and characteristics and trends are discussed. An integrated discussion of the effects of acceleration on the fully rough turbulent boundary layer is given in Chapter 4, and Chapter 5 contains the conclusions of the study.

Additional information and tabular data listings are contained in Appendices I - ${\sf IV}$.




Figure 1-1. Schematic of the Experimental Apparatus




Figure 1-2. Closeup Photograph of the Rough Test Surface

CHAPTER 2

THE EQUILIBRIUM FULLY ROUGH TURBULENT BOUNDARY LAYER WITH PRESSURE GRADIENT AND TRANSPIRATION

The definition of conditions for which a turbulent boundary layer becomes similar in the flow direction in some non-dimensional sense has been a subject of interest for a number of years. Such similar behavior is usually termed an "equilibrium" flow in the literature. The term "equilibrium" flow is sometimes used in the sense of similarity of properly normalized mean velocity profiles; however, truly equilibrium turbulent flow exhibits similarity not only in mean profiles, but also in the turbulence quantities themselves.

The analytical and experimental work in equilibrium layers has been prompted in part by the desire to follow the systematic method of fixing as many variables as possible in a given problem. This allows one to obtain a better understanding of the sensitivity of the problem to the uncontrolled variables. In the specific case addressed here, that of the fully rough turbulent boundary layer, the approach described above is the logical one to follow. If the behavior of the fully rough turbulent boundary layer subjected to pressure gradient and transpiration can be examined in the equilibrium case, one can then proceed to an examination of the more realistic non-equilibrium cases with more confidence and understanding.

In this chapter the previous work in describing and establishing the conditions for which equilibrium exists in turbulent boundary layers is

discussed. Following this, an analysis of the fully rough layer is presented. The analysis yields a definition of the proper acceleration parameter for fully rough flows and a description of the conditions required to establish equilibrium in the fully rough turbulent boundary layer with pressure gradient and transpiration.

2.1 Previous Studies of Equilibrium Turbulent Boundary Layers

In 1950 Rotta [10] presented an examination of the conditions which would yield a smooth wall turbulent boundary layer in which the velocity profile is distorted only affinely in the flow direction. He termed such flows similar and showed that, neglecting the viscous wall region, the equations describing the flow become ordinary differential equations if $C_f/2$ = constant and U_∞ = ax^m , where a and m are constants. For a layer where the friction coefficient is almost independent of x, similar solutions exist which depend only on m and $C_f/2$, and the boundary layer thickness increases linearly with x.

In 1954 Clauser [11] presented experimental verification of the existence of similar turbulent boundary layer flows on smooth walls for two different adverse pressure gradients. He termed such behavior "equilibrium" and defined it as the case where both

$$G = \left(\frac{H-1}{H}\right) \left(\frac{1}{\sqrt{C_f/2}}\right) \tag{2.1}$$

and

$$\beta = \frac{\delta'}{\tau_w} \frac{dP}{dx}$$

were independent of x. In a later paper, Clauser [12] showed that the correct choice of the length scale δ' was the displacement thickness, so that

$$\beta = \frac{\delta_1}{\tau_w} \frac{dP}{dx} . \qquad (2.2)$$

It should be noted that Clauser's definition of the shape parameter G is identical with that presented earlier by Rotta [10,13]. Additional theoretical treatments of equilibrium turbulent boundary layers were presented by Townsend [14] and Coles [15].

The most definitive work on equilibrium turbulent boundary layer flow was presented by Rotta [16] in 1962. He showed that the conditions required for exact equilibrium behavior (reduction of the equations of motion to an ordinary differential equation) are:

$$C_{f}/2 = constant$$

$$\frac{d\delta_{1}}{dx} = constant$$

$$\beta = \frac{\delta_{1}}{\tau_{tt}} \frac{dP}{dx} = constant$$
(2.3)

and

Two flows obeying these constraints exactly were shown to be flow over a smooth wall with $U_{\infty} \sim \frac{1}{x_0^{-x}}$ where $x_0 > x$ and flow over a uniformly rough wall with $U_{\infty} \sim \exp\left(\frac{x}{U_{\infty}}\frac{dU_{\infty}}{dx}\right)$. Other variations of U_{∞} were shown to either require a given roughness variation with x or not to satisfy exactly the conditions required above.

There are indications based on experimental rough wall studies that exact equilibrium cases exist for conditions not corresponding to the velocity and roughness criteria above. Perry, et al. [17], found that a

zero pressure gradient turbulent boundary layer developing over a twodimensional cavity type roughness of constant height conformed to Rotta's conditions for precise self-preserving flow. Pimenta [2] also found indications in his work on zero pressure gradient flow over the rough surface used in this study that the boundary layer was approaching such an equilibrium state.

2.2 Conditions for Equilibrium in the Fully Rough Turbulent Boundary Layer with Pressure Gradient and Transpiration

In order to determine the conditions for which equilibrium will be obtained in the fully rough turbulent boundary layer with pressure gradient and transpiration, consider the two-dimensional momentum integral equation

$$\frac{C_f}{2} + F = \frac{d\delta_2}{dx} + \delta_2(2 + H) \frac{1}{U_\infty} \frac{dU_\infty}{dx}$$
 (2.4)

where the variation of ρ_{∞} with x has been neglected, as have the normal Reynolds stresses. For the zero pressure gradient fully rough state, it has been shown [1,2] that the skin friction is independent of Reynolds number and can be functionally represented as

$$C_f/2 = f\left(\frac{\delta_2}{r}, F\right)$$
 (2.5)

where r is a length scale characteristic of the roughness elements.

For the present deterministic rough wall where height and distribution are describable by a single length scale, r is taken as the radius of the spheres comprising the surface. In the most general case, of course, one length scale describing height and one describing distribution in addition

to a parameter describing roughness element form are necessary for the description of a rough surface. Most investigators in the past have used the "equivalent sand grain roughness" scale, $k_{\rm S}$, determined by comparison with Nikuradse's [3] classic pipe flow experiments, in order to obtain a single length scale description of roughness.

One condition necessary for equilibrium is that $C_{\mathbf{f}}/2$ be constant. Additionally, consider only the case for constant F and assume that the functional form of Equation (2.5) will remain valid for flows with pressure gradient. Under these conditions, δ_2 is constant and Equation (2.4) becomes

$$C_f/2 + F = (2 + H) \frac{\delta_2}{U_\infty} \frac{dU_\infty}{dx} = constant$$
 (2.6)

Defining a pressure gradient parameter for fully rough flow as

$$K_{\mathbf{r}} = \frac{L}{U_{\infty}} \frac{dU_{\infty}}{dx}$$
 (2.7)

where L is a length scale yet to be specified, Equation (2.6) can be written as

$$K_r = \frac{(C_f/2 + F)}{(2 + H)(\delta_2/L)} = constant$$
 (2.8)

for an equilibrium condition.

The choice of the proper length scale L to use in (2.7) is not immediately obvious. One might use an integral scale of the flow $(\delta, \, \delta_1, \, \delta_2)$ or a roughness scale $(r, \, k_S)$. The roughness element radius, r, will be used in this development. A discussion of the arguments for this choice will be deferred to a later section. Thus,

$$K_{\mathbf{r}} \equiv \frac{\mathbf{r}}{U_{\infty}} \frac{dU_{\infty}}{d\mathbf{x}} \tag{2.9}$$

For a fully rough flow with constant F and K_r , the layer could be expected to exhibit an equilibrium state for which $C_f/2$, δ_2 , H, and β are all independent of x. This expectation has been experimentally verified in the present investigation for positive K_r and F. For $K_r < 0$ (adverse pressure gradients) Equation (2.8) indicates equilibrium flow is possible only for F < 0 (suction). Fully rough flows with K_r constant are equilibrium flows in the strictest sense since all of the conditions of (2.3) are satisfied.

The freestream velocity variation required for an equilibrium flow is found by integration of Equation (2.9) with K_r = constant to be

$$\frac{U_{\infty}}{U_{\infty,0}} = e^{K_{\Gamma}(x-x_0)/r}$$
 (2.10)

where the subscript o indicates the position at which the velocity variation begins. This agrees with Rotta's [16] result, but from the development above it is clear that fully rough flow is required for the velocity variation (2.10) to give an equilibrium flow. For transitionally rough flow, $C_f/2$ is a function not only of δ_2/r and F, but also of U_∞ . Thus, a constant K_r flow would not be an equilibrium flow for a transitionally rough turbulent boundary layer.

For F and K_{r} constant, it can also be shown that

$$\beta = -\left(\frac{H}{H+2}\right) \left(\frac{C_f/2 + F}{C_f/2}\right) \tag{2.11}$$

and

$$C_f/2 = (H + 2) K_r(\delta_2/r) - F$$
 (2.12)

The definition of \mathbf{K}_{r} for fully rough flows is analogous to that of the smooth wall acceleration parameter

$$K = \frac{v}{U_{\infty}^2} \frac{dU_{\infty}}{dx}$$
 (2.13)

An accelerating turbulent flow on a smooth wall with K = constant yields a boundary layer with Re_{δ_2} constant that is equilibrium in the sense that mean velocity profiles become similar and G and B are constant. Such a flow is not truly an equilibrium flow in the sense of equations (2.3) since $\frac{\text{d}\delta_1}{\text{dx}} \sim \frac{1}{\text{U}_{\infty}^2} \neq \text{constant}.$ A comparison of the asymptotic accelerated states for smooth wall and fully rough turbulent boundary layers is presented in Table 2.1.

2.3 Choice of Length Scale in Acceleration Parameter K

The choice of the correct length scale to be used in the fully rough acceleration parameter $\mathbf{K_r}$ is not obvious from the development in Section 2.2. A scale based on roughness size $(\mathbf{r},\,\mathbf{k_S})$ or a local scale of the boundary layer $(\delta,\,\delta_1,\,\delta_2)$ could be chosen. The near wall scale used in smooth wall layers, $\frac{\nu}{U_\tau}$, should not be considered because the turbulence field of the fully rough layer is independent of viscous effects, at least for regions outside the roughness elements [2].

One requirement which should be imposed is that when K_r is constant, an equilibrium condition should result. This requirement leads to the choice of roughness size as the proposed scale. Define:

$$K_{r} = \frac{r}{U_{\infty}} \frac{dU_{\infty}}{dx}$$
 (2.9)

$$K_{\mathbf{r}}' = \frac{\delta_1}{U_{\infty}} \frac{dU_{\infty}}{dx}$$
 (2.14)

and

$$K_{\mathbf{r}}^{*} = \frac{\delta_2}{U_{\infty}} \frac{dU_{\infty}}{dx}$$
 (2.15)

for convenience in the discussion to follow. If the fully rough flow is in an equilibrium state, δ_1 and δ_2 are both constant and thus K_r , K_r' , and K_r^* are all constant and meet the requirement above. However, consider a case where a non-equilibrium acceleration is imposed on a surface of constant roughness. It is possible, in principle, that an acceleration could be imposed such that the product of $\left(\frac{1}{U_\infty}\frac{dU_\infty}{dx}\right)$ and δ_1 or δ_2 would be constant. Thus, in principle, K_r' or K_r^* could be maintained constant in a non-equilibrium fully rough flow. Therefore, it appears that a local scale of the layer is not suitable for use in defining K_r .

In choosing a roughness length scale for use in K_r , one is assuming that if r (or k_s) is doubled, then $\left(\frac{1}{U_\infty}\frac{dU_\infty}{dx}\right)$ must be halved to achieve the same effect for both the cases $r=r_1$ and $r=2r_1$. Confirmation of this behavior must await further experimental work. However, it is obvious that some wall scale effect must be included in K_r , otherwise the smooth wall parameter, K, would adequately describe rough wall accelerations.

Since the equivalent sand grain roughness of the present rough surface according to Schlichting [18] is 1.25 r, the conversion of the K_{r} values reported to values based on k_{s} is easily made if desired.

Table 2.1

COMPARISON OF ASYMPTOTIC ACCELERATED STATES FOR SMOOTH AND FULLY ROUGH TURBULENT BOUNDARY LAYERS

	Smooth	Rough
Acceleration Parameter	$K = \frac{v}{U_{\infty}^2} \frac{dU_{\infty}}{dx}$	$K_{\mathbf{r}} = \frac{\mathbf{r}}{U_{\infty}} \frac{\mathrm{d}U_{\infty}}{\mathrm{d}x}$
Re _{δ2}	Constant	Increases
δ ₂	Decreases	Constant
U_/U_,o	$\frac{1}{1 - \frac{KU_{\infty,0}}{v} (x - x_0)}$	e -K _r (x - x _o)/r
β	$-\left(\frac{H}{H+1}\right)\left(\frac{C_{\mathbf{f}}/2+F}{C_{\mathbf{f}}/2}\right)$	$-\left(\frac{H}{H+2}\right)\left(\frac{C_f/2+F}{C_f/2}\right)$
C _f /2	$\frac{\delta_2(H + 1)}{U_\infty} \frac{dU_\infty}{dx} - F$	$\frac{\delta_2(H+2)}{U_\infty} \frac{dU_\infty}{dx} - F$

Note: Subscript o indicates point where acceleration begins.

CHAPTER 3

EXPERIMENTAL RESULTS

The experimental data obtained in this study will be presented in this chapter and trends, similarities, and comparisons will be noted and discussed briefly. An integrated discussion and description of the effects of acceleration on the fully rough turbulent boundary layer will be presented in Chapter 4.

The experimental program covered five different cases:

(1)
$$K_r = 0$$
 $F = 0$

(2)
$$K_r = 0.15 \times 10^{-3}$$
 $F = 0$ (equilibrium)

(3)
$$K_r = 0.29 \times 10^{-3}$$
 $F = 0$ (equilibrium)

(4)
$$K_r = 0.29 \times 10^{-3}$$
 $F = 0.0039$ (equilibrium)

(5)
$$K = 0.28 \times 10^{-6}$$
 $F = 0$ (non-equilibrium)

Case 1 was run as a baseline set and to compare the present data with those of Pimenta [2] for identical conditions. Cases 2, 3, and 4 are equilibrium acceleration runs for the fully rough turbulent boundary layer. In Case 5 the smooth wall acceleration parameter $K = \frac{v}{U_\infty^2} \frac{dU_\infty}{dx}$ was maintained constant. This represents a non-equilibrium run for the fully rough layer.

In setting up each of the equilibrium runs, the value of K_r and the x-position at which the acceleration was begun were matched with the δ_2 , H,

and $C_f/2$ data taken at that position for $K_r = 0$, using Equation (2.8). Thus, the boundary layer entered the region of acceleration near the equilibrium state for the K_r applied, and the length of the equilibrium flow established was maximized.

Measurements included Stanton numbers and profiles of T, U, $\overline{u'^2}$, $\overline{v'^2}$, $\overline{w'^2}$, $\overline{u'v'}$. These data allowed calculation of skin friction coefficient $C_f/2$, turbulent Prandtl number Pr_T , mixing length ℓ , and profiles of Q^+ and τ^+ . The profile measurements were obtained using two hot wires--one horizontal and one rotatable 45° slant--and a butt-welded thermocouple probe similar in design to that used by Blackwell [9]. Details of the measurements and techniques used are presented in Appendix I.

In the following sections the K_r = 0 baseline data will be presented first. The four cases with acceleration will then be described with presentation of the data in the following order:

- · Summary graphs for each case
- Integral quantities (St, $C_f/2$, δ , Δ , etc.)
- Mean velocity and temperature profiles
- Reynolds stress tensor components
- Turbulent Prandtl number and related quantities

The final section of this chapter will describe a Stanton number prediction technique and some supplementary Stanton number data, including cases with steps in wall temperature, variable wall temperature, and variable blowing with acceleration.

3.1 Zero Pressure Gradient Data

The data for zero pressure gradient were obtained both to provide a baseline set of measurements taken using the same techniques used in

acquiring the accelerated data and also to demonstrate the compatibility of the data with the results of Pimenta [2] for the same conditions and test surface.

Stanton number data are shown in Figure 3-1 for both F = 0 and 0.0039. The data of Pimenta for an untripped layer are also plotted, and the comparison between the two sets is excellent for large $\frac{\Delta_2}{r}$, being well within the data uncertainty of \pm 0.0001 Stanton number units. The correlations proposed by Pimenta for interpolation of his data are also shown. These correlations are:

St = 0.00317
$$\left(\frac{\Delta_2}{r}\right)^{-0.175}$$
 (3.1)

for F = 0 and 4 < $\frac{\Delta_2}{r}$ < 15 and

$$\frac{\text{St}}{\text{St}_0}\Big|_{\Delta_2} = \left[\frac{\ln(1+B_h)}{B_h}\right]^{1.175} (1+B_h)^{0.175}$$
 (3.2)

for 0 < F < 0.0040, where:

 St_{o} is the Stanton number for F = 0 and the same $\boldsymbol{\Delta}_{2}$

 B_{h} = F/St is the blowing parameter.

Figure 3-2 presents the skin friction coefficients obtained for F = 0 by Healzer [1], Pimenta [2], and the present author. Healzer differentiated his momentum thickness measurements to obtain $C_f/2$, while Andersen's [19] shear stress method for skin friction determination was used in this study and also by Pimenta. The results of Pimenta and the present author show good agreement, while the data of Healzer deviate slightly from the others at the larger values of δ_2/r . The correlation of Pimenta for F = 0 and $1.0 < \frac{\delta_2}{r} < 10.0$

$$C_f/2 = 0.00328 \left(\frac{\delta_2}{r}\right)^{-0.175}$$
 (3.3)

is also plotted.

All of the skin friction coefficients in this study were calculated using

$$\begin{aligned} &U_{\infty}^{2} C_{f}/2 = \sqrt{\frac{\partial U}{\partial y}} \bigg|_{y_{1}} - \overline{u^{T}v^{T}} \bigg|_{y_{1}} - U_{\infty}U_{y_{1}}F \\ - \left[\left(\int_{0}^{y_{1}} \left(\frac{U}{U_{\infty}} \right)^{2} dy \right) - \frac{y_{1}}{2} \right] \left[\frac{U_{\infty}^{2}}{\rho_{\infty}} \frac{d\rho_{\infty}}{dx} + \frac{2U_{\infty}^{2}}{r} K_{r} \right] \\ + \left[\int_{0}^{y_{1}} \frac{U}{U_{\infty}} dy \right] \left[\frac{U_{\infty}U_{y_{1}}}{\rho_{\infty}} \frac{d\rho_{\infty}}{dx} + \frac{U_{y_{1}}U_{\infty}}{r} K_{r} \right] \\ - U_{\infty}^{2} \frac{d}{dx} \left[\int_{0}^{y_{1}} \frac{U^{2}}{U_{\infty}^{2}} dy \right] + U_{y_{1}} U_{\infty} \frac{d}{dx} \left[\int_{0}^{y_{1}} \frac{U}{U_{\infty}} dy \right] \end{aligned}$$
(3.4)

The derivation of (3.4) is straightforward. Briefly, the momentum equation (incorporating the usual boundary layer assumptions but allowing $\rho_{\infty} = \rho_{\infty}(x)$) and the continuity equation are integrated from the surface to a position y_1 in the boundary layer. Then, measurement of successive velocity profiles in the x-direction and $\overline{u^{\dagger}v^{\dagger}}$ at $y = y_1$ for each x-position allows calculation of $C_f/2$ versus x, using (3.4). The position y_1 was always 0.130" in this study, since the rotatable slant hot wire used to measure $\overline{u^{\dagger}v^{\dagger}}$ was limited to y > 0.125".

A typical velocity profile is plotted versus $(y + \Delta y)/\delta_2$ in Figure 3.3. Since the normal coordinate y is referred to the tops of the spherical

elements comprising the test surface, the "wall shift" Ay gives the location of the "apparent wall" for the mean velocity. This wall shift has been a topic of much discussion by previous workers in roughness and will be discussed in more detail later in this chapter. It is shown in the figure that the present data follow Schlichting's [18] expression for fully rough flow

$$\frac{U}{U_{\tau}} = \frac{1}{\kappa} \ln \frac{y}{k_{s}} + 8.5$$
 (3.5)

Note that the value of $k_{_{\rm S}}$ used (0.031") is determined from Schlichting's tabulated values and not by back-fitting Equation (3.5). The smooth wall "law of the wall" is also shown for reference.

Measurements of the three components of the turbulent kinetic energy normalized by U_{∞}^2 are shown in Figure 3-4 plotted versus y/δ . The present measurements agree with those of Pimenta within the data uncertainty. Comparison of the fully rough data with the $\overline{u'}^2$ data of Klebanoff [20] for a smooth wall shows several important characteristics of fully rough flow (which were noted by Pimenta [2]). First, for fully rough flow the peak in $\overline{u'}^2$ is moved out from the wall, lowered, and spread over a greater portion of the layer than is the case for smooth wall flows. Second, the effect of the roughness is felt across practically the entire layer in the form of increased turbulence energy. Blake [21] also observed this behavior in his fully rough flow data. Thus, the assumption made by some authors [8,17] that the effect of roughness is confined to the near wall region is not valid for the turbulent kinetic energy components. Pimenta showed that this effect was not due to the greater freestream turbulence ($\approx 0.4\%$) in the present tunnel as compared with that of Klebanoff ($\approx 0.02\%$). He also showed that

the use of U_{τ}^2 as a normalizing velocity did not collapse the smooth and rough wall results, as was suggested by Hinze [22] based on the measurements of Corrsin and Kistler [23] over 2-D roughness elements.

3.2 Data with Acceleration

Summary graphs for the four cases of accelerated flow investigated are shown in Figures 3-5 through 3-8. The purpose of these plots is to show the variation of K_r and the integral quantities $C_f/2$, δ_2 , and H which are indicators of equilibrium flow according to the discussion in Chapter 2. The Stanton number variation is also plotted to illustrate the integral behavior of the thermal field. In each figure, the data are plotted versus distance along the test section, x. In the discussion which follows, F = 0 unless specifically stated otherwise.

Data from the K_r = 0.15 x 10^{-3} run are presented in Figure 3-5. This run had the longest region of K_r constant (x = 44" to 88"), with the velocity increasing from approximately 88 to 115 ft/sec. As seen in the figure, δ_2 , H and $C_f/2$ all become constant in the region of K_r constant, indicating that equilibrium flow was established. Stanton numbers in the acceleration region are about 10% larger than for the K_r = 0 case and appear to be approximately constant within the data uncertainty. The behavior is different from that observed for accelerated smooth wall layers, where Stanton number is unaffected for small K, then decreases in comparison to the unaccelerated case at the same Reynolds number or same x-position as K increases [4,24,25,26].

Data for K_r = .29 x 10⁻³ are shown in Figures 3-6 and 3-7 for F = 0 and F = 0.0039, respectively. In both these cases, K_r is constant from x = 24" to 52", U_{∞} increases from 88 to 129 ft/sec, and δ_2 , $C_f/2$, and H all reach constant values in the acceleration region. Stanton number shows the

same behavior as seen in Figure 3-5 in the region of acceleration, then decreases immediately to the $K_{\mathbf{r}}$ = 0 baseline data when the acceleration is removed.

The summary data for the K = .28 x 10^{-6} , nonequilibrium case are presented in Figure 3-8. The smooth wall acceleration parameter K is constant from x = 24" to 52", U_{∞} increases from 88 to 150 ft/sec, and $K_{\rm r}$ varies from .25 - .50 x 10^{-3} in this region. The shape parameter H decreases along the entire test section, while δ_2 increases as the layer is entering the region of acceleration, then levels off and finally decreases. This δ_2 behavior is similar to that observed in the asymptotic accelerated smooth wall layer [27,28]. Skin friction coefficient shows very little variation, and appears to remain about constant. This is not surprising considering the small variation of δ_2 in the acceleration region. Stanton number shows the same increase over $K_{\rm r}$ = 0 values observed in the equilibrium cases and recovers immediately to unaccelerated baseline values when the acceleration is removed.

It was noted above that Stanton number appears to be approximately constant within the data uncertainty in regions of K_r constant. However, it is impossible to reach a firm conclusion in this regard due to the inherent uncertainty in the data and the relatively short regions of acceleration. An argument that Stanton number for $K_r > 0$ varies as $\Delta_2^{-0.175}$ (as in the $K_r = 0$ case) or some similar weak function of Δ_2 could also be supported by the present data.

If, for the sake of argument, one assumes that St is constant in a region of constant K_r , then the behavior of Δ_2 in such a region can be determined. The 2-D energy integral equation for F = 0, constant properties, and constant wall to freestream temperature difference may be written as [29]

$$St = \frac{d\Delta_2}{dx} + \frac{K_r}{r} \Delta_2$$
 (3.6)

If St and K_{r} are constant from a position \mathbf{x}_{c} to \mathbf{x} , then (3.6) can be integrated to yield

$$\Delta_2 = \frac{\operatorname{St}_{c}^{r}}{\operatorname{K}_{r}} + \left[\Delta_{2_{c}} - \frac{\operatorname{St}_{c}^{r}}{\operatorname{K}_{r}} \right] e^{-\operatorname{K}_{r}(x-x_{c})/r}$$
(3.7)

Thus the enthalpy thickness will approach an asymptotic value (St_cr/K_r) if a flow is established such that St and K_r are constant.

Equation (3.7) was evaluated for the K_r = .15 x 10^{-3} case assuming x_c = 58" and St_c = 0.00242. The results are shown in Figure 3-9 and compared with the enthalpy thicknesses computed from the mean velocity and temperature profiles. The agreement between the measured values and calculated values assuming St = constant is excellent, thus supporting the observation that Stanton number, if not a constant, is at most a weakly varying function of Δ_2 in an equilibrium accelerated fully rough turbulent boundary layer with constant wall temperature.

As shown in Figure 3-9, for the $\rm K_r$ = .15 x 10⁻³ run the approach of $\rm \Delta_2$ to the indicated asymptotic value is very slow. In fact, $\rm \Delta_2$ would reach 99% of the asymptotic value only after (x-x_c) \approx 60 feet. Since $\rm \delta_2$ is constant in the equilibrium case, the ratio $\rm \Delta_2/\delta_2$ would therefore increase for an appreciable distance.

3.2.1 Integral Quantities

The Stanton number data in the accelerated region for the three equilibrium runs are shown versus Δ_2/r in Figure 3-10 compared with unaccelerated data for F = 0 and 0.0039. The accelerated data increase

over the K_r = 0 data by ~ 10% for F = 0 and ~ 20% for F = 0.0039. As discussed in the previous section, the Stanton number data in the constant K_r region can be argued to be either approaching a constant value or at the very least to be a weaker function of enthalpy thickness than in the unaccelerated case.

Skin friction coefficients in the acceleration region are plotted versus δ_2/r in Figure 3-11 and compared with the unaccelerated cases. The $K_r=0$ data for F=0.0039 are from Pimenta's study. For the three equilibrium cases, both $C_f/2$ and δ_2 are constant in the acceleration region and thus only a single data point for each case appears in these coordinates. In the unblown cases, it appears that acceleration causes a slight increase (~5%) in $C_f/2$ over the baseline data. It should be noted that this is within the uncertainty (~10%) of the $C_f/2$ data, however. In the blown case (F = 0.0039), the acceleration data point lies approximately 30% above Pimenta's $K_r=0$ data. In smooth wall flows acceleration also leads to an increase in $C_f/2$ compared with zero pressure gradient values for the same Reynolds number [27,28].

Figure 3-12 shows temperature and velocity boundary layer thicknesses (Δ and δ , respectively) for the five cases investigated. No temperature profiles were taken in the present study for $K_r=0$, so Δ is not shown for the baseline case. In the three equilibrium accelerated cases, the rate of growth of both δ and Δ decreases in the acceleration region. From the equilibrium conditions developed earlier for the fluid dynamics, one would expect δ to eventually assume a constant value for $K_r=$ constant, and it does appear from Figure 3-12 that δ is approaching an asymptote in the region of K_r constant. After the acceleration is removed in the two $K_r=0.29 \times 10^{-3}$ runs, the boundary layer thicknesses Δ and δ resume a rate of increase with x similar to that observed for the $K_r=0$ case. The data for the nonequilibrium

 $K = .28 \times 10^{-6}$ run exhibit behavior similar to that observed in smooth wall accelerated flows [24,25,27,28]. Both δ and Δ begin to decrease near the end of the acceleration region. In all four acceleration cases, the temperature boundary layer thickness Δ is greater than δ for all x, but the two thicknesses show the same trends in the acceleration and recovery regions.

A comparison of enthalpy thicknesses obtained from integration of temperature and velocity profiles and from integration of the constant property energy integral equation in the form

St + F =
$$\frac{1}{U_{\infty}(T_W^{-1}T_{\infty,0})} \frac{d}{dx} \left[\Delta_2 U_{\infty} (T_W^{-1}T_{\infty,0}) \right]$$
 (3.8)

using measured Stanton numbers is shown in Figure 3-13 for the four acceleration cases. Reasonable agreement is found between the two methods, with the maximum discrepancy being about 10%. The behavior of Δ_2 is similar to that observed for Δ in Figure 3-12.

Figure 3-14 presents the variation of roughness Reynolds number with \boldsymbol{x} for all five cases, where

$$Re_{k} = \frac{k_{s} U_{\tau}}{v}$$
 (3.9)

and $k_{_{\rm S}}$ was taken as 0.031", as noted previously, for the present surface. The roughness Reynolds number increases with acceleration since $\rm U_T$ (= $\sqrt{C_f/2}$ $\rm U_{\infty}$) increases and $\frac{k_{_{\rm S}}}{\nu}$ remains constant.

These results have important implications. The utility of the roughness Reynolds number lies in its magnitude relative to the viscous sublayer thickness. Following the traditional argument, for $\text{Re}_k < 5$, the roughness elements do not penetrate the sublayer and the flow retains its smooth wall

characteristics. For 5 < $\rm Re_k$ < 55 to 70 (depending on the data and/or author) the flow is "transitionally" rough, and for $\rm Re_k$ > 55 to 70 the flow is fully rough. These ranges are all for F = 0. Since $\rm Re_k$ increases in the acceleration region, the roughness elements protrude further out into the layer (in a nondimensional sense) in this region. There is no viscous sublayer present in the fully rough layer, so the increase in $\rm Re_k$ with acceleration can be viewed as making it more difficult for a viscous sublayer to form.

This observation is important when one considers the behavior of accelerated smooth wall flow. Kays and Moffat [4] note that experimental evidence indicates acceleration of a smooth wall turbulent boundary layer causes an increase in the viscous sublayer thickness. Also, it is well known from the results of many investigations that acceleration of a smooth wall turbulent layer causes the layer to develop toward a state resembling laminar flow. Consideration of these smooth wall accelerated flow characteristics might lead one to expect a fully rough turbulent boundary layer subjected to a favorable pressure gradient to develop first transitionally rough, then finally smooth wall characteristics. The present results indicate that this is not the case. To the contrary, acceleration makes a fully rough flow appear "rougher" in the sense that the roughness elements protrude further, nondimensionally, into the turbulent layer.

3.2.2 Mean Velocity and Temperature Profiles

Figures 3-15 through 3-18 present mean velocity profiles for the four acceleration runs plotted as U/U_{∞} versus y/\delta_2 . In these and subsequent figures, x_a denotes the x position at which the relevant acceleration parameter (K_r or K) becomes constant.

In the graphs for the three equilibrium runs (3-15 through 3-17) the profiles are similar, as expected, after the layer is a sufficient distance into the acceleration region. The similarity extends down to the first point from the surface (y = 0.006). The nonequilibrium data (Figure 3-18) do not exhibit similarity.

Figures 3-19 and 3-20 present profiles from the $\rm K_r=0.15 \times 10^{-3}$ and unblown $\rm K_r=0.29 \times 10^{-3}$ cases, respectively, plotted as $\rm U/U_\tau$ vs $(y+\Delta y)/\delta_2$. The smooth wall "law of the wall" and Schlichting's [18] expression for fully rough flow (Equation 3.5) are also shown for comparison. As noted previously in this chapter, the wall shift Δy locates the apparent or virtual location of the surface below the tops of the roughness elements.

The wall shift was determined by the same technique used by Pimenta [2], i.e., the method suggested by Monin and Yaglom [30]. Briefly, if it is assumed that a logarithmic law of the wall region exists in the velocity profile, it can be shown that

$$\frac{U}{U_{T}} = \frac{1}{\kappa} \ln \left(\frac{y + \Delta y}{z_{O}} \right)$$
 (3.10)

where

k = Karman constant (≈ 0.41)

 $z_0 = constant$

 $\Delta y = constant$

The proper wall shifts were determined using a form of (3.10) - Δy was varied until a value was determined for which z_0 was constant.

It was found that $\Delta y = 0.006$ " for all the profiles in the present unblown data. Since this is the same value found by Pimenta for his zero pressure gradient data, it can be concluded that, for the K_r range of this study, Δy is unaffected by favorable pressure gradients and does not vary with x. This result is quite different than that reported by Perry, et al. [17], who investigated turbulent boundary layer flow over 2-D roughness elements for both zero and adverse pressure gradients. They found that Δy varied with x, and in fact, was actually larger than the roughness height under some adverse pressure gradient conditions.

Comparison of the present profiles with Schlichting's expression shows that the constant would have to be increased from 8.5 to approximately 9.1 to match the accelerated data. The reason for this shift is not known. The decrease in the value of $\Delta U/U_{\tau}$ between the smooth wall law of the wall and the present data when acceleration is imposed should not, in the author's opinion, be taken as an indication the flow is tending toward the transitionally rough state. The $\overline{u'}^2$ profiles to be presented later in this chapter exhibit none of the transitionally rough characteristics described by Pimenta [2] for this surface. In addition, the increase of Re $_k$ in the acceleration region indicates a trend away from, rather than toward the transitionally rough state (see Section 3.2.1).

A comparison between the blown and unblown velocity profiles for $K_r = 0.29 \times 10^{-3}$ is presented in Figure 3-21. The behavior is as expected the injection of low momentum fluid at the wall lowers the mean velocity compared to the unblown case.

Temperature profiles for the three equilibrium acceleration cases are plotted in Figures 3-22 through 3-24 in $(T_w^-T)/(T_w^-T_\infty)$ vs y/Δ_2 coordinates. Similarity of the profiles is observed in all cases and

extends to the closest data point from the surface (y=0.013"). Temperature profiles for the K = 0.28 x 10^{-6} non-equilibrium run are shown in Figure 3-25. The apparent similarity observed here is surprising but can be explained by reference to the behavior of the thermal boundary layer thickness Δ and enthalpy thickness Δ_2 for this case shown in Figures 3-12 and 3-13, respectively. Both Δ and Δ_2 vary little in the acceleration region - they appear to be approaching maxima, and a decrease is actually observed in the data for Δ at the end of the acceleration region. Thus the combination of approximately constant Δ and Δ_2 and approximately constant Stanton number (Figure 3-8) in the region of acceleration leads to similarity in the temperature profiles. This similarity would probably not be maintained if the region of K constant were extended.

Temperature profiles for the $K_r = 0.15 \times 10^{-3}$ run are plotted in Figure 3-26 in $(T_w^- T)/(T_w^- T_\infty)$ versus U/U_∞ coordinates. Pimenta [2] found these coordinates useful since $K_r = 0$ data are linear when plotted in this manner. The present profile at x = 34" (prior to the acceleration region) exhibits this linearity. The two profiles in the acceleration region, however, are not linear and do not exhibit similarity in these coordinates. It should be noted that the accelerated profiles, if extrapolated to $U/U_\infty = 0$, still show the temperature "jump" condition discussed by Pimenta, indicating that the apparent wall position is different for the temperature and velocity fields.

A comparison of the blown and unblown temperature profiles for $K_r = .29 \times 10^{-3}$ is shown in Figure 3-27. The results are as expected, with the injection of fluid at the wall temperature resulting in higher temperatures in the near wall region.

3.2.3 Reynolds Stress Tensor Components

The behavior of the turbulence quantities will be examined in this section. Due to the physical limitations of the apparatus, only in the $K_{\mathbf{r}}=0.15 \times 10^{-3}$ run was an acceleration region of sufficient length established to investigate the similarity of the turbulence quantities in the flow direction. The data from this run will form the primary basis for the discussion of the effects of acceleration on the turbulence field. Data from the other runs will be presented as additional support for the points presented; however, a direct comparison of the exact magnitudes between the data of different accelerations is not particularly meaningful due to the variation in the values of $(x-x_a)/\delta$ at which the profiles of the different runs were taken.

In the following discussion, the similarity of turbulence profiles in the flow direction is examined first. Comparisons are then made between the acceleration profiles and those for $K_{\mathbf{r}}$ = 0, and finally a comparison of the Reynolds shear stress correlation coefficients for the different runs is presented. A comparison of correlation coefficients between the different acceleration runs is valid due to the demonstrated insensitivity of the coefficients to the boundary conditions imposed.

Figure 3-28 presents, for $K_r = 0.15 \times 10^{-3}$, the three components of the turbulent kinetic energy nondimensionalized by U_∞^2 and plotted versus y/δ_2 for $(x-x_a)=22$ and 42 inches. Excellent similarity is observed in the u' component, and the agreement in the v' and w' components is within the uncertainty of the data (~ 10%). The Reynolds stress profiles at the two positions are compared in Figure 3-29. The difference between the two profiles is on the order of the data uncertainty. The results shown in Figure 3-28 and 3-29 demonstrate that a state of similarity is being

approached by the turbulence quantities, with the data indicating that $\overline{u^{\dagger}v^{\dagger}}$ possibly requires a greater distance to become truly similar than do the other quantities.

Profiles of u'^2/U_τ^2 versus y/δ are shown in Figure 3-30 for the $K_r = 0$ and .15 x 10^{-3} cases. The decrease in longitudinal turbulence intensity with acceleration is quite evident and similar to the behavior observed with accelerated smooth wall flows [5]. When the profiles in Figure 3-30 are compared with the same two profiles in Figure 3-31 (where the data are normalized by U_∞^2), one observes that the peaks in u'^2 nearly coincide when U_∞^2 scaling is used but are displaced in level if U_τ^2 scaling is used. This near-coincidence of the u'^2 peaks when normalized by U_∞^2 provides a convenient reference level when comparing the profiles, and all fluctuation data to follow are presented in this form.

The three components of the turbulent kinetic energy for the $K_r=0$ and 0.15×10^{-3} cases are compared in Figure 3-31 as $\overline{u_i^*}/U_\infty^2$ versus y/δ . As stated above, the level of the u^* component in these coordinates is changed very little by acceleration for $y/\delta < 0.1$. The v^* and w^* components are substantially lower than the $K_r=0$ data in the region $y/\delta \approx 0.1$, while in the outer region $(y/\delta \ge 0.2)$ all three components are lowered on the order of 40% compared to the $K_r=0$ values. Thus, when compared with the unaccelerated data, acceleration decreases the level of turbulent kinetic energy over the entire layer and makes the turbulence structure much more anisotropic in the inner region. Unfortunately, no measurements of the v^* and v^* components in a smooth wall accelerated layer are known to the author, so no comparison of rough and smooth wall behavior with acceleration is possible.

Consideration of the turbulent kinetic energy equation and the equations for the energies in the three components allows some insight into

the behavior observed in Figure 3-31. The time averaged turbulent kinetic energy equation for stationary flow and no body forces can be written as [30,31]

$$\frac{\partial}{\partial x_{i}} \left(E U_{i} + \frac{1}{2} \rho \overline{u'_{j}u'_{j}u'_{i}} + \overline{p'u'_{i}} - \overline{u'_{j}\sigma'_{ij}} \right) =$$

$$- \rho \overline{\sigma'_{ij}} \frac{\partial u'_{j}}{\partial x_{i}} - \rho \overline{u'_{i}u'_{j}} \frac{\partial U_{j}}{\partial x_{i}}$$
(3.11)

where

$$E = \frac{1}{2} \rho \overline{u_{i}^{!} u_{i}^{!}} = \frac{1}{2} \rho q^{2}$$

and

$$\sigma_{ij}' = \rho \ \nu \left(\frac{\partial u_i'}{\partial x_j} + \frac{\partial u_j'}{\partial x_i} \right)$$

The terms on the left side of (3.11) are, respectively, the spatial transfer of E by the mean motion, by the turbulence fluctuations, by the ''pressure diffusion'', and by the viscous shear stresses of the turbulence field. The terms on the right hand side are the dissipation of E by molecular viscosity and the production of E by the interaction of the Reynolds stress tensor with the mean velocity gradients.

The equations [30] for the three components of E contain terms similar to those in (3.11) and, in addition, the terms $p' \frac{\partial u'}{\partial x}$, $p' \frac{\partial v'}{\partial y}$, and $p' \frac{\partial w'}{\partial z}$ appear on the right hand side of the u'^2 , v'^2 , and w'^2 equations, respectively. Since these three additional terms sum to zero by continuity, they do not appear in the equation for the total turbulent kinetic energy. Thus these pressure fluctuation-turbulence field interaction terms transfer energy

among the components of E, but play no direct role in the spatial transfer of turbulence energy.

In the flows of this investigation, all the terms of the production $\overline{u_1'u_1'}$ $\frac{\partial U_j}{\partial x_i}$ are negligible except $\overline{u'v'}$ $\frac{\partial U}{\partial y}$ (see Section 3.2.4). Therefore the entire turbulent kinetic energy production goes into the $\overline{u'}^2$ component of E, and the $\overline{v'}^2$ and $\overline{w'}^2$ components receive energy only through the pressure fluctuation-turbulence field interaction terms described above. Since the effect of acceleration is to make the fully rough layer much more anisotropic in the inner region, acceleration must decrease the sum of the pressure fluctuation transfer (source) and dissipation (sink) terms in the $\overline{v'}^2$ and $\overline{w'}^2$ equations. This argument can be carried further only if one assumes the dissipation is affected only slightly by acceleration—under this assumption, it would have to be true that the correlations between p' and $\frac{\partial v'}{\partial y}$, $\frac{\partial w'}{\partial z}$ are decreased significantly by acceleration.

Profiles for the components of q^2 are presented in Figures 3-32 and 3-33 for the $K_r = 0.29 \times 10^{-3}$, F = 0, and $K = 0.28 \times 10^{-6}$ cases, respectively. The behavior observed in each case is similar to that already shown in Figure 3-31 for the $K_r = 0.15 \times 10^{-3}$ data.

The effects of acceleration on the components of q^2 in a fully rough layer with blowing are shown in Figure 3-34. The data points are for the $K_r = 0.29 \times 10^{-3}$, F = 0.0039 case of the present study, while the solid lines for $K_r = 0$, F = 0.0039 are from Pimenta [2]. Comparison of the two sets of data yields several important points. First acceleration decreases all components of q^2 in the outer region much as it does in the unblown layers. However, the behavior in the inner region is quite different from that in the unblown cases. The degree of anisotropy in the accelerated data is about the same at $y/\delta \approx 0.2$ as in the zero pressure gradient data.

Unfortunately, the probe size restrictions prevented acquisition of v' and w' data for $y/\delta < 0.1$ and the trends inside this region are undetermined.

In the unblown cases, the general shapes of the profiles with and without acceleration were similar. However, in Figure 3-34 one sees that in the blown layer acceleration alters the basic shape of the profiles. The curvature of the $\overline{u'}^2$ profile in the outer region is completely changed, and the peaks in the $\overline{v'}^2$ and $\overline{w'}^2$ profiles for $K_r = 0$ are suppressed. In fact, the profiles from the blown accelerated layer look much more like the unblown $K_r = 0$ profiles than the profiles from the blown $K_r = 0$ case. This can be seen in Figure 3-35 where the $\overline{u'}^2$ component is shown.

The Reynolds shear stress nondimensionalized by U_{τ}^2 is shown in Figure 3-36 for the K_{r} = 0 and 0.15 x 10^{-3} cases. The behavior of $\overline{u^{\prime}v^{\prime}}$ with acceleration is similar to that calculated for the smooth wall accelerated layer [25]. No measurements of this term in the smooth wall accelerated layer have been published to the knowledge of the author. The observed decrease in $-\overline{u^{\prime}v^{\prime}}/U_{\tau}^2$ with acceleration would lead one to expect a probable decrease in the production of turbulent kinetic energy with acceleration (in a nondimensional sense). This point will be expanded in the following section.

Figure 3-37 presents the measured correlation coefficients ${\rm R}_{uv}$ and ${\rm R}_{\rm q2}$ where

$$R_{uv} = -\overline{u'v'} / \sqrt{\overline{u'^2}} \sqrt{\overline{v'^2}}$$
 (3.12)

and

$$R_{q^2} = -\overline{u'v'}/q^2$$
 (3.13)

The measured values for all four acceleration cases are in excellent agreement with those ($R_{uv} \approx 0.45$, $R_{q^2} \approx 0.15$) reported for both smooth wall layers [32,33,34] and zero pressure gradient rough wall layers [2]. It thus appears that the relationship between the Reynolds shear stress and the diagonal components of the tensor is truly universal and independent of boundary conditions.

Since the turbulent shear and turbulent kinetic energy are primarily generated during periods of bursting [35,36,37], it is logical to propose that the universal values of R_{uv} and R_{q2} observed result from a universal attribute of the bursting and decay process itself. Grass [38], who reported results of a hydrogen bubble technique investigation of a turbulent water channel flow over a pebble-type rough surface, observed that the bursting process appeared more vigorous in the fully rough than the smooth wall case. The inrushing fluid interacted with the fluid among the roughness elements (which is more energetic than that in the viscous sublayer on a smooth wall), and in the ejection phase of the process the fluid moved almost vertically upward. These results are consistent with Pimenta's results of higher turbulence energy throughout the layer in the fully rough state. Thus, the levels of shear stress and energy are influenced by the vigor of the bursting process and, by extension, the boundary conditions. However, it appears from all the data available that in any flow where the level of turbulence is generated and maintained by the bursting process, the relationship between the components of the Reynolds stress tensor is fixed by some basic attribute of the bursting and decay mechanisms and is independent of boundary conditions.

3.2.4 Turbulent Prandtl Number and Related Quantities

The results discussed in this section were obtained from calculations using St, $C_{\mathbf{f}}/2$, U, and T data and the energy, momentum, and continuity equations integrated to a position \mathbf{y}_1 in the boundary layer. These integrations yield

$$\tau = \tau_{W} + \rho_{\infty} U_{\infty} U F + \left(U_{\infty}^{2} \frac{d\rho_{\infty}}{dx} + \frac{2\rho_{\infty} U_{\infty}^{2}}{r} K_{r} \right) \left[\left(\int_{0}^{y_{1}} \left(\frac{U}{U_{\infty}} \right)^{2} dy \right) - \frac{y_{1}}{2} \right]$$

$$- \left(U_{\infty} \frac{d\rho_{\infty}}{dx} + \frac{\rho_{\infty} U_{\infty}}{r} K_{r} \right) \left(U \int_{0}^{y_{1}} \frac{U}{U_{\infty}} dy \right)$$

$$+ \rho_{\infty} U_{\infty}^{2} \frac{d}{dx} \left[\int_{0}^{y_{1}} \left(\frac{U}{U_{\infty}} \right)^{2} dy \right]$$

$$- \rho_{\infty} U_{\infty} U \frac{d}{dx} \left(\int_{0}^{y_{1}} \frac{U}{U_{\infty}} dy \right)$$

$$(3.14)$$

for the shear stress distribution and

$$\dot{q}''/\dot{q}_{W}'' = 1 + \frac{\tau U}{\dot{q}_{W}''} + \frac{F}{St} \left(1 - \frac{I}{I_{W}}\right)$$

$$+ \left(\frac{I}{\dot{q}_{W}''} \int_{O}^{y_{1}} \frac{\rho U}{\rho_{\infty} U_{\infty}} dy\right) \frac{d}{dx} \left(\rho_{\infty} U_{\infty}\right)$$

$$+ \left(\frac{I}{\dot{q}_{W}''} \rho_{\infty} U_{\infty}\right) \frac{d}{dx} \left(\int_{O}^{y_{1}} \frac{\rho U}{\rho_{\infty} U_{\infty}} dy\right)$$

$$- \left(\frac{1}{\dot{q}_{W}''} \int_{O}^{y_{1}} \frac{\rho U I}{\rho_{\infty} U_{\infty} I_{W}} dy\right) \frac{d}{dx} \left(\rho_{\infty} U_{\infty} I_{W}\right)$$

$$- \left(\frac{\rho_{\infty} U_{\infty} I_{W}}{\dot{q}_{W}''}\right) \frac{d}{dx} \left(\int_{O}^{y_{1}} \frac{\rho U I}{\rho_{\infty} U_{\infty} I_{W}} dy\right)$$

$$- \left(\frac{\rho_{\infty} U_{\infty} I_{W}}{\dot{q}_{W}''}\right) \frac{d}{dx} \left(\int_{O}^{y_{1}} \frac{\rho U I}{\rho_{\infty} U_{\infty} I_{W}} dy\right)$$

for the heat flux distribution. Since the fluid dynamics data were taken under isothermal conditions, Equation (3.14) assumes $\rho = \rho_{\infty}(x)$, while Equation (3.15) retains $\rho = \rho(x,y)$. (Although these variations were included in the analysis, numerically they were insignificant in all cases.)

The shear stress and heat flux contain both turbulent and laminar contributions and may be written as

$$\tau = -\rho_{\infty} \overline{u^{\dagger} v^{\dagger}} + \rho_{\infty} v \frac{\partial U}{\partial y}$$
 (3.16)

and

$$\dot{q}'' = \rho C_p \vec{v't'} - k \frac{\partial T}{\partial y}$$
 (3.17)

If the turbulent contributions are modeled using eddy diffusivities for momentum and heat, Equations (3.16) and (3.17) become

$$\tau = \rho \left(\varepsilon_{\rm m} + \nu\right) \frac{\partial U}{\partial y} \tag{3.18}$$

and
$$\dot{q}'' = -\rho C_p (\varepsilon_H + \alpha) \frac{\partial T}{\partial y}$$
 (3.19)

where
$$-\overline{u'v'} = \varepsilon_{m} \frac{\partial U}{\partial y}$$
 (3.20)

and
$$-\overline{v't'} = \varepsilon_H \frac{\partial T}{\partial y}$$
 (3.21)

Alternatively, if the turbulent shear stress is modeled using the mixing length approach, a mixing length ℓ may be defined as

$$\varepsilon_{\rm m} = \ell^2 \left| \frac{\partial U}{\partial y} \right|$$
 (3.22)

or, using Equation (3.20)

$$\ell = \sqrt{-u'v'} / \left| \frac{\partial U}{\partial y} \right|$$
 (3.23)

The turbulent Prandtl number is defined as the ratio of the eddy diffusivities for momentum and heat:

$$Pr_{T} = \epsilon_{m}/\epsilon_{H} \tag{3.24}$$

In order to demonstrate the consistency of the \Pr_T results calculated using the method outlined above with the \Pr_T data obtained by Pimenta [2] from measurements of $\overline{u^*v^*}$, $\overline{v^*t^*}$, and dT/dU, values of \Pr_T were calculated using the present method for the unaccelerated, unblown U_∞ = 89 ft/sec case reported by Pimenta. Results of this calculation are compared in Figure 3-38 with the measured values of \Pr_T reported by Pimenta. The two methods give results which agree well in the inner region. The calculated data are very uncertain in the outer region where $\frac{\partial U}{\partial y}$ and $\frac{\partial T}{\partial y}$ approach zero since the uncertainty in the numerical calculations of the derivatives approaches infinity as $y + \delta$. Pimenta avoided this increase in uncertainty by calculating dT/dU from the linear $(T_w - T)/(T_w - T_\infty)$ vs. U/U_∞ plots discussed previously.

Calculated values of Pr_T for the four acceleration cases of this study are presented in Figure 3-39. Also shown are the bounds on the smooth wall acceleration data reported by Kearney for K \leq 2.5 x 10^{-6} and the calculated data for Pimenta's K_T = 0 case. The rough wall data lie at the lower edge of the smooth wall data range. It appears from the present data that the use of a constant Pr_T = 0.7 - 0.8 would be a reasonable assumption in a prediction method modeling accelerated flow over the present rough surface. Comparison of the present data with those of Pimenta indicates that for fully rough flow the turbulent Prandtl number is decreased slightly by acceleration.

Mixing lengths calculated using Equation (3.23) are presented in Figure 3-40. In the determination of ℓ , values of $\overline{u'v'}$ calculated from Equations (3.14) and (3.16) were used since comparison with the measured values showed agreement within a few percent and the calculations yielded values of $\overline{u'v'}$ closer to the surface than were possible to obtain with the probes. The plot shows that in the inner region $\ell/(y+\Delta y)$ is slightly lower than the unaccelerated values of 0.40 - 0.41 found by Pimenta. The behavior of ℓ/δ in the outer region is in agreement with that observed by Pimenta for ℓ = 0.

Calculations of the nondimensional shear stress, τ^+ , and nondimensional heat flux, Q^+ , are presented in Figure 3-41 for the $K_{\Gamma}=0.29 \times 10^{-3}$, F=0 and 0.0039 runs. The trends observed are similar to those for smooth wall accelerated flows [25], indicating that the effect of roughness on these nondimensional distributions is small. The turbulent contributions to τ^+ and Q^+ are also shown (denoted with the subscript T). Comparison of the total values with the turbulent ones shows that the laminar contribution to both shear stress and heat flux was extremely small throughout the region of measurement.

Also plotted in Figure 3-41 are Couette flow approximations calculated using

$$\dot{q}_{C}^{"} = \dot{q}_{W}^{"} + \tau U + \frac{F \dot{q}_{W}^{"}}{St} (1 - I/I_{W})$$
 (3.25)

and

$$\tau_{\mathbf{c}} = \tau_{\mathbf{w}} + F \rho_{\infty} U_{\infty} U - \frac{y}{2} \left(U_{\infty}^{2} \frac{d\rho_{\infty}}{dx} + \frac{2\rho_{\infty} U_{\infty}^{2}}{r} K_{\mathbf{r}} \right)$$
(3.26)

The expression for $\dot{q}_C^{"}$ is the one normally found by assuming all $\frac{\partial}{\partial x}$ terms to be zero. However, in Equation (3.26) for τ_C only the first two terms on the right hand side are the ones normally retained for the Couette flow approximation. The additional term can be viewed as a correction term for the effects of the pressure gradient. Thus the expression for τ_C might be more accurately labeled a "near-wall" approximation rather than a Couette flow approximation. In any case, it can be observed from the figure that Equations (3.25) and (3.26) provide accurate representations of the behavior of τ^+ and Q^+ in the region very near the wall.

Values of $\overline{v't'}$ for the two unblown equilibrium runs calculated from Equations (3.15) and (3.17) are shown in Figure 3-42 as $\overline{v't'}/U_{\tau}T_{\tau}vs$ y/ δ . Comparison of these values with the unaccelerated data measured by Pimenta [2] and Orlando [34] on rough and smooth walls, respectively, indicates that the distribution of $\overline{v't'}/U_{\tau}T_{\tau}$ is independent of acceleration and surface condition, at least within the ranges of the data available.

Figure 3-43 shows results of calculation of the turbulent kinetic energy production for Pimenta's [2] zero pressure gradient data and the present $K_r = 0.15 \times 10^{-3}$ data. From Equation (3.11), the production term can be written (using the standard boundary layer assumptions) as

$$P = -\overline{u'v'} \frac{\partial U}{\partial y} - \overline{u'^2} \frac{\partial U}{\partial x} + \overline{v'^2} \frac{\partial U}{\partial x}$$
 (3.27)

The second and third terms are normally neglected in zero pressure gradient flows. In the calculations presented in Figure 3-43, the last term in Equation (3.27) was neglected since measurements of $\overline{u'}^2$ were made much closer to the wall than those of $\overline{v'}^2$. Thus the results shown present an upper bound on the effect of the pressure gradient through the $\frac{\partial U}{\partial x}$ terms.

In a boundary layer subjected to a favorable pressure gradient, the second term in (3.27) is negative and thus appears as a sink for turbulent kinetic energy. Hinze [22] notes that one should expect a decrease in q^2 as a result. Such a decrease in turbulence energy was noted in the present accelerated data (see Figure 3-31, for example). However, the results shown in Figure 3-43 indicate that for the present data the production is decreased with acceleration primarily because of changes in the distributions of $-\overline{u^{\dagger}v^{\dagger}}$ and $\frac{\partial U}{\partial y}$, while the sink term remains of negligible magnitude.

3.3 Heat Transfer Predictions and Supplementary St Data

The Stanton number data discussed in previous sections were all for constant F, constant T_W boundary conditions. In the period following the investigation reported by Pimenta [2] and in the course of the present study, additional St cases were run for conditions of variable of T_W and F. A prediction method for rough wall heat transfer with variable velocity, wall temperature and blowing was developed using these data. In this section, the prediction method is described and some typical comparisons of data and predictions are presented. Additional cases of St with variable boundary conditions, not presented in the Figures, are tabulated in Appendix IV.

For smooth walls the variable wall temperature case was dealt with by Reynolds, et al. [39], using superposition based on a kernel function describing the downstream effects of a step change in wall temperature. Whitten [40] extended this to include variable blowing and Orlando [34] used this same method for variable wall temperatures in adverse pressure gradients. However, Orlando found that smooth wall Stanton numbers were not affected by the adverse pressure gradients investigated when presented in enthalpy thickness coordinates.

It was shown by Healzer [1] and Pimenta [2] over a range of free stream velocities that for a fully rough turbulent boundary layer flow on the present surface, with constant U_{∞} , T_{W} and F

$$St = f(\Delta_2/r, F)$$
 (3.28)

from which it follows that

$$\Delta_2 = f(x/r,F) \tag{3.29}$$

where r is the radius of the spheres comprising the test surface. Thus there is a unique curve of St vs x/r for each value of F, so long as both U_{∞} and $T_{\rm W}$ are uniform. The present data for constant U_{∞} and ΔT confirm this, being well represented by the interpolation expression

$$\log_{10} \text{ St}_{0} = A + B \log_{10}(x/r) + C \log_{10}^{2}(x/r)$$
 (3.30)

where

$$A = -1.36 + 48.2 F$$
 $B = -0.61 - 57.4 F$
 $C = 0.0675 + 3.69 F$

for $0 \le F \le 0.004$. Figure 3-44 shows the St_o data and interpolation curves from Equation (3.30) for three values of F. The F = 0.002 data are from Pimenta's [2] study and were untripped, while the data for F = 0 and 0.0039 are from the present study which did use a boundary layer trip.

Now consider the case of an unheated starting length with constant F and U_{∞} . Reynolds, et al. [39], showed that for turbulent flow over a smooth wall with F = 0 the Stanton number downstream of a step increase in wall temperature could be predicted by

$$\frac{St}{St_0} = \left[1 - \left(\frac{\ell}{x}\right)^m\right]^n \quad x > \ell \tag{3.31}$$

where ℓ is the x-position of the temperature step, m=9/10 and n=-1/9. This expression was then used as the kernel function in a superposition integral for predictions with arbitrarily varying ΔT , as follows:

$$\frac{\operatorname{St}_{X}}{\operatorname{St}_{O}} = \frac{1}{\Delta T_{X}} \int_{O}^{X} \left[1 - \left(\frac{\xi}{X} \right)^{m} \right]^{n} \frac{d[\Delta T(\xi)]}{d\xi} d\xi$$
 (3.32)

A kernel function of the same type can be developed for the present rough wall unheated starting length results, and the data are well represented using m=1 and n=-0.22. Thus, for fully rough turbulent flow with unheated starting length and U_{∞} , F and ΔT constant

$$\frac{\operatorname{St}_{x}}{\operatorname{St}_{0}} = \left[1 - \left(\frac{\ell}{x}\right)\right]^{-0.22} \quad x > \ell \tag{3.33}$$

where St_0 is evaluated at the same F and x as St_x . Figure 3-45 shows the unheated starting length St data and curves evaluated using Equation (3-33) for two cases with F = 0 and one case with $F \approx 0.0039$.

As shown previously, for a fully rough turbulent boundary layer a positive value of dU_{∞}/dx gives a higher Stanton number than the constant velocity case at the same x or Δ_2 . Thus, the response of Stanton number to positive dU_{∞}/dx is the same as to positive values of $dT_{\rm w}/dx$. Also, consideration of the energy integral equation (with constant properties) in the form

St + F =
$$\frac{1}{U_{\infty}\Delta T} \frac{d}{dx} (\Delta_2 U_{\infty}\Delta T)$$
 (3.34)

shows that the variables U_{∞} and ΔT always appear in the product form as $(U_{\infty}\Delta T)$. (Of course, Equation 3.34 is a conservation equation obeyed by both smooth and rough wall flows. The different response of smooth and fully rough layers to positive dU_{∞}/dx is evidently related to the effect of the viscous sublayer present in smooth wall layers on the rate equations.)

These observations lead to the following proposed prediction method for cases of variable U_{∞} , ΔT and F in a fully rough flow:

$$\frac{St_{x}}{St_{0}} = \frac{1}{(U_{\infty}\Delta T)_{x}} \int_{0}^{X} \frac{1}{(1-\xi/x)^{22}} \frac{d}{d\xi} [U_{\infty}(\xi) \Delta T(\xi)] d\xi \quad x > \xi \quad (3.35)$$

where St_0 is evaluated at the same x and F as St_{X} . The predictions which follow were obtained by numerically integrating Equation (3.35). For these calculations, the integral was expanded to a sum of two integrals and the $\mathrm{dU}_{\infty}(\xi)$ term was approximated by assuming a linear variation of U_{∞} with ξ across each integration step.

It was found that Equation (3.35) worked well except in cases where there were steps in F. Obviously, St cannot change instantaneously after a

step; therefore, modification of the method is required to account for the "lag" in St after such a step. A simple and satisfactory approach is to define a new St which is modified by the kernel function, giving

$$St_{o}^{*} = St_{o} - \sum_{i=1}^{N} \Delta St_{o_{i}} \left[1 - \left(1 - \frac{\ell_{i}}{x} \right)^{0.22} \right] \quad x > \ell_{i}$$
 (3.36)

where $\operatorname{St}_{0_{\dot{1}}} = \operatorname{St}_{0}(\ell_{\dot{1}}^{\dagger}) - \operatorname{St}_{0}(\ell_{\dot{1}}^{\dagger})$ and $\ell_{\dot{1}}$ is the position of the ith step. Thus, when there are steps in F, use of $\operatorname{St}_{0}^{\star}$ in place of St_{0} in Equation (3.35) accounts for the "lag" in St caused by the step.

Figure 3-46 presents data and predictions for constant U_{∞} , F=0 and a bilinear variation of wall temperature; Figure 3-47 shows cases for the $K=.28\times 10^{-6}$ nonequilibrium run both with and without unheated starting length; and in Figure 3-48 data and predictions for an unblown, $K_{\rm r}=.50\times 10^{-3}$ equilibrium run are presented. In all three figures the agreement between the data and predictions is very good.

Figures 3-49 and 3-50 present data from two cases designed to provide a test of any prediction method proposing to calculate heat transfer in the fully rough turbulent boundary layer. The flow is accelerated arbitrarily and subjected to a step in F, followed by a variable F and then a step back to F = 0. Figure 3-49 presents the ΔT constant case, while Figure 3-50 shows results when a step in ΔT is imposed in the region of variable F. In both figures the dashed line is the prediction using Equation (3.35), while the solid line shows the prediction including the modification for the steps in F (Equation (3.36)). It is evident that the lag introduced by the steps in F must be taken into account, but once this is done the present predictions are in excellent agreement with the data.




Figure 3-1. Zero Pressure Gradient Stanton Number Data




Figure 3-2. Zero Pressure Gradient Skin Friction Coefficient Data




Figure 3-3. Typical Mean Velocity Profile for Fully Rough, Zero Pressure Gradient Flow




Figure 3-4. Components of Turbulent Kinetic Energy for Fully Rough, Zero Pressure Gradient Flow




Figure 3-5. Summary Data for $K_r = 0.15 \times 10^{-3}$ F = 0 Equilibrium Acceleration Case




Figure 3-6. Summary Data for $K_r = 0.29 \times 10^{-3}$, F = 0 Equilibrium Acceleration Case




Figure 3-7. Summary Data for $K_r = 0.29 \times 10^{-3}$, F = 0.0039 Equilibrium Acceleration Case




Figure 3-8. Summary Data for $K = 0.28 \times 10^{-6}$, F = 0 Nonequilibrium Acceleration Case




Figure 3-9. Comparison of Enthalpy Thickness Data and Solution for Equilibrium Enthalpy Thickness Behavior




Figure 3-10. Equilibrium Acceleration Stanton Number Data vs (Enthalpy Thickness/Sphere Radius)




Figure 3-11. Skin Friction Coefficient Data vs (Momentum Thickness/Sphere Radius)




Figure 3-12. Thermal and Velocity Boundary Layer Thicknesses Variation with Axial Distance




Figure 3-13. Enthalpy Thickness Variation with Axial Distance




Figure 3-14. Roughness Reynolds Number Variation with Axial Distance




Figure 3-15. Mean Velocity Profiles Illustrating Similarity in Flow Direction ($K_r = 0.15 \times 10^{-3}$)




Figure 3-16. Mean Velocity Profiles Illustrating Similarity in Flow Direction ($K_r = 0.29 \times 10^{-3}$, F = 0)




Figure 3-17. Mean Velocity Profiles Illustrating Similarity in Flow Direction ($K_r = 0.29 \times 10^{-3}$, F = 0.0039)




Figure 3-18. Mean Velocity Profiles Illustrating Lack of Similarity in Flow Direction ($K = 0.28 \times 10^{-6}$)




Figure 3-19. Mean Velocity Profile Plotted Using Shifted Wall Position $(K_r = 0.15 \times 10^{-3})$




Figure 3-20. Mean Velocity Profile Plotted Using Shifted Wall Position $(K_r = 0.29 \times 10^{-3}, F = 0)$




Figure 3-21. Comparison of Blown and Unblown Mean Velocity Profiles at Same Axial Position ($K_r = 0.29 \times 10^{-3}$)




Figure 3-22. Nondimensional Mean Temperature Profiles Illustrating Similarity in Flow Direction ($K_r = 0.15 \times 10^{-3}$)




Figure 3-23. Nondimensional Mean Temperature Profiles Illustrating Similarity in Flow Direction $(K_r = 0.29 \times 10^{-3}, F = 0)$




Figure 3-24. Nondimensional Mean Temperature Profiles Illustrating Similarity in Flow Direction ($K_r = 0.29 \times 10^{-3}$, F = 0.0039)




Figure 3-25. Nondimensional Mean Temperature Profiles for Nonequilibrium Acceleration Run $(K = 0.28 \times 10^{-6})$




Figure 3-26. Nondimensional Mean Temperature Plotted versus Nondimensional Mean Velocity ($K_r = 0.15 \times 10^{-3}$)





Figure 3-27. Comparison of Blown and Unblown Nondimensional Mean Temperature Profiles at Same Axial Position ($K_r = 0.29 \times 10^{-3}$)



Turbulent Kinetic Energy Components Illustrating in Flow Direction (K $_{\rm r}$ = 0.15 x 10⁻³)




Figure 3-29. Profiles of Reynolds Shear Stress Compared at Two Axial Positions (K $_{\rm r}$ = 0.15 x 10 $^{-3}$)




Figure 3-30. $\overline{u'^2}/U_{\tau}^2$ Profiles Compared for $K_{\mathbf{r}} = 0$ and $K_{\mathbf{r}} = 0.15 \times 10^{-3}$




Figure 3-31. Profiles of Components of Turbulent Kinetic Energy Compared for K_r = 0 and K_r = 0.15 x 10^{-3}




Figure 3-32. Profiles of Components of Turbulent Kinetic Energy Compared for K_r = 0 and K_r = 0.29 x 10⁻³, F = 0




Figure 3-33. Profiles of Components of Turbulent Kinetic Energy Compared for K $_{\rm r}$ = 0 and K = 0.28 x 10 $^{-6}$




Figure 3-34. Profiles of Components of Turbulent Kinetic Energy Compared for K_r = 0, F = 0.0039 and K_r = 0.29 x 10⁻³, F = 0.0039




Figure 3-35. Comparison of Blown and Unblown Profiles of u^{*2}/U_{∞}^{2} for Unaccelerated $(K_{\rm r}=0)$ and Accelerated $(K_{\rm r}=0.29 \times 10^{-3})$ Cases




Figure 3-36. Comparison of Reynolds Shear Stress Profiles for $K_r = 0$ and $K_r = 0.15 \times 10^{-3}$




Figure 3-37. Distribution of Reynolds Shear Stress Correlation Coefficients through the Boundary Layer




Figure 3-38. Comparison of Turbulent Prandtl Numbers Measured by Pimenta⁽²⁾ and Calculated by Present Method for $K_r = 0$




Figure 3-39. Turbulent Prandtl Number Distributions for the Acceleration Cases of the Present Study




Figure 3-40. Mixing Length Distributions for the Equilibrium Acceleration Cases of the Present Study




Figure 3-41. τ^+ and Q^+ Distributions for the $K_{\rm r}$ = 0.29 x 10^{-3} , F = 0 and F = 0.0039 Runs




Figure 3-42. Comparison of the Unblown $\overline{v't'}/U_{\tau}T_{\tau}$ Profiles for the Equilibrium Accelerations of the Present Study with the Unaccelerated Profiles for Smooth and Rough Wall Layers




Figure 3-43. Calculated Distribution of the Nondimensional Turbulent Kinetic Energy Production for $K_r = 0$ and $K_r = 0.15 \times 10^{-3}$




Figure 3-44. Comparison of St Data and Interpolation Expression for ${\rm U_{\infty}},~{\rm T_{\rm W}}$ and F Constant





Figure 3-45. Comparison of Unheated Starting Length St Data with Results of Kernel Solution for $\rm U_{\infty}$ and F Constant



Comparison of St Data and Predictions for $K = 0.28 \times 10^{-6}$, F = 0 Run Both with and Without an Unheated Starting Length Figure 3-47.

Comparison of St Data and Prediction for a Bilinear Variation of $T_{\rm w}$ with $U_{\rm w}$ Constant, F = 0 Figure 3-46.

N

DATA PREDICTION

0

9

40

--- ST₀

4

€01×T2

4000

3000

2000

000

0







Figure 3-48. Comparison of St Data and Prediction for $K_r = 0.50 \times 10^{-3}$, F = 0 Run with T_w Constant










Figure 3-49. Comparison of St Data and Predictions for Arbitrary U_{∞} Variation with Steps in F, F Variable and $T_{\rm w}$ Constant

CHAPTER 4

EFFECTS OF ACCELERATION ON THE FULLY ROUGH TURBULENT BOUNDARY LAYER

In the previous chapter the various sets of data taken in this study were presented and some details of the boundary layer behavior indicated by the data were discussed. A more general, integrated discussion of the effects of acceleration on the fully rough turbulent boundary layer is presented in this chapter.

In smooth wall turbulent boundary layers, a viscous sublayer develops which, in a sense, provides a "buffer" between the surface and the more energetic turbulent fluid in the outer portion of the layer. For flow on a rough surface, once the boundary layer is in the fully rough state the viscous sublayer has been effectively destroyed, at least above the crests of the roughness elements. The outer flow, therefore, interacts with nearwall fluid of higher momentum, energy and vorticity than in the smooth wall case. Thus, the fully rough flow near the wall is characterized by shorter time scales and larger velocity scales than for a smooth wall flow and is unaffected by molecular viscosity down to the tops of the roughness elements. Among the elements, the pressure fluctuations are thought to be more important than the viscous forces [2]. Blake [21] found that pressure fluctuation intensity near the wall increased with roughness and scaled with the wall shear stress when compared to smooth wall values.

In view of these characteristics, it is not surprising that the proper acceleration parameter for fully rough flow $\left(K_r = \frac{r}{U_\infty} \frac{dU_\infty}{dx}\right)$ is independent

of molecular viscosity and contains a length scale dependent on the wall roughness elements. As shown in Chapter 3, imposition of a K_r = constant acceleration on a fully rough flow with F constant and ≥ 0 results in a boundary layer which approaches an asymptotic condition for which $C_f/2$, δ_2 , H, β , and G are all constant with x. This type of boundary layer satisfies the conditions found by Rotta [16] for an exactly equilibrium flow, i.e.,

$$C_f/2 = constant$$

$$d\delta_1/dx = constant (=0)$$

and

$$\beta = \frac{\delta_1}{\tau_w} \frac{dP}{dx} = constant$$

In the equilibrium accelerated fully rough layer, the mean velocity profiles become similar, and the profiles of the Reynolds stress tensor components also approach a similar behavior. The roughness Reynolds number, ${\rm Re}_k$, increases throughout the acceleration region, indicating an evolution toward a "rougher" layer rather than a transitionally rough or smooth behavior. This is opposite to the behavior of the accelerated smooth wall turbulent boundary layer, which evolves toward a state resembling laminar flow. These differences in behavior are consistent with the Stanton number trends observed with acceleration. In the fully rough layer, Stanton numbers are increased with acceleration compared to unaccelerated values at the same x, ℓ_2 , or ${\rm Re}_{\stackrel{}{\Delta}_2}$. In the smooth wall layer, however, Stanton numbers are either unchanged or are decreased (depending on the strength of the acceleration) compared with unaccelerated values at the same position or Reynolds number.

The virtual position of the wall, found using the method suggested by Monin and Yaglom [30] and based on the mean velocity profiles, is unaffected by either acceleration or axial position x. The wall shift, Δy , reported by Pimenta [2] for the present surface with $K_r = 0$ remained valid under all conditions investigated in this study.

Although the accelerated $(T_w^-T)/(T_w^-T_\infty)$ vs U/U_∞ data do not exhibit the linearity observed in $K_T^-=0$ data [2], a temperature "jump" at the extrapolated $U/U_\infty^-=0$ point is still indicated. Therefore, there are different apparent wall positions for the mean velocity and mean temperature profiles in both zero pressure gradient and accelerated fully rough flows, with the virtual wall indicated by the mean temperature profiles being further below the crests of the roughness elements than the apparent wall determined from the mean velocity profiles.

The turbulence field is dramatically affected when a fully rough turbulent boundary layer is accelerated. The nondimensionalized turbulent kinetic energy $(q^2/U_\infty^2 \text{ or } q^2/U_\tau^2)$ is substantially reduced over the entire layer compared to the unaccelerated case. This is the same trend that can be inferred from the data for accelerated smooth wall layers. Although no measurements of $\overline{v^{\,\prime}^{\,2}}$ and $\overline{w^{\,\prime}^{\,2}}$ in accelerated smooth wall layers are known to the author, $\overline{u^{\,\prime}^{\,2}}/U_\infty^2$ profiles are decreased by acceleration [5], and a decrease in bursting has been noted with acceleration [36]. The present data also show that an accelerated fully rough layer is much more anisotropic in the inner region than is a $K_T = 0$ fully rough layer. This is probably due to the influence of acceleration on the pressure field-velocity field interaction terms $\left(\overline{p^{\,\prime}\,\frac{\partial v^{\,\prime}}{\partial y}},\,\overline{p^{\,\prime}\,\frac{\partial w^{\,\prime}}{\partial z}}\right)$ which transfer energy from the u' to the v' and w' components of q^2 .

In the accelerated layer with blowing investigated in this study, the decrease in q^2/U_∞^2 in the outer region observed in the unblown cases was noted, but the increased anisotropy in the inner region observed for F = 0 was not seen for F = 0.0039. This trend was also noted in the K_r = 0 fully rough data of Pimenta [2], who found that blowing produced a more isotropic turbulence field than that of an unblown layer. It thus appears that, in the present data, the effects of acceleration and blowing on the turbulence field in the inner region of the layer are approximately equal and opposite.

The values of the Reynolds shear stress correlation coefficients found in this study are in agreement with the values ($R_{uv} \approx 0.45$, $R_q^2 \approx 0.15$) previously reported for smooth wall [32,33,34] and $K_r = 0$ rough wall [2] turbulent boundary layers. This observation indicates a universal mechanism in the bursting and decay process. Although the <u>magnitudes</u> of the components of the Reynolds stress tensor are dependent on surface condition, blowing and pressure gradient, the constancy of the correlation coefficients indicates a universal and constant relationship among these components.

There are indications from the present data that in a fully rough turbulent boundary layer with $K_{\mathbf{r}}$, F, and $T_{\mathbf{w}}$ constant, the layer approaches an equilibrium state in the thermal sense also. Unfortunately, the range of the present thermal data is not large enough to allow a definitive conclusion in this regard. It is proposed that in such an equilibrium state Stanton number would become constant, enthalpy thickness would approach an asymptote, and nondimensional temperature profiles would be similar in the flow direction. In the present data the fluid dynamic field (which is a major influence on the development of the thermal field) is in an equilibrium state described previously, and the mean temperature profiles are similar in the flow direction. However, due to the relatively small range of Δ_2

covered in the accelerating regions, it is not possible to show that the present Stanton number data are constant rather than weak functions of enthalpy thickness.

As in the case of the Reynolds shear stress correlation coefficients, the distribution of the turbulent heat flux correlation coefficient $\overline{v't'}/U_{\tau}T_{\tau}$ calculated from the data of the present study is identical with the profiles reported for zero pressure gradient rough wall [2] and smooth wall layers [34].

Results of turbulent Prandtl number calculations based on data of the present experiment indicate an approximately constant value of 0.7 - 0.8 across the layer. This value is lower than turbulent Prandtl numbers reported for the unaccelerated fully rough case [2], which vary from ~ 1.0 in the near wall region to ~ 0.7 - 0.8 in the outer region. The present values of Pr_T are in the lower range of the data reported by Kearney [25] for smooth wall accelerated layers.

As shown in Section 3.4, the response of Stanton number in fully rough flow to either acceleration or variable wall temperature can be represented using the same kernel function, $\left(1-\frac{k}{x}\right)^{-0.22}$. This behavior is related to the absence of a viscous sublayer, which leads to greater turbulent mixing and more vigorous interaction between the wall region and outer flow [38,2]. By contrast, in a smooth wall layer the viscous sublayer damps or buffers the interaction between the wall and the fully turbulent layer, and the response of Stanton number is different for variations in velocity and wall temperature.

The fact that variations in velocity and temperature have equivalent effects on Stanton number and that the process can be modeled in the manner described above indicates that turbulent Prandtl number should be unity.

This information complements the results of the \Pr_T calculations described above, since the calculated values are of order one.

CHAPTER 5. CONCLUSIONS

All statements in this chapter, unless otherwise indicated, refer to the flow of a fully rough turbulent boundary layer over a three-dimensional, densely packed, uniformly rough test surface such as that used in this study. Based on the discussion in the previous chapters, the important results and conclusions of the study are:

- 1. The proper acceleration parameter for use with fully rough flow is $K_r = \frac{r}{U_\infty} \frac{dU_\infty}{dx}$, where r is a characteristic roughness length.
- 2. In a constant K_r acceleration with $F \ge 0$ and constant, the fully rough layer develops toward an equilibrium state where $C_f/2$, δ_2 , H, β and G are all constant. Both mean velocity profiles and the components of the Reynolds stress tensor approach similarity in the flow direction.
- 3. Although inherent uncertainty in the Stanton number data and the restricted length of the acceleration region prevent a definite conclusion, the present thermal data indicate the possibility that a layer with $K_{\mathbf{r}}$, $T_{\mathbf{w}}$ and $F(\geq 0)$ constant approaches an equilibrium state in the thermal sense, also. Such a state would be characterized by Stanton number becoming constant, enthalpy thickness approaching an asymptote, and temperature profiles being similar in the flow direction.

- 4. Stanton numbers increase with acceleration compared to zero pressure gradient values at the same position or enthalpy thickness. This behavior is quite different from that of a smooth wall layer, where Stanton numbers are unchanged for small values of K and decrease with increasing K compared to zero pressure gradient data at the same position or Reynolds number.
- 5. Roughness Reynolds number increases in a region of acceleration, indicating that the fully rough layer does not tend toward the transitionally rough or smooth wall state when accelerated.
- 6. For F = 0, acceleration decreases the turbulent kinetic energy throughout the boundary layer, and in the inner region the turbulence is much more anisotropic than in the K_r = 0 layer.
- 7. In the blown layer, acceleration decreases the turbulent kinetic energy in the outer region of the layer and substantially alters the shape of the profiles of $\overline{u'^2}$, $\overline{v'^2}$, $\overline{w'^2}$ compared with the blown, unaccelerated boundary layer (Figure 3-34).
- 8. The values of the Reynolds shear stress coefficients obtained in this study are the same as those reported for smooth wall flows and K_r = 0 fully rough flows, indicating that these values are truly universal.
- 9. The profiles of $\overline{v't'}/U_{\tau}T_{\tau}$ calculated from the present accelerated data are in good agreement with those reported for smooth and rough wall zero pressure gradient layers. It thus appears that the turbulent heat flux profile, nondimensionalized in this manner, is independent of surface condition and favorable pressure gradient.
- 10. In a fully rough flow, the response of Stanton number to either variable wall temperature or acceleration can be represented using the same kernel function, $\left(1-\frac{\ell}{x}\right)^{-0.22}$.

- 11. From (10) above one would expect a turbulent Prandtl number of approximately unity. The values of Pr_T calculated from the present data support this, having an approximately constant value of 0.7 0.8 across the boundary layer.
- 12. The virtual origin of the wall (based on mean velocity profiles) is independent of acceleration and position in the flow direction.

REFERENCES

- 1. Healzer, J. M., Moffat, R. J., and Kays, W. M., "The Turbulent Boundary Layer on a Rough, Porous Plate: Experimental Heat Transfer with Uniform Blowing," Report HMT-18, Thermosciences Division, Dept. of Mech. Eng., Stanford University, 1974.
- 2. Pimenta, M. M., Moffat, R. J., and Kays, W. M., "The Turbulent Boundary Layer: An Experimental Study of the Transport of Momentum and Heat with the Effect of Roughness," Report HMT-21, Thermosciences Division, Dept. of Mech. Eng., Stanford University, 1975.
- 3. Nikuradse, J., "Stromugsgestze in rauhen Rohren," VDI Forschungsheft, No. 361, 1950, English Translation, NACA TM 1292.
- 4. Kays, W. M., and Moffat, R. J., "The Behavior of Transpired Turbulent Boundary Layers," Report HMT-20, Thermosciences Division, Dept. of Mech. Eng., Stanford University, 1975.
- 5. Badri Narayanan, M. A., and Ramjee, V., "On the Criteria for Reverse Transition in a Two-Dimensional Boundary Layer Flow," <u>Jn. Fluid Mech.</u>, Vol. 35, pp. 225-241, 1969.
- 6. Reshotko, M. Boldman, D. R., and Ehlers, R. C., "Heat Transfer in a 60° Half-Angle of Convergence Nozzle with Various Degrees of Roughness," NASA TN D-5887, 1970.
- 7. Banerian, G., and McKillop, A. A., "The Effects of Surface Roughness in Nozzles on Heat Transfer," Proc. of the Fifth International Heat Transfer Conference, V. II, pp. 234-238, 1974.
- 8. Chen, K. K., "Compressible Turbulent Boundary-Layer Heat Transfer to Rough Surfaces in Pressure Gradient," AIAA J., 10, pp. 623-629, 1972.
- 9. Blackwell, B. F., Kays, W. M., and Moffat, R. J., "The Turbulent Boundary Layer on a Porous Plate: An Experimental Study of the Heat Transfer Behavior with Adverse Pressure Gradients," Report No. HMT-16, Thermosciences Division, Dept. of Mech. Eng., Stanford University, 1972.
- 10. Rotta, J., 'Uber die Theorie der turbulenten Grenzschichten,' Mitteilungen aus dem Max-Planck-Institut für Stromungsforschung (Gottingen), No. 1, 1950. English translation NACA TM 1344, 1953.
- 11. Clauser, F. H., "Turbulent Boundary Layers in Adverse Pressure Gradients," Jn. Aero. Sci., Vol. 21, pp. 91-108, 1954.

- 12. Clauser, F. H., "The Turbulent Boundary Layer," Advances in Applied Mechanics, Vol. IV, pp. 1-51, Academic Press, New York, 1956.
- 13. Rotta, J. C., "Similar Solutions of Turbulent Boundary Layers," <u>Jn. Aero.</u> Sci., Vol. 22, pp. 215-216, 1955.
- 14. Townsend, A. A., "The Properties of Equilibrium Boundary Layers," Jn. Fluid Mech., Vol. 1, pp. 561-573, 1956.
- 15. Coles, D., "Remarks on the Equilibrium Turbulent Boundary Layer," Jn. Aero. Sci., Vol. 24, pp. 495-506, 1957
- 16. Rotta, J. C., "Turbulent Boundary Layers in Incompressible Flow," Prog. in Aero. Sci., Vol. 2, pp. 1-219, Pergamon Press, 1962.
- 17. Perry, A. E., Schofield, W. H., and Joubert, P. H., 'Rough Wall Turbulent Boundary Layers," Jn. Fluid Mech., Vol. 37, pp. 383-413, 1969.
- 18. Schlichting, H., <u>Boundary Layer Theory</u>, 6th Edition, McGraw-Hill Book Co., Inc., New York, 1968.
- 19. Andersen, P. S., Kays, W. M., and Moffat, R. J., "The Turbulent Boundary Layer on a Porous Plate: An Experimental Study of the Fluid Mechanics for Adverse Free-Stream Pressure Gradients," Report No. HMT-15, Thermosciences Division, Dept. of Mech. Eng., Stanford University, 1972.
- 20. Klebanoff, P. S. "Characteristics of Turbulence in a Boundary Layer with Zero Pressure Gradient," NACA Report 1247, 1955.
- 21. Blake, W. K., "Turbulent Boundary-Layer Wall-Pressure Fluctuations on Smooth and Rough Walls," Jn. Fluid Mech., Vol. 44, pp. 637-660, 1970.
- 22. Hinze, J. O., <u>Turbulence An Introduction to its Mechanism and Theory</u>, McGraw-Hill Book Co., 1959.
- 23. Corrsin, S., and Kistler, A. L., "The Free Stream Boundaries of Turbulent Flows," NACA Tech. Note 3133, January 1954.
- 24. Thielbahr, W. H., Kays, W. M., and Moffat, R. J., "The Turbulent Boundary Layer: Experimental Heat Transfer with Blowing, Suction and Favorable Pressure Gradient," Report No. HMT-5, Thermosciences Division, Dept. of Mech. Eng., Stanford University, 1969.
- 25. Kearney, D. W., Moffat, R. J., and Kays, W. M., "The Turbulent Boundary Layer: Experimental Heat Transfer with Strong Favorable Pressure Gradients and Blowing," Report No. HMT-12, Thermosciences Division, Dept. of Mech. Eng., Stanford University, 1970.
- 26. Moretti, P. M., and Kays, W. M., "Heat Transfer to a Turbulent Boundary Layer with Varying Free-Stream Velocity and Varying Surface Temperature An Experimental Study," <u>Int. J. Heat Mass Transfer</u>, Vol. 8, pp. 1187-1202, 1965.

- 27. Julien, H. L., Kays, W. M., and Moffat, R. J., "The Turbulent Layer on a Porous Plate: Experimental Study of the Effects of a Favorable Pressure Gradient," Report No. HMT-4, Thermosciences Division, Dept. of Mech. Eng., Stanford University, 1969.
- 28. Loyd, R. J., Moffat, R. J., and Kays, W. M., "The Turbulent Boundary Layer on a Porous Plate: An Experimental Study of the Fluid Dynamics with Strong Favorable Pressure Gradients and Blowing," Report No. HMT-13, Thermosciences Division, Dept. of Mech. Eng., Stanford University, 1970.
- 29. Kays, W. M., Convective Heat and Mass Transfer, McGraw-Hill Book Co., New York, 1966.
- 30. Monin, A. S., and Yaglom, A. M., <u>Statistical Fluid Mechanics</u>, Vol. 1, The MIT Press, 1971.
- 31. Tennekes, H., and Lumley, J. L., <u>A First Course in Turbulence</u>, The MIT Press, 1972.
- 32. Townsend, A. A., The Structure of Turbulent Shear Flow, Cambridge University Press, 1956.
- 33. Bradshaw, P., "The Turbulence Structure of Equilibrium Boundary Layers," NPL Aero Report 1184, 1966.
- 34. Orlando, A. F., Moffat, R. J., and Kays, W. M., "Turbulent Transport of Heat and Momentum in a Boundary Layer Subject to Deceleration, Suction and Variable Wall Temperature," Report No. HMT-17, Thermosciences Division, Dept. of Mech. Eng., Stanford University, 1974.
- 35. Kim, H. T., Kline, S. J., and Reynolds, W. C., "The Production of Turbulence Near a Smooth Wall in a Turbulent Boundary Layer," Jn. Fluid Mech., Vol. 50, pp. 133-160, 1971.
- 36. Kline, S. J., Reynolds, W. C., Schraub, F. A., and Runstadler, P. W., "The Structure of Turbulent Boundary Layers," Jn. Fluid Mech., Vol. 30, pp. 741-773, 1967.
- 37. Offen, G. R., and Kline, S. J., "Combined Dye-Streak and Hydrogen-Bubble Visual Observations of a Turbulent Boundary Layer," Jn. Fluid Mech., Vol. 62, pp. 223-239, 1974.
- 38. Grass, A. J., "Structural Features of Turbulent Flow over Smooth and Rough Boundaries," Jn. Fluid Mech., Vol. 50, pp. 233-256, 1971.
- 39. Reynolds, W. C., Kays, W. M., and Kline, S. J., "Heat Transfer in the Turbulent Incompressible Boundary Layer with Arbitrary Wall Temperature and Heat Flux," Final Report Part III, Dept. of Mech. Eng., Stanford University, 1957.
- 40. Whitten, D. G., Kays, W. M., and Moffat, R. J., "The Turbulent Boundary Layer on a Porous Plate: Experimental Heat Transfer with Variable Suction, Blowing, and Surface Temperature," Report No. HMT-3, Thermosciences Division, Dept. of Mech. Eng., Stanford University, 1967.

- 41. Hottel, H. C., and Kalitinsky, A., "Temperature Measurements in High-Velocity Air Streams," Jn. Appl. Mech., Vol. 12, pp. A25-A32, 1945.
- 42. Jorgensen, F. E., "Directional Sensitivity of Wire and Hot-Film Probes," DISA Information No. 11, 1971.
- 43. Repik, Y. E. U., and Ponomareva, V. S., "The Effect of Proximity of Walls on the Readings of a Hot-Wire Anemometer in Turbulent Boundary Layers," Heat Transfer Soviet Research, Vol. 2, No. 4, 1970.
- 44. Ligrani, P., private communication, Dept. of Mech. Eng., Stanford University, 1975.

APPENDICES

APPENDIX I

DESCRIPTION OF EXPERIMENTAL APPARATUS AND MEASUREMENT TECHNIQUES

The experimental apparatus and measurement techniques used in this investigation are discussed below. Since comprehensive descriptions of the design, construction, and basic qualification of the Roughness Rig have been reported by Healzer [1] and Pimenta [2], these details will not be repeated here. The interested reader is referred to the cited reports. Since some differences exist between the hot wire techniques used by Pimenta [2] and the present author, a more detailed discussion of this area is presented.

I.1 Experimental Apparatus

A schematic diagram of the Roughness Rig was presented previously in Figure 1-1 and a brief description was given in Chapter 1. Details of a typical plate and casting assembly are shown in Figure I-1 for reference. Each of the 24 plates which make up the rough test surface has its own plate power control, transpiration air control, and five thermocouples which are averaged to give an effective plate temperature.

Stanton numbers were determined from an energy balance on each plate. The energy gained by the transpired air while passing through the plate and the plate losses were subtracted from the measured plate power input to determine the wall heat flux, $\dot{\mathbf{q}}_{W}^{"}$. Stanton number was then calculated from the definition

St =
$$\frac{q_{W}^{"}}{\rho_{\infty}U_{\infty}C_{p} (T_{W}^{-}T_{\infty,0})}$$
 (I.1)

The plate losses considered were the radiative losses from the upper and lower surfaces of the plate, the conduction losses from the plate to the casting, and the conduction loss through the stagnant air below the test plate when there was no transpiration. The same models for these losses were used in this investigation as were used by Healzer [1] and Pimenta [2]. (See Appendix II for a discussion of qualification tests).

Based on the results of the qualification tests, the uncertainty of the Stanton number data is within \pm 0.0001 Stanton number units for the conditions of this investigation.

Two modifications were made to the Rig after completion of Pimenta's [2] zero pressure gradient study and prior to the present work. First, a 1/2" wide, 1/32" thick phenolic trip was installed with the front edge three inches inside the nozzle exit. This was done to insure stable conditions at the beginning of the acceleration region from run to run.

The second modification was to the top of the test section. The single-section plexiglass top wall was replaced by a top wall of 1/2" thick plexiglass constructed in five sections joined with plexiglass inserts. This wall allowed more precise control of the pressure gradient which was set along the tunnel length. The new top wall was actually a reworked version of the one used by Julien [28] and Thielbahr [24] in their smooth wall investigations.

I.2 Measurement Techniques

I.2.1 Pressure Measurements

Two Statham unbonded strain gauge differential pressure transducers were used - a model PM-5 with a 0 to 0.5 psi range and a model PM-97 with a 0 to 0.05 psi range. Each unit had a zeroing circuit and was

calibrated at the beginning of this investigation using a 30" Meriam Micromanometer (Model 34FB2) as a standard. The calibrations were linear for 10% to 80% of full scale for both units and were stable to within 0.001 inches of water. Signals from the transducers were integrated for ten seconds using a Hewlett-Packard Model 2401C integrating digital voltmeter (IDVM) with an external quartz crystal oscillator clock which provided 1, 10, and 100 second integrating period options.

The transducers were used to read the tunnel static pressures from the 0.040" diameter taps located 2" apart in the flow direction on the tunnel side wall. This gave a pressure reading at the front, middle, and rear of each 4" plate length. The value of the pressure gradient was calculated from a quadratic fit to the pressures measured at three adjacent taps.

Total pressures in the freestream were measured with a Kiel probe located in the potential flow region using the pressure transducers.

I.2.2 Temperature Measurements

Mean temperature profiles were measured with a 0.003" diameter, butt-welded Chromel-constantan thermocouple probe mounted in a traversing probe holder similar to that used with the horizontal hot wire (see Section I.2.3). The probe was designed with a length of approximately 0.625" to minimize conduction errors (see Blackwell's [9] analysis), and was calibrated in an oil bath using a Hewlett-Packard Model 2801A Quartz Thermometer as a standard. Recovery factor for this probe was assumed to be 0.66 based on the work of Hottel and Kalitinsky [41].

The freestream temperature (for use in Stanton number runs and monitoring during hot wire data acquisition) was measured with a probe made of 0.004 inch iron-constantan wire welded into a bead. This probe was also calibrated against the quartz thermometer and a recovery factor of 0.86 was used.

Estimated accuracy of temperature measurements: ± 0.15 °F.

I.2.3 Hot Wire Measurements

Two hot wire probes were used in this investigation: (1) a DISA 55P05 horizontal, boundary-layer-type probe of 5 micron tungsten wire with gold plated ends, and (2) a DISA 55F02 45° slant probe of 5 micron tungsten wire with gold plated ends. The wires were mounted in the same probe traversing mechanisms described by Pimenta [2] and which are shown in Figures I-2 and I-3 for reference. The slant wire could be rotated about the probe axis with stops positioned 45° apart ($\theta = n\pi/4$, where n = 0, ..., 7).

Two DISA 55M01 anemometers with CTA Standard Bridges were operated in the constant-temperature mode. Each of the two hot wires was paired with an anemometer. The anemometer output voltages were linearized using two TSI Model 1072 fourth order linearizers.

A DISA Model 55D15 true rms meter was used to determine the mean square values of the fluctuating voltages. The rms meter was calibrated against standard sine waves with known rms values. Resulting accuracy of the rms meter output was 1% of the measured value.

Mean velocities were determined by integrating the linearizer output for 10 seconds with the IDVM, while mean square values were determined by integrating the true rms meter output for 100 seconds with the IDVM. The rms meter was used with a 10 second time constant setting, and four time constants (40 seconds) were allowed to elapse before the 100 second integration was begun.

The hot wire probes were calibrated using the calibrator described by Pimenta. This consists of a length of 3" diameter PVC pipe with flow straighteners and screens at its inlet and is followed by a 20:1 contraction

ASME nozzle. The probes were placed in the free jet at the exit of the nozzle where the velocity is uniform across the central region of the jet. The air temperature was maintained constant and at the same temperature at which the data were taken in the tunnel ($\sim 68^{\circ}$ F).

The directional sensitivity of a hot wire and the resulting equations have been widely reported in the literature and will be only briefly covered here. According to Jorgensen [42], the directional sensitivity of a hot wire can be written as

$$u_{eff}^2 = u_2^2 + k_1^2 v_2^2 + k_2^2 w_2^2$$
 (I.2)

where u_2 , v_2 , and w_2 are the velocity components in the wire ccordinate system (Figure I-4) and k_1 and k_2 are constants which depend on wire and prong construction characteristics. For the DISA 55F02, the values are taken as k_1 = 0.20 and k_2 = 1.02.

Equation (I.2) can be rewritten in terms of u_1 , v_1 , w_1 , the velocity components in the laboratory coordinate system, as

$$u_{eff}^2 = Au_1^2 + Bv_1^2 + Cw_1^2 + Du_1v_1 + Ev_1w_1 + Fu_1w_1$$
 (I.3)

where

$$A = \cos^{2}\phi + k_{1}^{2} \sin^{2}\phi$$

$$B = (\sin^{2}\phi + k_{1}^{2} \cos^{2}\phi) \cos^{2}\theta + k_{2}^{2} \sin^{2}\theta$$

$$C = (\sin^{2}\phi + k_{1}^{2} \cos^{2}\phi) \sin^{2}\theta + k_{2}^{2} \cos^{2}\theta$$

$$D = (1 - k_{1}^{2}) \sin 2\phi \cos\theta$$

$$E = (\sin^{2}\phi + k_{1}^{2} \cos^{2}\theta - k_{2}^{2}) \sin 2\theta$$

$$F = (1 - k_{1}^{2}) \sin 2\phi \sin\theta$$

For a boundary layer flow where

$$u_1 = U + u'$$

$$v_1 = v'$$

$$w_1 = w'$$

it can be shown [2,34] that

$$\frac{u_{eff}^{2}}{u_{eff}^{2}} = A \frac{\overline{u'^{2}} + \frac{D^{2}}{4A} \overline{v'^{2}} + \frac{F^{2}}{4A} \overline{w'^{2}} + D \overline{u'v'} + \frac{DF}{2A} \overline{v'w'} + F \overline{u'w'} + 0(3) \quad (1.4)$$

and

$$U_{eff} = \sqrt{A} U + O(2)$$
 (I.5)

In a two-dimensional boundary layer, the $\overline{v^*w^*}$ and $\overline{u^*w^*}$ terms can be assumed zero by symmetry. In the present tests, it was verified that both these terms were essentially zero to within the accuracy of the rms meter (see Appendix II). With this information, U and $\overline{u^{*2}}$ can be measured with the horizontal wire, and measurements at three rotations of the slant wire allow determination of $\overline{v^{*2}}$, $\overline{w^{*2}}$, and $\overline{u^*v^*}$. In this investigation, slant wire measurements were taken at θ = 45°, 90°, and 135°. These angles were chosen after an initial investigation to determine typical values of $\overline{e^{*2}}$ at difference between large numbers. The choice of θ = 45°, 90°, and 135° was an attempt to maximize this difference and thus minimize the error involved. In addition, these values of θ minimize the effect of the velocity gradient in the 0° - 180° plane.

Estimated uncertainties in the indicated quantities are:

U:
$$\pm 2\%$$
 $\overline{u'^2}$: $\pm 5\%$
 $\overline{v'^2}$, $\overline{w'^2}$, $\overline{u'v'}$: $\pm 10\%$

No wall proximity corrections were applied to the hot wire measurements, since by the criteria of Repik and Ponomareva [43] none were required for the conditions under which the measurements were made.




Figure I-1. Cross-Section of Typical Test Plate--Casting Configuration




Figure I-2. Schematic of the Horizontal Hot-Wire Probe Configuration




Figure I-3. Schematic of the Rotatable Slant Hot-Wire Probe Configuration




Figure I-4. Coordinate Systems for Analysis of Slant Wire Directional Characteristics

APPENDIX II

QUALIFICATION TESTS

II.1 Stanton Number Data

The original energy balance tests on the Roughness Rig were performed by Healzer [1], and the St data of Pimenta [2] were taken shortly after these tests. Since the present St data for $K_{\mathbf{r}}=0$, F=0 and 0.0039 are in excellent agreement with those of Pimenta (see Figure 3-1) for large values of enthalpy thickness, it was concluded that the models for the energy losses were still valid.

This conclusion was confirmed when both blown and unblown energy balance tests were conducted several months after this investigation was completed. Results of these tests [44] were in excellent agreement with the original tests of Healzer.

II.2 Two Dimensionality Check

After installation of the boundary layer trip, a zero pressure gradient flow was established in the test section and velocity profiles were taken at x = 24" both on the centerline and 3 inches on either side $(z = 0, \pm 3 \text{ inches})$. Across this center 6" section of the tunnel, the variation of U_{∞} was less than 1% and the variation of momentum thickness was less than 2%.

When a favorable pressure gradient (acceleration) is imposed on a flow in a test section of finite size, a divergence of the streamlines is expected due to the thinning of the boundary layers on the smooth side and

top walls. Since the accelerations applied in this investigation were milder (lower values of K) than those studied in the smooth wall layer investigations of Julien [27], Thielbahr [24], Loyd [28], and Kearney [25], the three-dimensionality induced by acceleration was anticipated to be negligible in this study. To check this effect on the turbulence measurements, the values of $\overline{v'w'}$ and $\overline{u'w'}$ were determined for each acceleration condition at the x-position where turbulence profiles were taken. In every case, $\overline{v'w'}$ and $\overline{u'w'}$ were essentially zero within the accuracy of the rms meter, and in no case were they greater than 2% of $\overline{u'v'}$. It was concluded that the accelerated boundary layers of this investigation could be considered two-dimensional with negligible loss of accuracy.

II.3 Sensitivity of Calculated Data to Origin of Wall

The sensitivity to the assumed origin of the wall of all accelerated data calculated by integration of profiles outward from the wall was considered. All calculated quantities reported in this thesis were determined assuming y = 0 at the crests of the spherical roughness elements.

Additional calculations were made considering the origin of the wall to be 0.006 inches below the crests of the roughness elements. Typical results, presented as the percentage change due to the 0.006" wall shift, were:

$$\delta_1 \rightarrow 4\%$$

$$\delta_2 \rightarrow 1\%$$

$$\Delta_2 \rightarrow 1\%$$

$$Pr_T \rightarrow 3\%$$

$$C_f/2 \rightarrow 2\%$$
.

II.4 Hot Wire Measurements

Great care was taken when hot wire mersurements were being made to insure that the wire calibration and instrument calibrations were maintained. Periodic checks of wire calibration were made in the freestream by comparison with measurements of U_{∞} obtained with a Pitot probe and the calibrated pressure transducers. The calibration settings of the linearizers, rms meter, and IDVM were checked after every one or two profiles to insure that these instruments had a minimum of drift. The temperature of the flow was maintained constant within \pm 0.5°F during measurement periods by monitoring the output of a thermocouple in the freestream on an auxiliary digital voltmeter.

APPENDIX III

INDUCED TRANSPIRATION EFFECTS ON ACCELERATION DATA

Imposition of a pressure gradient, dP/dx, along the test section results in an induced flow through the porous plates for a nominal F = 0 condition. When there is blowing through the plates, the nominal distribution of F along the test section is altered by the flow induced by the pressure gradient. This section presents an analysis which quantifies these effects.

A cross-section diagram of a typical plate and casting assembly was shown in Figure I-1. In the following analysis it will be assumed that, for F=0, the preplate is impermeable since its porosity is much less than that of the test plate. Static pressures on the front edge, center, and rear edge of the test plate will be denoted by P_1 , P_2 , and P_3 , respectively. For a linear variation of pressure along the plate, the pressure in the plenum between the preplate and test plate is assumed to be $(P_1 + P_3)/2$ for F=0. Under the favorable pressure gradients of this study, for a nominal F=0 condition there is suction on the front half of the plate and blowing on the rear half.

The pressure drop versus flow rate characteristics of a typical plate were determined experimentally. The pressure differential across a test plate was measured for 11 different settings of the transpiration control valve (while there was no mainstream flow). It was found that the data follow the relationship

$$\dot{m} = 25.58 \Delta P^{0.942}$$
 (III.1)

where \dot{m} is the flow rate (ft³/min) through the 0.5 ft² plate area and ΔP is the pressure drop across the test plate (inches H₂O). This expression is valid for ΔP from 0.019 to 0.56" H₂O and \dot{m} from 0.58 to 14.68 ft³/min.

Calculations were made using Equation (III.1), the assumptions stated above, and assuming negligible induced flow axially in the test plate due to the longer flow path in that direction than in the direction normal to the plate surface. Results are shown below, where F_{\min} and F_{\max} are the blowing fractions at the leading and trailing edges of the plate, respectively. Maximum induced suction occurred at the leading edge, maximum induced blowing at the trailing edge, and the value of F induced at the middle of the plate was zero.

Run	(x-x _a)	F _{nomina1}	Fmax	F _{min}
$K_r = 0.15 \times 10^{-3}$	22 42	0.0	0.0005 0.0006	-0.0006 -0.0006
$K_r = 0.29 \times 10^{-3}$	10 22	0.0	0.0010 0.0011	-0.0010 -0.0012
$K_r = 0.29 \times 10^{-3}$	10 22	0.0039 0.0039	0.0046 0.0049	-0.0031 -0.0030
$K = 0.28 \times 10^{-6}$	10 22	0.0	0.0013 0.0019	-0.0014 -0.0021

APPENDIX IV

Tabulation of Experimental Data

This appendix provides tabular listings of the experimental data of this investigation. Data are presented in the following order: (1) Stanton numbers, (2) mean temperature profiles, (3) mean velocity profiles, and (4) Reynolds stress tensor component profiles.

Abbreviations used in the listings are:

RUN	Date (month, day, year)	
TINFO	Freestream total temperature	(°F)
TDB	Dry bulb temperature	(°F)
TWB	Wet bulb temperature	(°F)
PL	Plate number	
X	Axial position from nozzle exit	(In.)
ST	Stanton number	
DEH2	Enthalpy thickness, Δ_2	(In.)
REDEH2	Enthalpy thickness Reynolds number, Re_{Δ_2}	
F	Blowing fraction	
UINF	Freestream velocity	(ft/sec)
TW	Wall temperature	(°F)
TINF	Freestream static temperature	(°F)
KR	Fully rough acceleration parameter, $K_{\mathbf{r}}$	
K	Smooth wall acceleration parameter, K	

DEU	Thermal boundary layer thickness, Δ	(In.)
DEH		
DE	Velocity boundary layer thickness, δ	(In.)
DE2	Momentum thickness, δ_2	(In.)
PT	Point number in profile	
Y	Distance normal to test surface	(In.)
T	Mean static temperature	(°F)
TBAR	$(T_{W} - T)/(T_{W} - T_{\infty})$	
CF/2	Skin friction coefficient, $C_{ m f}/2$	
UTAU	Friction velocity, $\mathbf{U}_{\mathbf{T}}$	(ft/sec)
DE1	Displacement thickness, δ_1	(In.)
Н	Shape factor, δ_1/δ_2	
G	Clauser shape factor	
BETA	Pressure gradient parameter, $\beta = (\delta_1/\tau_W)(dP/dx)$	
REDE2	Momentum thickness Reynolds number, $\operatorname{Re}_{\delta_2}$	
REK	Roughness Reynolds number, Rek	
U	Mean velocity	(ft/sec)
UP2/UI2	$\overline{\mathbf{u'}^2}/\mathrm{U}_{\infty}^2$	
VP2/UI2	$\overline{v'^2}/U_{\infty}^2$	
WP2/UI2	$\overline{w'^2}/U_{\infty}^2$	
-UV/UI2	$-\overline{u'v'}/U_{\infty}^2$	
Q2/UI2	q^2/U_{∞}^2	
RUV	$-\overline{u'v'}/\sqrt{u'^2}\overline{v'^2}$	
RQ2	$-\overline{u^{\dagger}v^{\dagger}}/q^2$	

STA	NTON	NO. RUN	- KR=0.	F=0					
RUN	=	040975	TOB	= 70.00					
TIN	FC =	66.60	TWB	= 57.00					
PL	x	ST	DEH2	REDEHZ	F	UINF	TW	TINF	KR
1	2	.00531	.011	484.	0.0000	88.08	92.2	66.0	0.
2	6	.00372	.029	1308.	0.0000	88.08	92.3	66.0	0.
3	10	.00327	.043	1945.	0.0000	88.08	92.4	66.0	0.
4	14	.00301	.055	2517.	0.0000	86.08	92.4	66.0	0.
5	18	.00285	.967	3052.	0.0000	88.08	92.3	66.0	0.
6	22	.00263	.078	3552.	0.0000	65.05	92.3	66.0	0.
7	26	.00263	.088	4032.	0.0000	88.08	92.3	66.0	0.
8	30	.00248	.099	4498.	0.0000	88.08	92.4	66.0	0.
9	34	.00242	.109	4945.	0.0000	88.08	92.3	66.0	0.
10	38	.00238	.118	5384.	0.0000	88.08	92.4	66.0	0.
11	42	.00238	.128	5818.	0.0000	88.08	92.3	66.0	0.
12	46	.00236	.137	6249.	0.0000	88.08	92.2	66.0	0.
13	50	.00233	.147	6677.	0.0000	88.08	92.3	66.0	0.
14	54	.00225	.156	7095.	0.0000	86.08	92.4	66.0	0.
15	58	.00222	.165	7502.	0.0000	86.08	92.5	66.0	0.
16	62	.00221	.173	7907.	0.0000	68.08	92.4	66.0	0.
17	66	.00222	.182	8311.	0.0000	88.08	92.5	66.0	0.
18	70	.00219	.191	8713.	0.0000	88.98	92.5	66.0	0.
19	74	.00218	.200	9112.	0.0000	86.08	92.4	66.0	0.
20	75	.00214	.209	9506 .	0.0000	66.08	92.5	66.0	0.
21	82	.00210	.217	9893.	0.0000	88.08	92.4	66.0	0.
22	86	.00212	.225	10277.	0.0000	68.08	92.5	66.0	0.
23	90	.00212	.234	10663.	0.0000	88.08	92.4	66.0	0.

STA	NTON	NO. RUN	- KR=0,	F=0 - FI	RST 6 PL	ATES UNH	EATED		
RUN	=	040975	TOB	= 70.00					
TIN	FC =	67.50	TMB	= 57.00					
PL	×	ST	DEH2	REDEH2	F	UINF	TW	TINF	KR
1	2	0.00000	0.000	0.	3.0000	88.16	67.9	66.9	0.
2	6	0.00000	0.000	0.	0.0000	88.16	67.7	66.9	0.
2	10	0.00000	0.000	0.	0.0000	88.16	67.5	66.9	0.
4	14	0.00000	0.000	0.	0.0000	88.16	67.3	66.9	0.
5	18	0.00000	0.000	0.	0.0000	88.16	67.5	66.9	0.
6	22	0.00000	0.000	0.	0.0000	88.16	68.4	66.9	0.
7	26	.00455	.009	414.	0.0000	88.16	93.3	66.9	0.
8	30	.00335	.025	1133.	0.0000	88.16	93.3	66.9	0.
9	34	.00314	.038	1724.	0.0000	88.16	93.2	66.9	0.
10	38	.00297	.050	2280.	0.0000	88.16	93.4	66.9	0.
11	42	.00284	.062	2808.	0.0000	88.16	93.0	66.9	0.
12	46	.00278	.073	3319.	0.0000	88.16	93.1	66.9	0.
13	50	.00270	.084	3818.	0.0000	88.16	93.0	66.9	0.
14	54	.00259	.095	4299.	0.0000	88.16	93.1	66.9	0.
15	58	.00253	.105	4765.	0.0000	88.16	93.2	66.9	0.
16	62	.00250	.115	5223.	0.0000	88.16	93.1	66.9	0.
17	66	.00247	.125	5675.	0.0000	88.16	93.2	66.9	0.
18	70	.00244	.135	6121.	0.6080	88.16	93.2	66.9	0.
19	74	.00240	.144	6561.	C. 0000	88.16	93.2	66.9	0.
20	78	.00235	.154	6993.	0.0000	88.16	93.3	66.9	0.
21	82	.00229	.163	7416.	0.0000	88.16	93.4	66.9	0.
22	86	.00230	.172	7834.	0.0000	88.16	93.4	66.9	0.
23	90	.00230	.181	8253.	0.0000	88.16	93.4	66.9	0.

STA	NTCN	NO. RUN	- KR=0 .	F=0 - FIR	ST 12	PLATES UN	HEATED		
RUN	=	040975	108						
TIN	FO =	67.20	TWB	= 57.00					
				050546					
PL	×	ST	UEHS	REDEHZ	F	UINF	TH	TINF	KR
1	2	0.00000	0.000		0.0000		67.9	66.6	0.
2	6	0.00000	0.000	0.	0.0000	88.13	67.6	66.6	0.
3	10	0.00000	0.000	0.	0.0000	88.13	67.3	66.6	0.
4	14	3.30000	0.000		0.0000	88.13	67.2	66.6	0.
5	18	0.00000	0.000	0.	0.0000	88.13	67.4	66.6	0.
6	22	0.00000	0.000	0.	0.0000	88.13	67.3	66.6	0.
7	26	0.00000	0.000	0.	0.0000	88.13	67.3	66.6	0.
8	30	0.00000	9.000	0.	0.0000	88.13	67.2	66.6	0.
9	34	0.00000	0.000	0.	0.0000	88.13	67.2	66.6	0.
10	38	0.00000	0.000	0.	0.0000	88.13	67.1	66.6	0.
11	42	0.00000	0.000	0.	0.0000	88.13	67.3	66.6	0.
12	46	0.00000	0.000	0.	0.0000	88.13	58.1	66.6	0.
13	50	.09427	.009		0.0000		93.4	66.6	0.
14	54	.00320	.024	1069.	0.0000	88.13	93.4	66.6	0.
15	55	.00304	.036	1638.	0.0000	88.13	93.5	66.6	0.
16	62	.00292	.048	2191.	0.0000	88.13	93.3	66.6	0.
17	66	.00283	.059	2704.	0.0000	88.13	93.4	66.6	0.
18	70	.09276	.071	3212.	0.0000	85.13	93.3	66.6	0.
19	74	.00269	.081	3708.	0.0000	88.13	93.5	66.6	0.
20	79	.00250	.092	4189.	0.0000	58.13	33.5	66.6	0.
21	82	.00252	.102	4655.	0.0000	88.13	93.5	66.6	0.
22	86	.00251	.112	5113.	0.0000	88.13	93.5	66.6	0.
23	90	.00250	.122	5569.	0.0000	88.13	93.4	66.6	0.
RUN	=	NO. RUN 041075	108		EAR TH	IALL VARIA	TION		
RUN		041075		= 70.00	EAR TH	IALL VARIA	TION		
RUN	F0 = X	041075 64.20 ST	TOB TWB DEH2	= 70.00 = 56.00 REDEH2	F	UINF	TION	TINF	KR
RUN TIN PL	F0 = x 2	041075 64.20 ST .00529	TOB TWB OEH2	= 70.00 = 56.00 REDEH2	F 0.0000	UINF 88.05	TW 102.0	63.9	0.
RUN TIN PL 1 2	F0 = X 2 6	041075 64.20 ST .00529 .00371	TOB THB DEH2 .011 .029	= 70.00 = 56.00 REDEH2 485. 1308.	F 0.0000	UINF 88.05 88.05	TW 102.0 102.1	63.9 63.9	0.
RUN TIN PL 1 2 3	FO = x 2 6 10	041075 64.20 ST .00529 .00371 .00327	TOB TWB DEH2 .011 .029 .043	= 70.00 = 56.00 REDEH2 485. 1308. 1947.	F 0.0000 0.0000	UINF 88.05 88.05 88.05	TW 102.0 102.1 102.1	63.9 63.9 63.9	0. 0. 0.
RUN TIN PL 1 2 3	FO = X 2 6 10 14	041075 64.20 ST .00529 .00371 .00327	TOB TWB DEH2 .011 .029 .043	= 70.00 = 56.00 REDEH2 485. 1308. 1947. 2538.	F 0.0000 0.0000 0.0000	UINF 88.05 88.05 88.05 88.05	TW 102.0 102.1 102.1 101.8	63.9 63.9 63.9	0. 0. 0.
RUN TIN PL 1 2 3 4	= X 2 6 10 14	041075 64.20 ST .00529 .00371 .00327 .00301	TOB TMB DEH2 .011 .029 .043 .055	= 70.00 = 56.00 REDEH2 485. 1308. 1947. 2538. 3114.	F 0.0000 0.0000 0.0000	UINF 88.05 88.05 88.05 88.05	TW 102.0 102.1 102.1 101.8 101.2	63.9 63.9 63.9 63.9	0. 0. 0. 0.
RUN TIN PL 123456	= X 2 6 10 14 18 22	041075 64.20 ST .00529 .00371 .00327 .00301 .00261	TOB TWB DEH2 .011 .029 .043 .055 .066	= 70.00 = 56.00 REDEH2 485. 1308. 1947. 2538. 3114. 3669.	F 0.0000 0.0000 0.0000 0.0000	UINF 88.05 88.05 88.05 88.05 88.05	TW 102.0 102.1 102.1 101.8 101.2 100.5	63.9 63.9 63.9 63.9 63.9	0. 0. 0. 0.
RUN TIN PL 1 2 3 4 5 6 7	= X 2 6 10 14 18 22 26	041075 64.20 ST .00529 .00371 .00327 .00301 .00260	TOB TWB DEH2 .011 .029 .043 .055 .068 .080	= 70.00 = 56.00 REDEH2 485. 1308. 1947. 2538. 3114. 3669. 4212.	F 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 88.05 88.05 88.05 88.05 88.05	TW 102.0 102.1 102.1 101.8 101.2 100.5 99.9	63.9 63.9 63.9 63.9 63.9 63.9	0. 0. 0. 0. 0.
RUN TIN PL 1 2 3 4 5 6 7 5	= X 2 6 10 14 18 22 26 30	041075 64.20 ST .00529 .00371 .00327 .00281 .00260 .00259	TOB TMB DEH2 .011 .029 .043 .055 .068 .080 .092	= 70.00 = 56.00 REDEH2 485. 1308. 1947. 2538. 3114. 3669. 4212. 4746.	F 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 88.05 88.05 88.05 88.05 88.05 88.05	TW 102.0 102.1 102.1 101.8 101.2 100.5 99.9 99.2	63.9 63.9 63.9 63.9 63.9 63.9	0. 0. 0. 0. 0.
RUN TIN PL 1 2 3 4 5 6 7 5 9	= X 2 6 10 14 18 22 26 30 34	041075 64.20 ST .00529 .00371 .00327 .00301 .00251 .00259 .00253	TOB TWB DEH2 .011 .029 .043 .055 .066 .080 .092 .104	= 70.00 = 56.00 REDEH2 485. 1308. 1947. 2538. 3114. 3669. 4212. 4746. 5292.	6.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 88.05 88.05 88.05 88.05 88.05 88.05	TW 102.0 102.1 102.1 101.8 101.2 100.5 99.9 99.9 98.5	63.9 63.9 63.9 63.9 63.9 63.9 63.9	0.
RUN TIN PL 1 2 3 4 5 6 7 5 9 10	FO = X 2 6 10 14 18 22 26 30 34 38	041075 64.20 ST .00529 .00371 .00327 .00301 .00260 .00253 .00243	TOB TMB DEH2 .011 .029 .043 .055 .068 .080 .092 .104 .116	= 70.00 = 56.00 REDEH2 485. 1308. 1947. 2538. 3114. 3669. 4212. 4746. 5292. 5819.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 88.05 88.05 88.05 88.05 88.05 88.05	TW 102.0 102.1 102.1 101.8 101.2 100.5 99.9 99.2 98.5 97.9	63.9 63.9 63.9 63.9 63.9 63.9 63.9 63.9	0.
RUN TIN PL 1 2 3 4 5 6 7 5 9 10 11	FO = X 2 6 10 14 18 22 26 30 34 38 42	041075 64.20 ST .00529 .00371 .00327 .00301 .00260 .00259 .00237 .00231	TOB TMB DEH2 .011 .029 .043 .055 .068 .080 .092 .104 .116 .127 .139	= 70.00 = 56.00 REDEH2 485. 1308. 1947. 2538. 3114. 3669. 4212. 4746. 5292. 5819. 6374.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 88.05 88.05 88.05 88.05 88.05 88.05 88.05	TW 102.0 102.1 102.1 101.8 101.2 100.5 99.9 99.2 98.5 97.9 97.1	63.9 63.9 63.9 63.9 63.9 63.9 63.9 63.9	0.
RUN TIN PL 123456759101112	FO = X 2 6 10 14 18 22 6 30 34 38 42 46	041075 64.20 ST .00529 .00371 .00327 .00301 .00260 .00259 .00243 .00231 .00231	TOB TWB DEH2 .011 .029 .043 .055 .068 .080 .092 .104 .116 .127 .139 .151	= 70.00 = 56.00 REDEH2 485. 1308. 1947. 2538. 3114. 3669. 4212. 4746. 5292. 5819. 6374. 6906.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 88.05 88.05 88.05 88.05 88.05 88.05 88.05	TW 102.0 102.1 102.1 101.8 101.2 100.5 99.9 99.2 98.5 97.1 96.5	63.9 63.9 63.9 63.9 63.9 63.9 63.9 63.9	0.
RUNTIN PL 123456775910111213	FO = X 2 6 10 14 18 22 6 30 33 4 2 4 6 50	041075 64.20 ST .00529 .00371 .00327 .00301 .00260 .00259 .00243 .00237 .00237	TOB TWB DEH2 .011 .029 .043 .055 .068 .080 .092 .104 .116 .127 .139 .151	= 70.00 = 56.00 REDEH2 485. 1308. 1947. 2538. 3114. 3669. 4212. 4746. 5292. 5619. 6374. 6906. 7475.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05	TW 102.0 102.1 102.1 101.8 101.2 100.5 99.9 99.2 98.5 97.9 97.1 96.5 95.8	63.9 63.9 63.9 63.9 63.9 63.9 63.9 63.9	0. 0. 0. 0. 0. 0.
RUN TIN PL 12345675910111121314	FO X 260 118 226 3 3 4 4 5 5 4	041075 64.20 ST .00529 .00371 .00327 .00260 .00259 .00243 .00237 .00231 .00225 .00223	TOB TWB DEH2 .011 .029 .043 .055 .066 .080 .092 .104 .116 .127 .139 .151 .163	= 70.00 = 56.00 REDEH2 485. 1308. 1947. 2538. 3114. 3669. 4212. 4746. 5292. 5819. 6374. 6906. 7475. 8032.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05	TW 102.0 102.1 102.1 101.8 101.2 100.5 99.9 99.2 98.5 97.9 97.1 96.5 95.8 95.1	63.9 63.9 63.9 63.9 63.9 63.9 63.9 63.9	0.
RUNN FIN 1234567391011231445	FO X 260 1182 230 482 450 45	041075 64.20 ST .00529 .00371 .00327 .00301 .00269 .00259 .00243 .00237 .00231 .00228 .00231	TOB TWB DEH2 .011 .029 .043 .055 .068 .080 .092 .104 .116 .127 .139 .151 .163 .175 .188	= 70.00 = 56.00 REDEH2 485. 1308. 1947. 2538. 3114. 3669. 4212. 4746. 5292. 5819. 6374. 6906. 7475. 8032. 8621.	0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05	TW 102.0 102.1 102.1 101.8 101.2 100.5 99.9 99.2 98.5 97.9 97.1 96.5 95.8 95.8	63.9 63.9 63.9 63.9 63.9 63.9 63.9 63.9	0.
RUNN FL 123456759101123144516	FO X 260 148260 488260 4882 6982	041075 64.20 ST .00529 .00371 .00327 .00301 .00260 .00253 .00237 .00231 .00225 .00225 .00223	TOB TMB DEH2 .011 .029 .043 .055 .068 .080 .092 .104 .116 .127 .139 .151 .163 .175 .188 .201	= 70.00 = 56.00 REDEH2 485. 1308. 1947. 2538. 3114. 3669. 4212. 4746. 5292. 5819. 6374. 6906. 7475. 8032. 8621. 9196.	0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05	TW 102.0 102.1 102.1 101.8 101.2 100.5 99.2 98.5 97.9 97.1 96.5 95.8 95.1 94.4	63.9 63.9 63.9 63.9 63.9 63.9 63.9 63.9	0.
RUNN FL 123456759101112131451617	FO X 260 482 60 482 60 482 666	041075 64.20 ST .00529 .00371 .00327 .00301 .00260 .00259 .00237 .00237 .00231 .00225 .00225	TOB TWB DEH2 .011 .029 .043 .055 .068 .080 .092 .104 .116 .127 .139 .151 .163 .175 .188 .201	= 70.00 = 56.00 REDEH2 485. 1308. 1947. 2538. 3114. 3669. 4212. 4746. 5292. 5819. 6374. 6906. 7475. 8032. 8621. 9196. 9785.	0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05	TW 102.0 102.1 102.1 101.8 101.2 100.5 99.2 98.5 97.9 97.1 96.5 95.8 95.1	63.9 63.9 63.9 63.9 63.9 63.9 63.9 63.9	0.
RUNN PL 123456759011231456718	FO X 260 482 60 482 60 670 670 670 670 670 670 670 670 670	041075 64.20 ST .00529 .00371 .00327 .00301 .00259 .00259 .00237 .00231 .00228 .00228 .00228 .00228	TOB TWB DEH2 .011 .029 .043 .055 .068 .080 .092 .104 .116 .127 .139 .151 .163 .175 .188 .201 .214	= 70.00 = 56.00 REDEH2 485. 1308. 1947. 2538. 3114. 3669. 4212. 4746. 5292. 5819. 6374. 6906. 7475. 8032. 8621. 9196. 9785.	F. 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05	TW 102.0 102.1 102.1 101.8 101.2 100.5 99.9 99.2 98.5 97.9 97.1 96.5 95.8 95.1 94.4 93.1	63.9 63.9 63.9 63.9 63.9 63.9 63.9 63.9	0.
RUNN PL 12345675901123145671819	FO X 260482604826048260774	041075 64.20 ST .00529 .00371 .00327 .00301 .00260 .00259 .00231 .00228 .00223 .00211 .00209 .00205	TOB TWB DEH2 .011 .029 .043 .055 .068 .080 .092 .104 .116 .127 .139 .151 .163 .175 .188 .201 .214 .227 .241	= 70.00 = 56.00 REDEH2 485. 1308. 1947. 2538. 3114. 3669. 4212. 4746. 5292. 5819. 6374. 6906. 7475. 8032. 8621. 9196. 9785. 10414. 11020.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05	TW 102.0 102.1 101.8 101.2 100.5 99.9 98.5 97.1 96.5 95.8 95.1 94.4 93.7 93.7	63.9 63.9 63.9 63.9 63.9 63.9 63.9 63.9	0.
RUNN PL 1234567590112314567181920	FO X 260482604826048260778	041075 64.20 ST .00529 .00371 .00327 .00321 .00260 .00259 .00243 .00223 .00223 .00223 .00223 .00223 .00223 .00223 .00223	TOB TWB DEH2 .011 .029 .043 .055 .068 .080 .092 .104 .116 .127 .139 .151 .163 .175 .188 .201 .214 .227 .241	= 70.00 = 56.00 REDEH2 485. 1308. 1947. 2538. 3114. 3669. 4212. 4746. 5292. 5819. 6374. 6906. 7475. 8032. 8621. 9196. 9196. 9196.	6.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05	TW 102.0 102.1 101.8 101.2 100.5 99.9 99.2 98.5 97.1 96.5 95.8 95.1 94.4 93.7 93.7 91.0	63.9 63.9 63.9 63.9 63.9 63.9 63.9 63.9	0.
RUNN PL 1234567590112314567119021	FO X 26048260482604826077882	0410 75 64.20 ST .00529 .00371 .00327 .00301 .00269 .00259 .00243 .00237 .00231 .00228 .00223 .00221 .00209 .00205 .00205	TOB TWB DEH2 .011 .029 .043 .055 .068 .080 .104 .116 .127 .139 .151 .163 .175 .188 .201 .214 .224 .225 .270	= 70.00 = 56.00 REDEH2 485. 1308. 1947. 2538. 3114. 3669. 4212. 4746. 5292. 5819. 6374. 6906. 7475. 8032. 8621. 9785. 10414. 11020. 11682. 12361.	0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05 88.05	TW 102.0 102.1 101.8 101.2 100.5 99.9 99.2 98.5 97.9 97.1 96.5 95.8 95.8 95.1 94.4 93.7 93.1 92.3	63.9 63.9 63.9 63.9 63.9 63.9 63.9 63.9	0.
RUNN PL 1234567590112314567181920	FO X 260482604826048260778	041075 64.20 ST .00529 .00371 .00327 .00321 .00260 .00259 .00243 .00223 .00223 .00223 .00223 .00223 .00223 .00223 .00223	TOB TWB DEH2 .011 .029 .043 .055 .068 .080 .092 .104 .116 .127 .139 .151 .163 .175 .188 .201 .214 .227 .241	= 70.00 = 56.00 REDEH2 485. 1308. 1947. 2538. 3114. 3669. 4212. 4746. 5292. 5819. 6374. 6906. 7475. 8032. 8621. 9196. 9785. 10414. 11082. 11082. 12361. 13013.	6.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 55 58 88 05 58 05 58 88 05 5	TW 102.0 102.1 101.8 101.2 100.5 99.9 99.2 98.5 97.1 96.5 95.8 95.1 94.4 93.7 93.7 91.0	63.9 63.9 63.9 63.9 63.9 63.9 63.9 63.9	0.

STA	NTON	NC. RUN	- KR=0.	F=0 - 81	LINEAR	THALL VAR	IATION		
RUN		041075	TOB						
TIN	FO =	64.30	THE	= 56.00					
PL	X	3.1	0€H2	REDEH2	F	UINF	TW	TINF	KR
1	2	.00529	.011	485.	0.0000	88.06	102.2	64.0	0.
2	6	.00371	.029	1309.	0.0000	88.06	102.2	64.0	0.
3	10	.00327	.043	1949.	0.0000	88.06	102.2	64.0	0.
4	14	.00303	.055	2525.	0.0000	88.06	102.2	64.0	0.
5	18	.00276	.069	3146.	0.0000	88.06	100.9	64.0	0.
6	22	.00257	.083	3779.	0.0000		99.4	64.0	0.
7	26	.00253	.196	4393.	0.0000		98.0	64.0	0.
8	30	.00237	.110	5011.	0.0000		96.8	64.0	0.
9	34	.00226	.124	5677.	0.0000		95.3	64.0	0.
10	38	.00223	.139	6343.	0.0000		94.0	64.0	0.
11	42	.00214	.155	7089.	0.0000		92.5	64.0	0.
12	46	.00209	.171	7836.	0.0000		91.1	64.0	0.
13	50	.00205	.169	8668.	0.0000		89.7	64.0	0.
14	54	.00187	.207	9454.	0.0000		88.5	64.0	0.
16	62	.00217	.202	9372.	0.0000		89.7 91.1	64.0	0.
17	66	.00223	.200	9161.	0.0000		92.6	64.0	0.
18	70	.00228	.200	9132.	0.0000		94.0	64.0	0.
19	74	.00228	.200	9130.	0.0000		95.5	64.0	0.
20	78	.00228	.200	9166.	0.0000		96.8	64.0	0.
21	82	.00227	.201	9198.	0.0000		98.2	64.0	0.
22	86	.00231	.202	9263.	0.0000		99.6	64.0	0.
23	90	.00233	.204	9328.	0.0000		101.0	64.0	0.
RUN	=	041775	TOB						
RUN				= 71.50 = 57.00					
RUN	=	041775	TOB	= 71.50	F	UINF	TH	TINF	KR
RUN	F0 =	041775 67.30	TOR	= 71.50 = 57.00	F •0039		T W 97.7	TINF 66.9	KR
RUN TIN PL 1 2	F0 = X	041775 67.30 ST	TDB TMB DEH2 .015 .342	= 71.50 = 57.00 REDEH2		87.98 87.98	97.7	66.9	
RUN TIN PL 1 2 3	F0 = X 2 6 10	041775 67.30 ST .00353 .00213 .00162	TD9 TM8 DEH2 .015 .342 .065	= 71.50 = 57.00 REDEH2 677. 1899. 2948.	.0039 .0039	87.98 87.98 87.98	97.7 97.7 97.8	66.9 66.9	0. 0.
RUN TIN PL 1 2 3	FO = X 2 6 10 14	041775 67.30 ST .00353 .00213 .00162 .00142	708 TWB DEH2 .015 .342 .065	= 71.50 = 57.00 REDEH2 677. 1899. 2948. 3949.	.0039 .0039 .0040	87.98 87.98 87.98 87.98	97.7 97.7 97.8 97.7	66.9 66.9 66.9	0. 0. 0.
RUN TIN PL 1 2 3 4 5	= FO = X 2 6 10 14 18	041775 67.30 ST .00353 .00213 .00162 .00142	TOB TMB DEH2 .015 .342 .065 .087	= 71.50 = 57.00 REDEH2 677. 1899. 2948. 3949. 4918.	.0039 .0039 .0040 .0040	87.98 87.98 87.98 87.98	97.7 97.7 97.8 97.7 97.8	66.9 66.9 66.9 66.9	0. 0. 0.
RUN TIN PL 1 2 3 4 5 6	= X 2 6 10 14 18 22	041775 67.30 ST .00353 .00213 .00162 .00142 .00139	TOB TMB DEH2 .015 .042 .065 .087 .108 .130	= 71.50 = 57.00 REOEH2 677. 1899. 2948. 3949. 4918. 5875.	.0039 .0039 .0040 .0040	87.98 87.98 87.98 87.98 87.98	97.7 97.8 97.7 97.8 97.7	66.9 66.9 66.9 66.9 66.9	0. 0. 0. 0.
RUNTIN PL 1 2 3 4 5 6 7	= X 2 6 10 14 18 22 26	041775 67.30 ST .00353 .00213 .00162 .00142 .00139 .00121	TOB TMB DEH2 .015 .042 .065 .087 .108 .130 .150	= 71.50 = 57.00 REOEH2 677. 1899. 2948. 3949. 4918. 5875. 6796.	.0039 .0039 .0040 .0040 .0040	87.98 87.98 87.98 87.98 87.98 87.98	97.7 97.7 97.8 97.7 97.8 97.7	66.9 66.9 66.9 66.9 66.9	0. 0. 0. 0.
RUN TIN PL 1 2 3 4 5 6 7 8	= X 2 6 10 14 18 22 26 30	041775 67.30 ST .00353 .00213 .00162 .00142 .00139 .00121 .00117	TOB TMB DEH2 .015 .042 .065 .087 .108 .130 .150	= 71.50 = 57.00 REOEH2 677. 1899. 2948. 3949. 4918. 5875. 6796. 7701.	.0039 .0039 .0040 .0040 .0039 .0039	87.98 87.98 87.98 87.98 87.98 87.98 87.98	97.7 97.7 97.8 97.7 97.8 97.7 97.8	66.9 66.9 66.9 66.9 66.9 66.9	0.
RUN TIN PL 1 2 3 4 5 6 7 8 9	FO = X 2 6 10 14 18 22 26 30 34	041775 67.30 ST .00353 .00213 .00162 .00142 .00139 .00121 .00117 .00105	TOB TMB DEH2 .015 .042 .065 .087 .108 .130 .150 .170 .190	= 71.50 = 57.00 REDEH2 677. 1899. 2948. 3949. 4918. 5875. 6796. 7701. 8614.	.0039 .0039 .0040 .0040 .0039 .0039	87.98 87.98 87.98 87.98 87.98 87.98 87.98	97.7 97.7 97.8 97.7 97.8 97.7 97.8 97.8	66.9 66.9 66.9 66.9 66.9 66.9 66.9	0. 0. 0. 0.
RUN TIN PL 1 2 3 4 5 6 7 8 9 10	FO = X 2 6 10 14 18 22 26 30 34 38	041775 67.30 ST .00353 .00213 .00162 .00142 .00139 .00121 .00105 .00105	TOB TMB DEH2 .015 .342 .065 .087 .108 .130 .150 .170 .190	= 71.50 = 57.00 REDEH2 677. 1899. 2948. 3949. 4918. 5875. 6796. 7701. 8614. 9534.	.0039 .0039 .0040 .0040 .0039 .0039 .0039	87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98	97.7 97.7 97.8 97.7 97.8 97.7 97.8 97.8	66.9 66.9 66.9 66.9 66.9 66.9 66.9	0. 0. 0. 0. 0.
RUN TIN PL 1 2 3 4 5 6 7 8 9 10 11	= = X 2 6 10 14 18 2 2 6 3 3 4 3 8 4 2	041775 67.30 ST .00353 .00213 .00162 .00142 .00139 .00121 .00107 .00105 .00109	TOB TMB DEH2 .015 .342 .065 .087 .108 .130 .150 .170 .190 .210	= 71.50 = 57.00 REDEH2 677. 1899. 2948. 3949. 4918. 5875. 6796. 7701. 8614. 9534. 10420.	.0039 .0039 .0040 .0040 .0039 .0039 .0039	87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98	97.7 97.7 97.8 97.7 97.8 97.7 97.8 97.8	66.9 66.9 66.9 66.9 66.9 66.9 66.9 66.9	0. 0. 0. 0. 0.
RUN TIN PL 1 2 3 4 5 6 7 8 9 10 11 12	= = X 2 6 10 14 18 22 6 33 4 38 4 2 4 6	041775 67.30 ST .00353 .00213 .00162 .00142 .00139 .00121 .00107 .00105 .00105 .00099	TOB TMB DEH2 .015 .042 .065 .087 .108 .130 .150 .170 .170 .210 .230 .249	= 71.50 = 57.00 REDEH2 677. 1899. 2948. 3949. 4918. 5875. 6796. 7701. 8614. 9534. 10420. 11293.	.0039 .0039 .0040 .0040 .0039 .0039 .0039 .0039	87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98	97.7 97.7 97.8 97.7 97.8 97.8 97.8 97.8	66.9 66.9 66.9 66.9 66.9 66.9 66.9 66.9	0.
RUNTIN PL 1 2 3 4 5 6 7 8 9 10 11 12 13	FO X 260148226033484650	041775 67.30 ST .00353 .00213 .00162 .00142 .00139 .00121 .00105 .00105 .00109 .00098 .00098	TOB TMB DEH2 .015 .042 .065 .087 .108 .130 .150 .170 .190 .210 .230 .249 .269	= 71.50 = 57.00 REDEH2 677. 1899. 2948. 3949. 4918. 5875. 6796. 7701. 8614. 9534. 10420. 11293. 12183.	.0039 .0039 .0040 .0040 .0039 .0039 .0039 .0039	87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98	97.7 97.8 97.7 97.8 97.7 97.8 97.8 97.8	66.9 66.9 66.9 66.9 66.9 66.9 66.9 66.9	0. 0. 0. 0. 0. 0.
RUN TIN PL 123456788910111121314	FO X 260118226046554	041775 67.30 ST .00353 .00213 .00162 .00142 .00139 .00121 .00105 .00105 .00109 .00098 .00098	TOB TMB DEH2 .015 .042 .065 .087 .108 .130 .150 .170 .170 .210 .230 .249	= 71.50 = 57.00 REDEH2 677. 1899. 2948. 3949. 4918. 5875. 6796. 7701. 8614. 9534. 10420. 11293.	.0039 .0039 .0040 .0040 .0039 .0039 .0039 .0039	87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98	97.7 97.7 97.8 97.7 97.8 97.8 97.8 97.8	66.9 66.9 66.9 66.9 66.9 66.9 66.9 66.9	0.
RUNTIN PL 12345678910111231415	FO X 26048260482604826548	041775 67.30 ST .00353 .00213 .00162 .00142 .00139 .00121 .00105 .00105 .00109 .00098 .00098	TOB TMB DEH2 .015 .042 .065 .087 .108 .130 .150 .170 .190 .210 .230 .249 .269 .288 .307	= 71.50 = 57.00 REDEH2 677. 1899. 2948. 3949. 4918. 5875. 6796. 7701. 8614. 9534. 10420. 11293. 12183. 13047. 13936.	.0039 .0039 .0040 .0040 .0039 .0039 .0039 .0039	87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98	97.7 97.7 97.8 97.7 97.8 97.8 97.8 97.8	66.9 66.9 66.9 66.9 66.9 66.9 66.9 66.9	0.00.00.00.00.00.00.00.00.00.00.00.00.0
RUN TIN PL 123456788910111121314	FO X 260118226046554	041775 67.30 ST .00353 .00213 .00162 .00142 .00139 .00117 .00105 .00105 .00099 .00100	TOB TMB DEH2 .015 .042 .065 .087 .108 .130 .150 .170 .190 .210 .230 .249 .269	= 71.50 = 57.00 REDEH2 677. 1899. 2948. 3949. 4918. 5875. 6796. 7701. 8614. 9534. 10420. 11293. 12183. 13047.	.0039 .0039 .0040 .0040 .0039 .0039 .0039 .0039 .0039	87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98	97.7 97.8 97.7 97.8 97.7 97.8 97.8 97.8	66.9 66.9 66.9 66.9 66.9 66.9 66.9 66.9	0.00.00.00.00.00.00.00.00.00.00.00.00.0
RUNTIN PL 1234567891011121131141516	FO X 260482 6048 2 6048	041775 67.30 ST .00353 .00213 .00162 .00142 .00139 .00121 .00105 .00105 .00099 .00100 .00098 .00094 .00094	TOB TMB DEH2 .015 .342 .065 .087 .108 .130 .150 .170 .210 .230 .249 .269 .269 .288 .307 .326	= 71.50 = 57.00 REDEH2 677. 1899. 2948. 3949. 4918. 5875. 6796. 7701. 8614. 9534. 10420. 11293. 12183. 13047. 13936. 14802.	.0039 .0039 .0040 .0040 .0039 .0039 .0039 .0039 .0039 .0039	87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98	97.7 97.8 97.7 97.8 97.7 97.8 97.8 97.8	66.9 66.9 66.9 66.9 66.9 66.9 66.9 66.9	0. 0. 0. 0. 0. 0. 0.
RUNTIN PL 1234567891011121314151617	FO X 260482604826555666	041775 67.30 ST .00353 .00213 .00162 .00142 .00139 .00121 .00105 .00105 .00099 .00099 .00098 .00098 .00094 .00094	TOB TMB DEH2 .015 .342 .065 .087 .108 .130 .170 .170 .210 .230 .249 .269 .269 .307 .326 .345	= 71.50 = 57.00 REDEH2 677. 1899. 2948. 3949. 4918. 5875. 6796. 7701. 8614. 9534. 10420. 11293. 12183. 13047. 13936. 14802. 15663.	.0039 .0049 .0040 .0040 .0039 .0039 .0039 .0039 .0039 .0039	87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98	97.7 97.8 97.7 97.8 97.8 97.8 97.8 97.8	66.9 66.9 66.9 66.9 66.9 66.9 66.9 66.9	
RUNTIN PL 12345678910112131451617181920	FO X 2604826048265556660	041775 67.30 ST .00353 .00162 .00142 .00139 .00121 .00107 .00105 .00099 .00100 .00098 .00098 .00082 .00085 .00085	TOB TMB DEH2 .015 .342 .065 .087 .108 .130 .170 .190 .210 .230 .249 .269 .269 .288 .307 .326 .345	= 71.50 = 57.00 REDEH2 677. 1899. 2948. 3949. 4918. 5875. 6796. 7701. 8614. 9534. 10420. 11293. 12183. 13047. 13936. 14802. 15663. 16586.	.0039 .0040 .0040 .0040 .0039 .0039 .0039 .0039 .0039 .0039	87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98	97.7 97.8 97.7 97.8 97.8 97.8 97.8 97.8	66.9 66.9 66.9 66.9 66.9 66.9 66.9 66.9	0.00.00.00.00.00.00.00.00.00.00.00.00.0
RUN TIN PL 123456789101121314516718192021	FO X 26048260482655866774	041775 67.30 ST .00353 .00213 .00162 .00142 .00139 .00121 .00117 .00105 .00105 .00098 .00098 .00098 .00094 .00085 .00082 .00078	TOB TMB DEH2 .015 .042 .065 .087 .108 .130 .150 .170 .210 .230 .249 .269 .288 .307 .326 .345 .366 .385 .405	= 71.50 = 57.00 REDEH2 677. 1899. 2948. 3949. 4918. 5875. 6796. 7701. 8614. 9534. 10420. 11293. 12183. 13047. 13936. 14802. 15663. 16586. 17466.	.0039 .0040 .0040 .0040 .0039 .0039 .0039 .0039 .0040 .0039	87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98	97.7 97.7 97.8 97.7 97.8 97.8 97.8 97.8	66.9 66.9 66.9 66.9 66.9 66.9 66.9 66.9	0.00.00.00.00.00.00.00.00.00.00.00.00.0
RUNTIN PL 12345678910112131451617181920	FO X 260482604826548267748	041775 67.30 ST .00353 .00213 .00162 .00142 .00139 .00121 .00107 .00105 .00105 .00098 .00098 .00098 .00098 .00098 .00098 .00098	TOB TMB DEH2 .015 .042 .065 .087 .108 .130 .170 .190 .210 .230 .249 .269 .288 .307 .326 .345 .366 .385	= 71.50 = 57.00 REDEH2 677. 1899. 2948. 3949. 4918. 5875. 6796. 7701. 8614. 9534. 10420. 11293. 12183. 13047. 13936. 14802. 15663. 16586. 17466. 18365.	.0039 .0039 .0040 .0040 .0039 .0039 .0039 .0039 .0040 .0039	87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98	97.7 97.8 97.7 97.8 97.8 97.8 97.8 97.8	66.9 66.9 66.9 66.9 66.9 66.9 66.9 66.9	0.00.00.00.00.00.00.00.00.00.00.00.00.0

STA	MTON	MO. PUN	- KR=0.	F=0.0039	- FT85T	6 PLATES	UNHEATER	n	
RUN	=	041775	TOB	and the second second second		0 / 64163	JAME ATE		
	F0 =	66.90	THE						
PL	×	ST	DEH2	REDEH2	F	UINF	TH 1	TINF	KR
1	2	0.00000	.008	356.	.0039	87.95	68.2	56.5 0	
2	6	0.00000	.025	1141.	.0039	87.95		66.5 D.	
3	10	0.00000	.048	2156.	.0040	87.95		66.5 0	
4	14	0.00000	.080	3648.	.0040	87.95		66.5 0	
5	18	0.00000	.063	2842.	.0040	87.95		66.5 0	
6	22	0.00000	.049	2230.	.0039	87.95		66.5 0.	
7	26	.00245	.023	1049.	.0039	87.95		66.5 0	
8	30	.00160	.047	2121.	.0039	87.95		56.5 0	
9	34	.00148	.069	3114.	.0040	87.95		66.5 0.	
10	38	.00133	.090	4085.	.0039	87.95		66.5 0	
11	42	.00127	.111	5055.	.0040	87.95		56.5 0	
12	46	.00121	.132	5987.	.0039	87.95		66.5 0	
13	50	.00116	.153	6931.	.0039	87.95		66.5 0	
14	54	.00102	.173	7848.	.0040	87.95		66.5 0	
15	58	.00112	.193	4739.	.0039	87.95		66.5	
16			.213	9663.	.0039	87.95		66.5	
	52	.00110				87.95			
17	66	.00101	.232	10538.	.0039	87.95		66.5 0.	
18	70	.00098	.252	11422.					
19	74	.00092	.272	12333.	.0039	87.95		66.5 0.	
50	78	.00094	.290	13174.	.0039	87.95		66.5 0.	
21	82	.00089	.310	14070.	.0040	87.95		66.5 0.	
22	36	.00091	.329	14952.	.0040	87.95		56.5 0.	
23	90	.00091	.349	15850.	.0039	87.95	97.9	66.5 C.	
RUN		NO. RUN 041775 67.30	TOB	= 71.50	- BILIN	EAR TWALL	VARIATIO	ON	
RUN	F0 =	041775 67.30	TOB	= 71.50 = 57.00					KO
RUN TIN PL	=	041775	TOB	= 71.50	- BILIN	EAR TWALL		ON TINF	KR
RUN TIN PL	F0 =	041775 67.30	TOB	= 71.50 = 57.00			TN 1	TINF	
RUN TIN PL	F0 = x	041775 67.30 ST	TOB TMB DEH2 .015 .042	= 71.50 = 57.00 REDEH2 678.	F	UINF 87.96 87.98	TN 1	TINF	
RUN TIN PL 1 2 3	F0 = x	041775 67.30 ST .00355 .00215	TOB TMB DEH2 .015 .042 .065	= 71.50 = 57.00 REDEH2 678. 1905. 2957.	F .0039 .0039	UINF 87.98 87.98 87.98	TW 1 97.6 6 97.7 6 97.8 6	TINF	
RUN TIN PL 1 2 3	FO = x 2 6 10 14	041775 67.30 ST .00355 .00215 .00165	TOB TWB DEH2 .015 .042 .065	= 71.50 = 57.00 REDEH2 678. 1905. 2957. 3967.	F .0039 .0039 .0040	UINF 87.98 87.98 87.98 87.98	TW 1 97.6 6 97.7 6 97.8 6 97.7 6	TINF 56.9 0. 56.9 0. 56.9 0.	
RUN TIN PL	FO = x 2 6 10 14 18	041775 67.30 ST .00355 .00215 .00165 .00145	TOB TMB DEH2 .015 .042 .065 .088	= 71.50 = 57.00 REDEH2 678. 1905. 2957. 3967. 5101.	F .0039 .0039 .0040	UINF 57.96 57.98 87.98 87.98 87.98	TN 197.6 697.7 697.8 97.7 696.5	TINF 56.9 0.	
RUN TIN PL	= x 2 6 10 14 18 22	041775 67.30 ST .00355 .00215 .00165	TOB TWB DEH2 .015 .042 .065 .088 .113	= 71.50 = 57.00 REDEH2 678. 1905. 2957. 3967. 5101. 6280.	F .0039 .0039 .0040	UINF 57.96 57.98 57.98 57.98 67.98 57.98	TN 197.6 6 97.7 6 97.7 6 97.7 6 97.7 6 97.7 6 97.7 6 97.7 6 97.7 96.5	TINF 56.9 0. 56.9 0. 56.9 0.	
RUN TIN PL 1234567	= F0 = X 2 6 10 14 18 22 26	041775 67.30 ST .00355 .00215 .00165 .00145	TOB TWB DEH2 .015 .042 .065 .088 .113 .138	= 71.50 = 57.00 REDEH2 678. 1905. 2957. 3967. 5101.	F .0039 .0039 .0040 .0040 .0040	UINF 87.98 87.98 87.98 87.98 87.98 87.98	TN 197.6 6 97.7 6 97.7 6 97.7 6 97.7 6 97.7 6 97.7 996.5 995.2 93.8	FINF 56.9 0. 56.9 0. 56.9 0.	
RUN TIN PL	= x 2 6 10 14 18 22	041775 67.30 ST .00355 .00215 .00165 .00145 .00136	TOB TWB DEH2 .015 .042 .065 .088 .113	= 71.50 = 57.00 REDEH2 678. 1905. 2957. 3967. 5101. 6280.	F .0039 .0039 .0040 .0040	UINF 57.96 57.98 57.98 57.98 67.98 57.98	TN 197.6 697.7 697.7 96.5 695.2 693.8 6	7INF 56.9 0. 56.9 0. 56.9 0. 56.9 0.	
RUN TIN PL 1234567	= F0 = X 2 6 10 14 18 22 26	041775 67.30 ST .00355 .00165 .00145 .00136	TOB TWB DEH2 .015 .042 .065 .088 .113 .138	= 71.50 = 57.00 REDEH2 678. 1905. 2957. 3967. 5101. 6280. 7544.	F .0039 .0039 .0040 .0040 .0040	UINF 87.98 87.98 87.98 87.98 87.98 87.98	TN 97.6 6 97.7 6 97.7 97.8 97.7 96.5 95.2 93.8 692.4	FINF 56.9 0. 56.9 0. 56.9 0. 56.9 0. 56.9 0.	
RUN TIN PL 12345678	= X 2 6 10 14 18 22 26 30	041775 67.30 ST .00355 .00215 .00165 .00145 .00116 .00111	TOB TWB DEH2 .015 .042 .065 .088 .113 .138 .166 .195	= 71.50 = 57.00 REDEH2 678. 1905. 2957. 3967. 5101. 6280. 7544. 8862.	F .0039 .0039 .0040 .0040 .0040 .0039	UINF 87.98 87.98 87.98 87.98 87.98 87.98 87.98	TW 197.6 6 97.7 6 97.7 96.5 95.2 6 93.8 92.4 6 91.1	FINF 56.9 0. 56.9 0. 56.9 0. 56.9 0. 56.9 0.	
RUN TIN PL 123456789	= X 2 6 10 14 18 22 26 30 34	041775 67.30 ST .00355 .00215 .00165 .00145 .00136 .00116 .00111	TOB TWB DEH2 .015 .042 .065 .088 .113 .138 .166 .195 .226	= 71.50 = 57.00 REDEH2 678. 1905. 2957. 3967. 5101. 6280. 7544. 8662.	F .0039 .0039 .0040 .0040 .0040 .0039 .0039	UINF 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98	TW 197.6 6 97.7 6 97.7 96.5 95.2 93.8 6 92.4 91.1 6 99.5	TINF 56.9 0. 56.9 0. 56.9 0. 56.9 0. 56.9 0. 56.9 0. 56.9 0.	
RUN TIN PL 12345678910	= x 2 6 10 14 18 22 26 30 34 38	041775 67.30 ST .00355 .00215 .00165 .00145 .00111 .00095 .00095	TOB TWB DEH2 .015 .042 .065 .088 .113 .136 .195 .226	= 71.50 = 57.00 REDEH2 678. 1905. 2957. 3967. 5101. 6280. 7544. 8662. 10243. 11846.	F .0039 .0039 .0040 .0040 .0059 .0039 .0039	UINF 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98	TN 197.6 697.7 697.8 697.7 66.5 95.2 93.8 692.4 691.1 699.5 689.5	FINF 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9	
RUN TIN PL 1 2 3 4 5 6 7 8 9 10 11	= x 2 6 10 14 18 22 26 36 34 38 42	041775 67.30 ST .00355 .00215 .00165 .00145 .00116 .00111 .00095 .00086	TOB TWB DEH2 .015 .042 .065 .088 .113 .138 .166 .195 .226 .261 .295	= 71.50 = 57.00 REDEH2 678. 1905. 2957. 3967. 5101. 6280. 7544. 8862. 10243. 11846. 13366.	F .0039 .0040 .0040 .0040 .0039 .0039 .0039	UINF 57.95 87.95 87.95 87.96 87.98 87.98 87.98 87.98 87.98	TN 197.6 697.7 97.8 97.7 96.5 95.2 93.8 92.4 991.1 89.5 896.8 66.8	FINF 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9	
RUN TIN PL 1234567889101112	= X 2 6 10 14 18 22 26 30 34 42 46	041775 67.30 ST .00355 .00215 .00165 .00145 .00136 .00111 .00095 .00085	TOB TWB DEH2 .015 .042 .065 .088 .113 .138 .166 .195 .226 .226 .295	= 71.50 = 57.00 REDEH2 678. 1905. 2957. 3967. 5101. 6280. 7544. 8662. 10243. 11846. 13366. 15303.	F .0039 .0040 .0040 .0040 .0039 .0039 .0039	UINF 57.95 87.95 87.95 87.96 87.96 87.98 87.98 87.98 87.98 87.98	TN 197.6 697.7 97.8 97.7 96.5 95.2 93.8 92.4 91.1 89.5 89.4 86.8 85.4 86.8	FINF 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9	
RUN TIN PL 12345678910111213	FO = 2 6 10 114 18 22 60 33 48 46 50	041775 67.30 ST .00355 .00215 .00165 .00145 .00136 .00111 .00095 .00095 .00086	TOB TWB DEH2 .015 .042 .065 .088 .113 .138 .166 .195 .2261 .295 .295 .337	= 71.50 = 57.00 REDEH2 678. 1905. 2957. 3967. 5101. 6280. 7544. 8662. 10243. 11846. 13366. 15303. 17375.	F .0039 .0040 .0040 .0040 .0039 .0039 .0039 .0039	UINF 57.96 67.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98	TN 97.6 697.7 697.7 697.7 695.2 693.8 692.4 691.1 69.5 688.8 68.8 85.4 684.3 68	FINF 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9	
RUN TIN PL 1234567891011121314	FO = 2 6 10 118 226 334 46 50 54	041775 67.30 ST .00355 .00215 .00165 .00145 .00116 .00111 .00095 .00086 .00086 .00076 .00082	TOB TWB DEH2 .015 .042 .065 .088 .113 .138 .166 .195 .261 .261 .237 .337 .383	= 71.50 = 57.00 REDEH2 678. 1905. 2957. 3967. 5101. 6280. 7544. 8862. 10243. 11846. 13366. 15303. 17375. 19352.	F .0039 .0040 .0040 .0040 .0039 .0039 .0039 .0039 .0039	UINF 57.96 67.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98	TW 97.6 97.7 97.8 97.7 96.5 95.2 93.8 991.1 89.5 88.4 86.8 86.8 85.4 84.3 85.5 66	FINF 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9	
RUNTIN PL 12345678910112131415	FO x 260148226048605548	041775 67.30 ST .00355 .00215 .00165 .00145 .00136 .00111 .00095 .00086 .00086 .00086	TOB TWB DEH2 .015 .042 .065 .088 .113 .138 .166 .261 .295 .281 .295 .337 .427	= 71.50 = 57.00 REDEH2 678. 1905. 2957. 3967. 5101. 6280. 7544. 8662. 10243. 11846. 13366. 15375. 19352.	F .0039 .0040 .0040 .0040 .0039 .0039 .0039 .0039 .0039	UINF 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98	TW 97.6 97.7 97.8 97.7 96.5 95.2 93.8 991.1 89.5 88.4 86.8 85.4 84.3 885.4 86.8 85.4 86.8 86.8	TINF 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9	
RUN TIN PL 12345678910111231341516	FO x 2601482260460482	041775 67.30 ST .00355 .00215 .00165 .00145 .00136 .00111 .00095 .00085 .00085 .00086 .00086 .00086 .00086	TOB TWB DEH2 .015 .042 .065 .088 .113 .136 .195 .226 .295 .337 .383 .427 .417	= 71.50 = 57.00 REDEH2 678. 1985. 2957. 3967. 5101. 6280. 7544. 8862. 10243. 11846. 13366. 15303. 17375. 19352. 18924.	F .0039 .0039 .0040 .0040 .0039 .0039 .0040 .0039 .0040 .0039	UINF 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98	TW 97.6 97.7 97.8 97.7 96.5 95.2 93.8 99.1 1 89.5 88.4 86.8 85.4 86.8 85.4 86.8 86.1 86.8 86.1	FINF 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9	
RUN TIN PL 123456789101123145151671819	FO x 2601482260334655482666	041775 67.30 ST .00355 .00215 .00165 .00145 .00136 .00111 .00095 .00086 .00086 .00086 .00086 .00086	TOB TWB DEH2 .015 .042 .065 .088 .113 .136 .195 .226 .295 .337 .383 .427 .418 .401	= 71.50 = 57.00 REDEH2 678. 1905. 2957. 3967. 5191. 6280. 7544. 8662. 10243. 11846. 13366. 15303. 17375. 19352. 18506. 18179.	F .0039 .0040 .0040 .0040 .0039 .0039 .0040 .0039 .0040 .0039	UINF 57.95 87.95 87.95 87.96 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98 87.98	TN 97.6 97.7 97.8 97.7 96.5 95.2 93.8 92.4 991.1 89.5 86.8 85.4 86.8 85.5 86.8 85.5 86.8 85.1 89.5 86.8 85.1 89.5	FINF 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9	
RUN TIN PL 123456789101121314515167161920	FO x 26014822604824604826670	041775 67.30 ST .00355 .00215 .00165 .00145 .00136 .00111 .00095 .00085 .00085 .00086 .00086 .00086 .00086	TOB TWB DEH2 .015 .045 .088 .113 .138 .166 .1926 .261 .295 .337 .383 .427 .410 .401 .396	= 71.50 = 57.00 REDEH2 678. 1905. 2957. 3967. 5101. 6280. 7544. 8862. 10243. 11846. 13366. 15303. 17375. 19352. 18506. 18179. 17942.	F .0039 .0040 .0040 .0040 .0039 .0039 .0039 .0039 .0040 .0039 .0040 .0039	UINF 57.95 67.95 67.96 67.96 67.96 67.98 67.98 67.98 67.98 67.98 67.98 67.98 67.98 67.98 67.98	TN 97.6 697.7 97.8 97.7 96.5 95.2 93.8 92.4 991.1 88.5 86.8 85.4 86.8 85.4 86.8 85.4 86.8 85.4 86.8 85.5 86.8 86.8 86.8 86.8 86.8 86.8	FINF 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9	
RUNN PL 1234567891011231451617819021	FO x 2601482260482604855660774	041775 67.30 ST .00355 .00215 .00165 .00145 .00136 .00111 .00095 .00086 .00086 .00086 .00086 .00086 .00086 .00086 .00086 .00086	TOB TWB DEH2 .015 .045 .088 .113 .138 .166 .1926 .295 .337 .383 .427 .417 .401 .391	= 71.50 = 57.00 REDEH2 678. 1905. 2957. 3967. 5101. 6280. 7544. 8862. 10243. 11846. 13366. 15303. 17375. 19352. 18924. 18506. 18179. 17942. 17733.	F .0039 .0040 .0040 .0040 .0039 .0039 .0039 .0039 .0039 .0039 .0039	UINF 57.95 67.95 67.95 67.96 67.96 67.96 67.96 67.96 67.96 67.96 67.96 67.96 67.96 67.96 67.96	TN 97.6 697.7 97.8 97.7 96.5 95.2 93.8 92.4 91.1 88.5 86.8 85.4 84.3 85.5 86.8 85.4 889.5 90.9 92.2	FINF 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9	
RUN TIN PL 123456789101121314515167161920	FO x 260 48260 48260 4855 5660 778	041775 67.30 ST .00355 .00215 .00145 .00136 .00111 .00095 .00085 .00076 .00086 .00086 .00086 .00086 .00086 .00086 .00086	TOB TWB DEH2 .015 .045 .088 .113 .138 .166 .195 .261 .295 .337 .383 .427 .417 .401 .396 .391 .389	= 71.50 = 57.00 REDEH2 678. 1905. 2957. 3967. 5101. 6280. 7544. 8862. 10243. 11846. 15303. 17375. 19352. 18924. 18506. 18179. 17733. 17648.	F .0039 .0040 .0040 .0040 .0039 .0039 .0039 .0039 .0039 .0039 .0039	UINF 57.95 67.95 67.96 67.96 67.96 67.98 67.98 67.98 67.98 67.98 67.98 67.98 67.98 67.98 67.98	TN 97.6 697.7 97.8 97.7 96.5 95.2 93.8 92.4 91.1 89.5 86.8 85.4 84.3 85.5 86.8 85.4 84.3 85.5 86.8 85.4 84.3 85.5 86.8 85.4 84.3 85.5 86.8 85.4 84.3 85.5 86.8 85.4 84.3 85.5 86.8 85.4 84.3 85.5 86.8 85.4 84.3 85.5 86.8 85.4 84.3 85.5 86.8 85.4 84.3 85.5 86.8 85.4 86	FINF 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9 56.9	

					•				
RUN	=	040175	TDB	= 73.00					
TIN	FO =	67.20	TMB	= 56.00					
PL	x	ST	DEH2	REDEH2	F	UINF	TW	TINF	KR
1	2	.00 527	.011	482.	0.0000	88.46	93.6	66.7	0.
2	6	.00372	.029	1302.	0.0000	88.10	93.6	66.7	123E-04
3	10	.00329	.043	1940.	0.0000	88.00	93.5	66.7	
4	14	.00304	.055	2516.	0.0000	88.00	93.5	66.7	.179E-05
5	18	.00287	.067	3055.	0.0000	88.03	93.6	66.7	.538E-05
6	22	.00268	.078	3560.	0.0000	88.12	93.6	66.7	.335E-05
7	26	.00267	.089	4047.	0.0000	88.17	93.5	56.7	140E-06
8	30	.00252	.099	4520.	0.0000	88.11	93.6	66.7	112E-05
9	34	.00247	.109	4975.	0.0000	88.09	93.5	66.7	.532E-05
10	38	.00244	.119	5422.	0.0000	88.31	93.5	66.7	. 332E-04
11	42	.00247	.128	5872.	0.0000	89.13	93.5	66.7	.101E-03
12	45	.00250	.135	6335.	0.0000	91.05	93.5	66.7	.144E-03
13	50	.00251	.141	6813.	0.0000	93.32	93.5	66.7	.151E-03
14	54	.00245	.148	7297.	0.0000	95.53	93.5	66.6	.143E-03
15	58	.00242	.154	7783.	0.0000	97.76	93.5	66.6	.147E-03
16	62	.00242	.160	8277.	0.0000	100.02	93.4	66.6	.142E-03
17	66	.00242	.166	8783.	0.0000	102.47	93.4	66.5	.15 3E-03
18	70	.00243	.172	9303.	0.0000	104.87	93.5	66.5	.143E-03
19	74	.00242	.178	9833.	0.0000	107.31	93.6	66.5	.141E-03
20	78	.00236	.183	10368.	0.0000	109.98	93.6	66.4	. 156E-03
21	82	.00232	.188	10905.	0.0000	112.68	93.6	66.4	·147E-03
22	86	.00232	.193	11450 .	0.0000	115.18	93.6	66.4	.139E-03
23	90	.00237	.198	12013.	0.0000	117.86	93.5	66.3	.165E-03
			- KR=0.1		0 - FIRS	T 6 PLATE	S UNHE	ATED	
RUN	F0 =	032575	TOB						
114	- 0	05.10	IND	- 56.00					
PL	X	ST	DE H2	REDEH2	F	UINF	TW	TINF	KR
1	2	0.00000	0.000	0.	0.0000	88.28	66.7	65.7	241E-04
2	6	0.00000	0.000	0.	0.0000	87.94	66.4	65.8	143E-04
3	10	0.00000	0.000	0.	0.0000	87.79	66.3	65.8	583E-05
4	14	0.00000	0.000	0.	0.0000	87.75	56.1	65.8	.163E-05
5	18	0.00000	0.000	0.	0.0000	87.84	66.2	65.8	.591E-05
6	25	0.00000	0.000	0.	0.0000	87.90	67.3	65.8	.246E-05
7	26	.00461	.009	417.	0.0000	86.00	92.7	65.7	277E-05

STANTON NO. RUN - KR=0.15E-3, F=0

. 00 340

.00319

.00303

.00297

.00296

.00292

.00282

.00275

.00273

.00269

.00268

.00264

.00258

.00253

.00252

.00254

.025

.039

.051

.062

.073

.083

.092

.101

.110

.118

.126

.133

.140

.147

.154

.161

1140.

1735.

2297.

2843.

3389.

3944.

4499.

5050.

5605.

6167.

6737.

7315.

7895.

8476.

9063.

9665.

0.0000

0.0000

0.0000

0.0000

0.0000

0.0000

0.0000

0.0000

0.0000

0.0000

0.0000

0.0000

0.0000

0.0000

0.0000

0.0000

87.82

87.88

88.08

88.87

90.88

92.99

95.28

97.45

99.73

102.13

104.62

107.08

109.77

112.37

114.91

117.55

92.7

92.6

92.8

92.7

92.7

92.7

92.8

92.8

92.6

92.7

92.7

92.7

92.7

92.8

92.7

92.8

65.8

65.8

65.7

65.7

65.7

65.7

65.7

65.6

65.6

65.6

65.5

65.5

65.4

65.4

65.4

65.3

-. 330E-05

.935E-05

. 320E-04

.103E-03

.142E-03

.149E-03

.145E-03

.147E-03

.143E-03

.152E-03

.146E-03

.145E-03

.155E-03

.137E-03

.161E-03

30

34

38

42

46

50

54

58

62

66

70

74

78

82

86

90

10

11

12

13

14

15

16

17

18

19

20

21

22

TA	NTCN	NO. RUN	- KR=0.	29F-3, F=	U				
UN		022575	TOB						
	F0 =	66.10	THE						
L	×	ST	DEH2	REDEHS	F	UINF	TW	TINF	KR
1	2	.00523	.011	472.	0.0000	87.24	93.4	65.7	c.
2	6	.00370	.026	1277.	0.0000	86.99	93.4	65.7	549E-05
3				1906.		87.08	93.3	65.7	.312E-05
	10	.00327	.042		0.0000				
4	14	.00302	.055	2473.	0.0000	87.08	93.3	65.7	631E-06
5	18	.00287	.067	3005.	0.0000	87.35	93.5	65.7	.722E-04
6	22	.00278	.076	3523.	0.0000	89.51	93.4	65.7	.238E-03
7	26	.00284	.084	4055.	0.0000	93.53	93.4	65.6	.282E-03
8	30	.00272	.091	4606.	0.0000	97.94	93.4	65.6	.285E-03
9	34	.00271	.098	5168.	0.0000	102.30	93.2	65.5	.279E-03
0	38	.00263	.104	5746.	0.0000	106.93	93.2	65.4	.280E-03
1	42	.00265	.110	6343.	0.0000	111.97	93.4	65.3	.280E-03
2	46	.00261	.115	6966.	0.0000	117.32	93.3	65.3	.289E-03
3	50	.00560	.120	7612.	0.0000	122.79	93.4	65.2	.301E-03
•	54	.00244	.125	8264.	0.0000	128.44	93.3	65.1	.166E-03
5	58	.00233	.134	8897.	0.0000	129.19	93.2	65.0	184E-05
5	62	.00231	.143	9515.	0.0000	128.80	93.2	65.1	170E-04
7	66	.00225	.152	10121.	0.0000	129.02	93.3	65.1	.210E-04
3	70	.00224	.161	10721.	0.0000	129.34	93.3	65.0	.179E-04
9	74	.00221	.169	11315.	0.0000	129.52	93.4	65.0	107E-04
3	78	.00215	.178	11898.	0.0000	129.52	93.4	65.0	.415E-05
1	85	.00212	.187	12468.	0.0000	129.42	93.2	65.0	924E-05
	85	00 240	.196	13031.	0.0000	129.22	93.3	65.0	176E-04
2	0.2	.00210							
2	90	.00214	.205	13594.	0.0000	128.49	93.3	65.1	358E-Q4
2	90 INTON		.205 - KR=0.	13594. 29E-3, F= = 71.00	0.0000	128.49	93.3	65.1	358E-04
Z Z	90 INTON	.00214 NO. RUN	.205 - KR=0.	29E-3, F= = 71.00	0.0000	126.49	93.3	65.1	358E-04
Z 3	90	.00214 No. Run 030875	.205 - KR=0.	29E-3, F= = 71.00	0.0000	126.49	93.3 TH	TINF	358E-04
Z A I A I N I N L	90 INTON =	.00214 NO. RUN 030875 66.90 ST .00356	.205 - KR=0. TOB TMB OEH2	29E-3, F= = 71.00 = 59.00 REDEH2 667.	0.0000 0.0039 F	UINF 87.00	TW 98.0	T INF 66.5	К R
Z 3 TAUNIN L	90 INTON =	.00214 NO. RUN 030875 66.90 ST .00356	.205 - KR=0. TOB TMB OEH2 .015	29E-3, F= = 71.00 = 59.00 REDEH2 667. 1871.	0.0000 0.0039 F .0039	UINF 87.00 86.87	TW 98.0 98.1	TINF 66.5 66.5	KR 0. 244E-05
Z A TAN	90 INTON = IFO = X	.00214 NO. RUN 030875 66.90 ST .00356 .00212	.205 - KR=0. TOB TWB OEH2 .015 .042	29E-3, F= = 71.00 = 59.00 REDEH2 667. 1871. 2906.	0.0000 0.0039 F .0039 .0039	UINF 87.00 86.87 86.80	TW 98.0 98.1 98.2	TINF 66.5 66.5 66.5	KR 0. 244E-05 240E-05
23 TANIN L 1234	90 INTON =	.00214 NO. RUN 030875 66.90 ST .00356 .00212 .00167	.205 - KR=0. TOB TWB OEH2 .015 .042 .065	29E-3, F= = 71.00 = 59.00 REDEH2 667. 1871. 2906. 3882.	0.0000 0.0039 F .0039 .0039 .0039	UINF 87.00 86.87 86.80 86.80	TW 98.0 98.1 98.2 98.2	TINF 66.5 66.5 66.5	KR 0244E-05240E-05124E-04
TAN L	90 INTON =	.00214 NO. RUN 030875 66.90 ST .00356 .00212 .00167 .00145	.205 - KR=0. TOB TWB OEH2 .015 .042 .065 .067	29E-3, F= = 71.00 = 59.00 REDEH2 667. 1871. 2906. 3682. 4840.	0.0000 0.0039 F .0039 .0039 .0039 .0039	UINF 87.00 86.87 86.80 86.80 86.82	TW 98.0 98.1 98.2 98.2 98.0	TINF 66.5 66.5 66.5 66.5	KR 0244E-05240E-05124E-04 .552E-04
TANK LES	90 INTON = = FO = X 2 6 10 14 18 22	.00214 NO. RUN 030875 66.90 ST .00356 .00167 .00145 .00145	- KR=0. TOB TWB OEH2 .015 .042 .065 .087	29E-3, F= = 71.00 = 59.00 REDEH2 667. 1871. 2906. 3682. 4840. 5800.	0.0000 0.0039 F .0039 .0039 .0039 .0039	UINF 87.00 86.87 86.80 86.80 86.82	TW 98.0 98.1 98.2 98.2 98.0 98.1	TINF 66.5 66.5 66.5 66.5	KR 0244E-05240E-05124E-04 .552E-04 .239E-03
I AND LESS OF	90 INTON = = X 2 6 10 14 18 22 26	.00214 NO. RUN 030875 66.90 ST .00356 .00212 .00145 .00145 .00134	- KR=0. TOB TWB OEH2 .015 .042 .065 .087 .108	29E-3, F= = 71.00 = 59.00 REDEH2 667. 1871. 2906. 3862. 4840. 5800. 6777.	0.0000 0.0039 .0039 .0039 .0039 .0039	UINF 87.00 86.87 86.80 86.82 86.82 92.98	TW 98.0 98.1 98.2 98.0 98.1 98.2	TINF 66.5 66.5 66.5 66.5 66.5	KR 0244E-05249E-05124E-04 .552E-04 .239E-03 .296E-03
TANK LESS	90 INTON = = X 2 6 10 14 18 22 26 30	.00214 NO. RUN 030875 66.90 ST .00356 .00212 .00167 .00145 .00134 .00133	- KR=0. TOB TWB OEH2 .015 .042 .065 .087 .108	29E-3, F= = 71.00 = 59.00 REDEH2 667. 1871. 2906. 3882. 4840. 5800. 6777. 7789.	0.0000 0.0039 .0039 .0039 .0039 .0039 .0039	UINF 87.00 86.87 86.80 86.82 88.82 92.98 97.49	TW 98.0 98.1 98.2 98.0 98.1 98.1 98.2	TINF 66.5 66.5 66.5 66.5 66.4 66.3	KR 0244E-05240E-05124E-04 .552E-04 .239E-03 .296E-03
23 TANN L 123456789	90 INTON =	NO. RUN 030875 66.90 ST .00356 .00212 .00167 .00145 .00145 .00133	.205 - KR=0. TOB TWB OEH2 .015 .042 .065 .087 .108 .126 .141 .155	29E-3, F= = 71.00 = 59.00 REDEH2 667. 1871. 2906. 3862. 4840. 6777. 7789. 8848.	0.0000 0.0039 F .0039 .0039 .0039 .0039 .0039 .0039	UINF 87.00 86.87 86.80 86.80 86.82 98.98 97.49	TW 98.0 98.1 98.2 98.0 98.1 98.1 98.1	TINF 66.5 66.5 66.5 66.5 66.4 66.3	KR 0244E-05240E-05124E-04 .552E-04 .236E-03 .296E-03 .294E-03
23 ANN 1234557890	90 INTON =	.00214 NO. RUN 030875 66.90 ST .00356 .00212 .00167 .00145 .00134 .00133 .00125 .00129	- KR=0. TOB TWB OEH2 .015 .042 .065 .087 .108 .126 .141 .155 .168	29E-3, F= = 71.00 = 59.00 REDEH2 667. 1871. 2906. 3882. 4840. 5800. 6777. 7789. 8848. 9958.	0.0000 0.0039 .0039 .0039 .0039 .0039 .0039 .0039	UINF 87.00 86.87 86.80 86.80 86.82 98.82 92.98 97.49 102.09	TW 98.0 98.1 98.2 98.2 98.0 98.1 98.1 98.1	TINF 66.5 66.5 66.5 66.5 66.4 66.3 66.2	KR 0244E-05240E-05124E-04 .552E-04 .239E-03 .296E-03 .294E-03 .264E-03
23 ANN 12345578901	90 INTON = IFO = X 26 10 14 18 22 26 30 34 38 42	.00214 NO. RUN 030875 66.90 ST .00356 .07212 .00167 .00145 .00133 .00129 .00129 .00125	- KR=0. TOB TWB DEH2 .015 .042 .065 .087 .108 .126 .141 .155 .168 .181	29E-3, F= = 71.00 = 59.00 REDEH2 667. 1871. 2906. 3882. 4840. 5800. 6777. 7789. 8048. 9958.	0.0000 0.0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039	UINF 87.00 86.87 86.80 86.80 86.82 88.82 92.98 97.49 102.09 106.83 111.71	TW 98.0 98.1 98.2 98.2 98.0 98.1 98.1 98.1 98.1	TINF 66.5 66.5 66.5 66.5 66.4 66.3 66.2 66.1	KR 0244E-05240E-05124E-04 -552E-04 -239E-03 -296E-03 -294E-03 -279E-03 -279E-03
23 ANN 123 45 5 7 8 9 0 1 2	90 INTON = = X 26 10 14 18 22 26 30 34 42 46	.00214 NO. RUN 030875 66.90 ST .00356 .00125 .00145 .00133 .00125 .00125 .00125	- KR=0. TOB TWB OEH2 .015 .042 .065 .087 .108 .126 .141 .155 .168 .168 .193	29E-3, F= = 71.00 = 59.00 REDEH2 667. 1871. 2906. 3882. 4840. 5800. 6777. 7789. 8488. 11125. 12347.	0.0000 0.0039 F .0039 .0039 .0039 .0039 .0039 .0039 .0039	UINF 87.00 86.87 86.80 86.80 86.82 92.98 97.49 102.09 106.83 111.71	TW 98.0 98.1 98.2 98.0 98.1 98.1 98.1 98.1 98.1	TINF 66.5 66.5 66.5 66.4 66.3 66.4 66.1	KR 0244E-05244E-04552E-04 .239E-03 .296E-03 .294E-03 .284E-03 .204E-03
23 TANN 1234567890123	90 INTON = = X 26 10 14 18 226 33 45 46 50	.00214 NO. RUN 030875 66.90 ST .00356 .00167 .00145 .00133 .00125 .00125 .00125	- KR=0. TOB TWB OEH2 .015 .065 .087 .108 .126 .141 .155 .168 .161 .193 .204 .215	29E-3, F= = 71.00 = 59.00 REDEH2 667. 1871. 2906. 3682. 4840. 5800. 6777. 7789. 8848. 11125. 12347. 13613.	0.0000 0.0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039	UINF 87.00 86.87 86.80 86.82 88.82 92.98 97.49 102.09 101.71 117.42 122.96	TW 98.0 98.1 98.2 98.0 98.1 98.1 98.1 98.1 98.1 98.0 97.9	TINF 66.5 66.5 66.5 66.5 66.4 66.3 66.3 66.1 66.0 65.9	KR 0244E-05240E-05124E-04 .239E-03 .296E-03 .294E-03 .279E-03 .200E-03 .295E-03
23 TUI L 12345678901234	90 INTON = = X 26 10 148 226 334 450 54	.00214 NO. RUN 030875 66.90 ST .00356 .00212 .00145 .00145 .00133 .00125 .00129 .00129	- KR=0. TOB TWB DEH2 .015 .042 .065 .087 .104 .126 .141 .155 .168 .181 .193 .204 .215	29E-3, F= = 71.00 = 59.00 REDEH2 667. 1871. 2906. 3882. 4840. 5800. 6777. 7789. 8848. 9958. 1125. 12347. 13613. 14923.	0.0000 0.0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039	UINF 87.00 86.87 86.80 86.80 86.82 92.98 97.49 102.09 106.83 111.71 117.42 122.96 128.72	TW 98.0 98.1 98.2 98.0 98.1 98.1 98.1 98.1 98.0 98.0 98.0	TINF 66.5 66.5 66.5 66.5 66.4 66.3 66.3 66.1 66.9 65.8	KR 0244E-05244E-05124E-04552E-04239E-03294E-03294E-03294E-03295E-03295E-03
23 TUI L 123456789012345	90 INTO = = 260 1418223348245045548	.00214 NO. RUN 030875 66.90 ST .00356 .00212 .00167 .00145 .00133 .00125 .00129 .00125 .00126 .00126	- KR=0. TOB TWB DEH2 .015 .042 .065 .087 .104 .126 .141 .155 .168 .181 .193 .204 .215 .225	29E-3, F= 71.00 = 71.00 = 59.00 REDEH2 667. 1871. 2906. 3882. 4840. 6777. 7789. 8848. 9958. 11125. 12347. 13613. 14923. 16252.	0.0000 0.0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039	UINF 87.00 86.87 86.80 86.82 88.82 92.98 97.49 102.09 106.83 111.71 117.42 122.96 128.72 130.10	TW 98.0 98.1 98.2 98.0 98.1 98.1 98.1 98.1 98.0 98.0 98.0	TINF 66.55 66.55 66.55 66.3 66.3 66.1 66.5 66.5 66.5 66.5	KR 0244E-05249E-05124E-04552E-04239E-03294E-03294E-03294E-03295E-03295E-03295E-03295E-03295E-03
23 TUI L 1234567890123456	90 INTO = = 260 1482233482450455582	.00214 NO. RUN 030875 66.90 ST .00356 .00212 .00167 .00145 .00134 .00125 .00125 .00125 .00126 .00126 .00126	- KR=0. TOB TWB OEH2 .015 .042 .065 .087 .108 .124 .155 .168 .181 .193 .204 .215 .225 .243	29E-3, F= = 71.00 = 59.00 REDEH2 667. 1871. 2906. 3882. 4840. 5800. 6777. 7789. 8848. 9958. 11125. 12347. 13613. 14923. 16252. 17571.	0.0000 0.0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039	UINF 87.00 86.87 86.80 86.80 86.82 98.98 97.49 106.83 111.71 117.42 122.96 128.72 130.10	TW 98.0 98.2 98.2 98.0 98.1 98.1 98.1 98.0 98.0 98.0 98.0 98.0	TINF 66.55 66.55 66.55 66.33 66.66 66.09 65.8	KR 0244E-05 -240E-05 -124E-04 -552E-04 -239E-03 -294E-03 -294E-03 -295E-03 -295E-03 -156E-05 -156E-04
23 TUI L 12345678901234567	90 INTO = = 260 14822334824604605582666	.00214 NO. RUN 030875 66.90 ST .00356 .00212 .00167 .00145 .00133 .00129 .00125 .00122 .00116 .001103 .00103	- KR=0. TOB TWB DEH2 .015 .065 .087 .108 .126 .141 .155 .168 .181 .193 .204 .215 .225 .243 .263	29E-3, F= = 71.00 = 59.00 REDEH2 667. 1871. 2906. 3882. 4840. 5800. 6777. 7789. 8848. 9958. 11125. 12347. 13613. 14923. 16252. 17571. 18876.	0.0000 0.0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039	UINF 87.00 86.87 86.80 86.80 86.82 88.82 92.98 102.09 106.83 111.71 117.42 122.96 128.72 130.10 129.95 129.83	TW 98.0 98.1 98.2 98.2 98.1 98.1 98.1 98.0 98.0 98.0 98.0 98.0	TINF 66.55566.55666.666.666.666.666.666.666.	KR 0. 244E-05244E-0424E-04 .552E-04 .239E-03 .294E-03 .294E-03 .295E-03 .295E-03 .195E-03 .195E-05 .158E-05
23 TUI L 123456789012345678	90 N = = X 260 48260 48260 48260 70	.00214 NO. RUN 030875 66.90 ST .00356 .001212 .00145 .00133 .00125 .00125 .00122 .00126 .00103 .00103	- KR = 0. TOB TWB OEH 2 .015 .042 .065 .087 .108 .126 .141 .155 .168 .181 .193 .204 .215 .225 .243 .282	29E-3, F= = 71.00 = 59.00 REDEH2 667. 1871. 2906. 3882. 4840. 5800. 6777. 7789. 8958. 1125. 12347. 13613. 14923. 16252. 17571. 18876. 20158.	0.0000 0.0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039	UINF 87.00 86.87 86.80 86.82 88.82 92.98 97.49 102.83 111.71 117.42 122.96 128.72 130.10 129.95 129.83	TW 98.0 98.1 98.2 98.0 98.1 98.1 98.0 98.0 98.0 98.0 98.0 98.0	TINF 66.555566.55666.666.666.666.666.666.666	KR 0244E-05244E-04246E-04239E-03294E-03294E-03295E-03295E-03295E-03155E-05197E-05
23 TUI L 1234567890123456789	90 NTO = = 1048260482604826074	.00214 NO. RUN 030875 66.90 ST .00356 .00167 .00145 .00133 .00125 .00125 .00125 .00126 .00110 .00108 .00096	- KR=0. TOB TWB OEH2 .015 .045 .065 .108 .126 .141 .155 .168 .181 .204 .215 .225 .243 .263 .282 .301 .321	29E-3, F= = 71.00 = 59.00 REDEH2 667. 1871. 2906. 3882. 4840. 5800. 6777. 7789. 8948. 11125. 12347. 13613. 14923. 16252. 17571. 18876. 20158. 21442.	0.0000 0.0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039	UINF 87.00 86.87 86.80 86.82 88.82 92.98 97.49 102.09 111.71 117.42 122.96 128.72 130.10 129.95 129.83	TW 98.0 98.1 98.2 98.0 98.1 98.1 98.0 98.0 98.0 98.0 98.1 98.0	TINF 66.555566.5566.666.666.666.666.666.666.	KR 0.
23 TUI L 12345678901234567890	90 NTO = = 10482604826048260778	NO. RUN 030875 66.90 ST .00356 .00212 .00167 .00145 .00133 .00129 .00129 .00125 .00125 .00126 .00103 .00103 .00096 .00096	- KR = 0 . TOB TWB DEH 2 .015 .042 .065 .087 .104 .126 .141 .155 .168 .181 .193 .204 .215 .243 .263 .282 .301 .321	29E-3, F= = 71.00 = 59.00 REDEH2 667. 1871. 2906. 3862. 4840. 5800. 6777. 7789. 8948. 11125. 12347. 13613. 14923. 16252. 17571. 18876. 20158. 20158.	0.0000 0.0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039	UINF 87.00 86.87 86.80 86.80 86.82 92.98 97.49 102.09 101.71 117.42 122.96 128.72 130.10 129.95 129.83 129.84 129.81	TW 98.0 98.1 98.2 98.0 98.1 98.1 98.0 98.0 98.0 98.0 98.0 98.0 98.1 98.0	TINF 66.555566.5566.666.666.666.666.666.666.	KR 0244E-05244E-05124E-04 .239E-03 .296E-03 .294E-03 .295E-03 .295E-03 .295E-03 .195E-03 .669E-05158E-04 .854E-05163E-05291E-05
23 TUI L 123456789012345678901	90 N = = X 260 48260 48260 7782	NO. RUN 030875 66.90 ST .00356 .00212 .00167 .00145 .00133 .00129 .00129 .00129 .00125 .00126 .00110 .00103 .00096 .00096 .00096	- KR = 0 . TOB TWB OEH 2 . 015 . 042 . 065 . 087 . 108 . 1241 . 155 . 168 . 181 . 193 . 2045 . 225 . 243 . 263 . 282 . 301 . 359	29E-3, F= 71.00 = 71.00 = 59.00 REDEH2 667. 1871. 2906. 3882. 4840. 6777. 7789. 8848. 9958. 11125. 12347. 13613. 1492. 1492. 17571. 18876. 20158. 21442. 22731. 23994.	0.0000 0.0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039	UINF 87.00 86.87 86.80 86.80 86.82 92.98 97.49 102.09 106.83 1117.42 122.96 128.72 130.10 129.95 129.83 129.84 129.89	TW 98.0 98.1 98.2 98.0 98.1 98.1 98.0 98.0 98.0 98.0 98.0 98.1 98.0 98.1 98.1	TINF 55555543321098888666666666666666666666666666666666	KR 0244E-05244E-05124E-04 .239E-03 .296E-03 .294E-03 .294E-03 .279E-03 .295E-03 .295E-03 .195E-03 .669E-05158E-04 .854E-05197E-05863E-05
Z Z	90 NTO = = 10482604826048260778	NO. RUN 030875 66.90 ST .00356 .00212 .00167 .00145 .00133 .00129 .00129 .00125 .00125 .00126 .00103 .00103 .00096 .00096	- KR = 0 . TOB TWB DEH 2 .015 .042 .065 .087 .104 .126 .141 .155 .168 .181 .193 .204 .215 .243 .263 .282 .301 .321	29E-3, F= = 71.00 = 59.00 REDEH2 667. 1871. 2906. 3862. 4840. 5800. 6777. 7789. 8948. 11125. 12347. 13613. 14923. 16252. 17571. 18876. 20158. 20158.	0.0000 0.0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039 .0039	UINF 87.00 86.87 86.80 86.80 86.82 92.98 97.49 102.09 101.71 117.42 122.96 128.72 130.10 129.95 129.83 129.84 129.81	TW 98.0 98.1 98.2 98.0 98.1 98.1 98.0 98.0 98.0 98.0 98.0 98.0 98.1 98.0	TINF 66.555566.5566.666.666.666.666.666.666.	KR 0244E-05244E-05124E-04 .239E-03 .296E-03 .294E-03 .295E-03 .295E-03 .295E-03 .195E-03 .669E-05158E-04 .854E-05163E-05291E-05

31.	NTON	NO. PUN	- K=0.2	3E-6, F=0					
RUN		042975	103						
	FO =	67.30	TWB						
PL	X	ST	DEH3	REDEH2	F	UINF	TH	TINF	K
1	2	.00523	.011	470.	0.0000	87.03	95 . 1	66.9	121E-07
2	6	.00369	.028	1270 .	0.0000	96.90	95.1	66.9	549E-08
3	10	.00326	.042	1890 .	0.0000	86.92	95.2	66.9	389E-08
5	18	.00301	.055	2451.	0.0000	86.56	95.2	66.9	154E-07
6	22	.00279	.076	3482.	0.0000	88.75	95.3	66.8	.216E-06
7	26	.00288	.084	4015.	0.0000	93.36	95.3	66.8	.272E-06
8	30	.00277	.090	4590.	0.0000	98.65	95.1	66.7	.278E-06
9	34	.00277	.096	5171.	0.0000	104.41	95.1	66.6	.272E-06
10	39	.00270	.101	5779.	0.0000	110.80	95.1	66.5	.276E-06
11	42	.00274	.105	6416.	0.0000	118.43	95.2	66.4	.294E-06
12	46	.00270	.108	7109.	0.0000	127.87	95.2	66.2	.294E-96
13	50	.00275	.111	7853.	0.0000	138.33	95.2	66.0	.282E-06
14	54	.00247	.113	8681.	0.0000	149.90	95.0	65.8	.153E-06
15	58	.00233	.121	9391.	0.0000	151.26	35.1	65.8	845E-08
16	65	.00230	.132	10116.	0.0000	149.95	95.1	65.8	264E-07
17	66	.00226	.141	10776.	0.0000	149.21	95.2	65.8	549E-08
18	70	.00225	.150	11465.	0.0000	149.1€	95.2	65.8	.511E-09
19	74	.00221	.159	12134.	0.0000	149.55	95.3	65.8	.233E-08
20	7â	.00218	.167	12792.	0.0000	149.93	95.3	65.8	.738E-08
21	82	.00214	.175	13488.	0.0000	150.25	95.2	65.8	.136E-07
22	86 90	.00215	. 184	14167.	0.0000	151.39		65.8	.133E-07
63	90	.00219	.192	14839.	0.0000	151.35	95.2	65.6	.5/56-26
	NTON								
RUN		NO. RUN 042975 67.40	- K=0.26	= 74.00	- FIRST	6 PLATES	UNHEA	reo	
TIN	F0 =	67.40	TOB	= 74.00 = 58.00					
	=	042975	TOB	= 74.00	- FIRST	6 PLATES	TH	TED TINF	K
PL	FO =	042975 67.40 ST	DEH2	= 74.00 = 58.00 REDEH2	F	UINF	TW	TINF	
PL 1	#F0 = X	042975 67.40 ST	TDB TMB DEH2	= 74.60 = 58.00 REDEH2	F	UINF 87.10	TW 68.6	11NF 67.0	121E-07
PL 1 2	FO = X	042975 67.40 ST 0.00000 0.00000	0.000 0.000	= 74.60 = 58.00 REDEH2	F 0.0000 0.0000	UINF 87.10 86.91	TW 68.6	11NF 67.0 67.0	121E-07 549E-08
PL 1 2 3	= X 2 6 10	042975 67.40 ST 0.00000 0.00000	TOB TMB DEH2 0.000 0.000 0.000	= 74.50 = 58.00 REDEH2 0. 0.	F 0.0000 0.0000 0.0000	UINF 87.10 86.91 86.93	TW 68.6 68.4 68.1	11NF 67.0 67.0 67.0	121E-07 549E-08 389E-08
PL 1 2 3 4	= X 2 6 10 14	042975 67.40 ST 0.00000 0.00000	TOB TMB DEH2 0.000 0.000 0.000	= 74.00 = 58.00 REDEH2 0. 0.	F 0.0000 0.0000 0.0000	UINF 87.10 86.91 86.93 86.84	TW 68.6 68.4 68.1 68.0	11NF 67.0 67.0 67.0	121E-07 549E-08 389E-08 154E-07
PL 1 2 3	= X 2 6 10	0.42975 67.40 ST 0.00000 0.00000 0.00000 0.00000	TOB TMB DEH2 0.000 0.000 0.000 0.000	= 74.50 = 58.00 REDEH2 0. 0.	F 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 87.10 86.91 86.93 86.84 86.57	TW 68.6 68.4 68.1 68.0 68.2	FINF 67.0 67.0 67.0 67.0 67.0	121E-07 549E-08 389E-08 154E-07 .540E-07
TIMPL 1 2 3 4 5	= X 2 6 10 14 18	042975 67.40 ST 0.00000 0.00000 0.00000	TOB TMB DEH2 0.000 0.000 0.000	= 74.00 = 58.00 REDEH2 0. 0. 0.	F 0.0000 0.0000 0.0000	UINF 87.10 86.91 86.93 86.84	TW 68.6 68.4 68.1 68.0	11NF 67.0 67.0 67.0	121E-07 549E-08 389E-08 154E-07
PL 1 2 3 4 5 6	= X 2 6 10 14 18 22	0.42975 67.40 ST 0.00000 0.00000 0.00000 0.00000 0.00000	TOB TMB DEH2 0.000 0.000 0.000 0.000 0.000	= 74.50 = 58.00 REDEH2 0. 0. 0.	F 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 87.10 86.91 86.93 86.84 86.57	TW 68.6 68.4 68.1 68.0 68.2 69.1	FINF 67.0 67.0 67.0 67.0 67.0 67.0	121E-07 549E-08 389E-08 154E-07 .540E-07 .216E-06
TIMPL 1 2 3 4 5 6 7	= X 2 6 10 14 18 22 26	0.42975 67.40 ST 0.00000 0.00000 0.00000 0.00000 0.00000 0.00000	TOB TMB DEH2 0.000 0.000 0.000 0.000 0.000 0.000	= 74.50 = 56.00 REDEH2 0. 0. 0. 0. 471.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 87.10 86.91 86.93 86.84 86.57 88.78 93.38	TW 68.6 68.4 68.1 68.0 68.2 69.1	FINF 67.0 67.0 67.0 67.0 67.0 67.0 67.0	121E-07 549E-08 389E-08 154E-07 .540E-07 .216E-06 .272E-06
TIMPL 1 2 3 4 5 6 7 8	= X 2 6 10 14 18 22 26 30	0.42975 67.40 ST 0.00000 0.00000 0.00000 0.00000 0.00000 0.00490 .00369	TOB TMB DEH2 0.000 0.000 0.000 0.000 0.000 0.000 0.000	= 74.50 = 56.00 REDEH2 0. 0. 0. 0. 471. 1315.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 87.10 86.91 86.93 86.84 86.57 88.78 93.39 98.67	TW 68.6 68.4 68.1 68.0 68.2 69.1 95.0	FINF 67.0 67.0 67.0 67.0 67.0 67.0 67.0 67.0	121E-07 549E-08 389E-08 154E-07 .540E-07 .216E-06 .272E-06 .278E-06
TIMPL 1234567889	= X 2 6 10 14 18 22 26 30 34	0.42975 67.40 ST 0.00000 0.00000 0.00000 0.00000 0.00000 0.00490 .00369 .00349	TOB TMB DEH2 0.000 0.000 0.000 0.000 0.000 0.000 0.000	= 74.00 = 58.00 REDEH2 0. 0. 0. 0. 471. 1315. 2075.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 87.10 86.91 86.93 86.84 86.57 88.78 93.35 98.67	TW 68.6 68.4 68.1 68.0 68.2 69.1 95.0 95.1 94.9	FINF 67.0 67.0 67.0 67.0 67.0 67.0 67.0 67.0	121E-07 549E-08 389E-08 154E-07 .546E-06 .272E-06 .278E-06
TIMPL 1 2 3 4 5 6 7 8 9 10 11 12	= X 26 10 14 18 22 26 30 34 38 42 46	0.42975 67.40 ST 0.00000 0.00000 0.00000 0.00000 0.00000 0.00490 .00349 .00349 .00328 .00321	TOB TMB DEH2 0.000 0.000 0.000 0.000 0.000 0.000 0.026 0.039 0.059	= 74.00 = 58.00 REDEH2 0. 0. 0. 0. 471. 1315. 2075. 2820. 3579. 4376.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 87.10 86.91 86.93 86.84 86.57 88.78 93.38 93.48 110.82 118.45 127.89	TW 68.6 68.1 68.0 68.2 69.1 95.0 95.0 95.0 95.0	FINF 67.0 67.0 67.0 67.0 67.0 67.0 67.0 66.9 66.8 66.7 66.6	121E-07 549E-08 389E-08 154E-07 .540E-07 .216E-06 .272E-06 .272E-06 .272E-06 .276E-06 .294E-06
TIN PL 1 2 3 4 5 6 7 8 9 10 11 12 13	= X 2 6 10 14 18 22 26 33 4 38 4 2 4 6 5 0	0.429.75 67.40 ST 0.00000 0.00000 0.00000 0.00000 0.00000 0.00490 .00369 .00328 .00321 .00313	TOB TMB DEH2 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	= 74.00 = 58.00 REDEH2 0. 0. 0. 0. 471. 1315. 2075. 2820. 3579. 4376. 5238.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 87.10 86.91 86.93 86.84 86.57 88.78 93.38 98.67 104.43 110.82 118.45 127.89 138.33	68.6 68.4 68.0 68.2 69.1 95.0 95.1 95.0 95.1	FINF 67.0 67.0 67.0 67.0 67.0 67.0 67.0 66.9 66.8 66.7 66.6 66.4	121E-07 549E-08 389E-08 154E-07 .540E-07 .216E-06 .272E-06 .278E-06 .272E-06 .276E-06 .294E-06
TIN PL 12345667891011121314	= X 2610 14 18 22 26 33 4 4 6 50 54	0.42975 67.40 ST 0.00000 0.00000 0.00000 0.00000 0.00000 0.00490 .00349 .00349 .00328 .00311 .00311	TOB TMB DEH2 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	= 74.00 = 58.00 REDEH2 0. 0. 0. 0. 471. 1315. 2075. 2820. 3579. 4376. 5238. 6122.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 87.10 86.91 86.93 86.84 86.57 88.78 93.39 98.67 104.43 110.82 118.45 127.89 138.33 149.92	68.6 68.4 68.0 68.2 69.1 95.0 95.1 94.9 95.1 95.1 95.1	FINF 67.0 67.0 67.0 67.0 67.0 67.0 67.0 66.9 66.8 66.7 66.6 66.4 66.2	121E-07 549E-08 389E-08 154E-07 .216E-06 .272E-06 .278E-06 .276E-06 .276E-06 .294E-06 .294E-06
TIN PL 1234567789101112131415	= = X 26014 182250 348 426 554 8558	0.42975 67.40 ST 0.00000 0.00000 0.00000 0.00000 0.00000 0.00490 0.0349 0.0349 0.0328 0.0321 0.0311 0.0311	TOB TMB DEH2 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.050 0.059 0.059 0.059 0.067 0.074 0.090	= 74.00 = 58.00 REDEH2 0. 0. 0. 0. 471. 1315. 2075. 2820. 3579. 4378. 5238. 6122. 6949.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 87.10 86.91 86.93 86.84 86.57 88.78 93.38 98.67 104.43 110.82 118.45 127.89 138.33	TW 68.6 68.4 68.1 68.0 68.2 69.1 95.0 95.1 95.0 95.1	FINF 67.0 67.0 67.0 67.0 67.0 67.0 66.9 66.8 66.7 66.6 66.4 66.2 65.9	121E-07 549E-08 389E-08 154E-07 .216E-06 .272E-06 .278E-06 .276E-06 .276E-06 .294E-06 .294E-06 .2842E-06
TIN PL 12345 6789 1011 12314 1516	= = X 2 6 10 14 18 22 6 33 4 8 4 2 6 5 4 5 6 2	0.42975 67.40 ST 0.00000 0.00000 0.00000 0.00000 0.00000 0.00490 0.0349 0.0349 0.0321 0.0311 0.0311 0.0261	TOB TMB DEH2 0.000 0.000 0.000 0.000 0.000 0.000 0.059 0.059 0.059 0.067 0.074 0.080 0.090 0.101	= 74.00 = 58.00 REDEH2 0. 0. 0. 0. 471. 1315. 2075. 2820. 3579. 4376. 5238. 6122. 6949. 7725.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 87.10 86.91 86.93 86.84 86.57 88.78 93.39 93.67 104.43 110.82 118.45 127.89 138.33 149.92	68.6 68.4 68.1 68.0 68.2 69.1 95.1 95.0 95.0 95.0 95.1 95.1 95.1	FINF 67.0 67.0 67.0 67.0 67.0 67.0 67.0 67.0	121E-07 549E-08 389E-08 154E-07 .546E-06 .272E-06 .278E-06 .276E-06 .274E-06 .294E-06 .294E-06 .294E-06
TIN PL 1234567 89101112134151617	= = X 26014 182250 334 8246 554 856 66	0.42975 67.40 ST 0.00000 0.00000 0.00000 0.00000 0.00490 0.0349 0.0349 0.0321 0.0313 0.0311 0.0260 0.0255	TOB TMB DEH2 0.000 0.000 0.000 0.000 0.000 0.010 0.026 0.039 0.059 0.067 0.074 0.080 0.090 101 111	= 74.00 = 58.00 REDEH2 0. 0. 0. 0. 471. 1315. 2075. 2820. 3579. 4376. 5238. 6122. 6949. 7725. 8492.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 87.10 86.91 86.93 86.84 86.57 83.38 93.38 110.82 118.45 127.89 138.33 149.92 149.24	68.6 68.4 68.1 68.0 68.2 69.1 95.1 95.0 95.0 95.1 95.1 95.1	FINF 67.0 67.0 67.0 67.0 67.0 67.0 67.0 66.9 66.8 66.7 66.6 66.4 66.2 66.0 66.0	121E-07 549E-08 389E-08 154E-07 .5416E-06 .272E-06 .278E-06 .276E-06 .276E-06 .294E-06 .294E-06 .294E-06
TIN PL 123 456 789 1011 1213 145 1617 18	= = X 260148226033482460548566670	0.42975 67.40 ST 0.00000 0.00000 0.00000 0.00000 0.00000 0.00490 0.0349 0.0349 0.0328 0.0321 0.0311 0.0280 0.0255	TOB TMB DEH2 0.000 0.000 0.000 0.000 0.000 0.010 0.026 0.039 0.059 0.059 0.067 0.074 0.090 0.101 0.111 0.121	= 74.00 = 58.00 REDEHZ 0. 0. 0. 0. 0. 471. 1315. 2075. 2820. 3579. 4376. 5238. 6122. 6949. 7725. 8492. 9233.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 87.10 86.91 86.93 86.84 86.57 88.78 93.38 93.49 110.82 118.45 127.89 138.33 149.92 151.28 149.97	68.6 68.4 68.0 68.2 69.1 95.0 95.0 95.1 95.1 95.1 95.1 95.1	FINF 67.0 67.0 67.0 67.0 67.0 67.0 67.0 66.9 66.8 66.7 66.6 66.4 66.2 66.0 65.9	121E-07 549E-08 389E-08 154E-07 .540E-06 .272E-06 .272E-06 .276E-06 .274E-06 .294E-06 .294E-06 .294E-06 .262E-06
TIN PL 12345678910112131456171819	= = X 260 1482260 33334460 55826774	0.42975 67.40 ST 0.00000 0.00000 0.00000 0.00000 0.00000 0.00490 0.0349 0.0349 0.0328 0.0321 0.0311 0.0280 0.00255 0.00247	TOB TMB DEH2 0.000 0.000 0.000 0.000 0.000 0.026 0.039 0.059 0.059 0.067 0.74 0.80 0.900 1.01 1.11 1.121 1.130	= 74.00 = 58.00 REDEH2 0. 0. 0. 0. 471. 1315. 2075. 2820. 3579. 4376. 5238. 6122. 6949. 7725. 8492. 9233.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 87.10 86.91 86.93 86.84 86.57 88.78 93.38 93.49 110.82 118.45 127.89 138.33 149.92 151.28 149.18 149.57	68.6 68.1 68.0 68.2 69.1 95.0 95.0 95.1 95.1 95.1 95.1 95.1 95.1 95.1	FINF 67.0 67.0 67.0 67.0 67.0 67.0 67.0 66.8 66.7 66.6 66.0 66.0 66.0	121E-07 549E-08 389E-07 154E-07 .216E-06 .272E-06 .278E-06 .272E-06 .272E-06 .272E-06 .272E-06 .294E-06 .294E-06 .294E-06 .294E-08 264E-08 264E-08 264E-08
TIN PL 1234567891011213145167181920	= = X 260 1482260 48246 5482 667748	042975 67.40 ST 0.00000 0.00000 0.00000 0.00000 0.00000 0.00490 .00349 .00349 .00328 .00311 .00261 .00261 .00257 .00245	TOB TMB DEH2 0.000 0.000 0.000 0.000 0.000 0.000 0.026 0.039 0.050 0.059 0.067 0.074 0.080 0.090 1.01 1.11 1.130 1.39	= 74.00 = 58.00 REDEH2 0. 0. 0. 0. 471. 1315. 2075. 2820. 3579. 4376. 5238. 6122. 6949. 7725. 8492. 923. 9961.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 87.10 86.91 86.93 86.84 86.57 88.78 93.38 98.67 104.43 110.82 118.45 127.89 138.33 149.92 151.28 149.97 149.96	68.6 68.1 68.0 68.2 69.1 95.0 95.0 95.1 95.1 95.1 95.1 95.1 95.2 95.2	FINF 67.0 67.0 67.0 67.0 67.0 67.0 67.0 66.9 66.6 66.6 66.0 66.0 66.0	121E-07 549E-08 389E-08 154E-07 .216E-06 .272E-06 .278E-06 .272E-08 .272E-08
TIN PL 12345678910112131456171819	= = X 260 1482260 33334460 55826774	0.42975 67.40 ST 0.00000 0.00000 0.00000 0.00000 0.00000 0.00490 0.0349 0.0349 0.0328 0.0321 0.0311 0.0280 0.00255 0.00247	TOB TMB DEH2 0.000 0.000 0.000 0.000 0.000 0.000 0.050 0.059 0.0	= 74.00 = 58.00 REDEH2 0. 0. 0. 0. 471. 1315. 2075. 2820. 3579. 4376. 5238. 6122. 6949. 7725. 8492. 9233.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 87.10 86.91 86.93 86.84 86.57 88.78 93.38 93.49 110.82 118.45 127.89 138.33 149.92 151.28 149.18 149.57	68.6 68.1 68.0 68.2 69.1 95.0 95.0 95.1 95.1 95.1 95.1 95.1 95.1 95.1	FINF 67.0 67.0 67.0 67.0 67.0 67.0 67.0 66.8 66.7 66.6 66.0 66.0 66.0	121E-07 549E-08 389E-07 154E-07 .216E-06 .272E-06 .278E-06 .272E-06 .272E-06 .272E-06 .272E-06 .294E-06 .294E-06 .294E-06 .294E-08 264E-08 264E-08 264E-08
TIN PL 1234567891011231451671892021	= = X 260 1482233482604826677482	042975 67.40 ST 0.00000 0.00000 0.00000 0.00000 0.00000 0.00490 .00369 .00349 .00328 .00311 .00311 .00261 .00255 .00247 .00247	TOB TMB DEH2 0.000 0.000 0.000 0.000 0.000 0.000 0.026 0.039 0.050 0.059 0.067 0.074 0.080 0.090 1.01 1.11 1.130 1.39	= 74.00 = 58.00 REDEH2 0. 0. 0. 0. 471. 1315. 2075. 2820. 3579. 4376. 5238. 6122. 6949. 7725. 8492. 9233. 9961. 10696. 11433.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 87.10 86.91 86.93 86.84 86.57 88.78 98.67 104.43 110.82 118.45 127.89 138.33 149.92 151.28 149.97 149.18 149.96 150.27	TW 68.6 68.4 68.0 68.2 95.0 95.1 95.0 95.1 95.1 95.1 95.2 95.2 95.2	FINF 67.0 67.0 67.0 67.0 67.0 67.0 66.9 66.8 66.7 66.6 66.0 66.0 66.0	121E-07 549E-08 389E-08 154E-07 .216E-06 .272E-06 .278E-06 .276E-06 .276E-06 .294E-06 .294E-06 .294E-06 .153E-08 264E-07 549E-08 264E-07 549E-08

	NTON	NO 011N	- 40-0	EAC 7 E-	•				
RUN		050875	TOB	50E-3, F= = 75.00	u				
	FO =	66.90	THE						
•••		00.70	14.5						
PL	X	51	DEH2	REDEH2	F	UINF .	TH	TINF	KR
1	2	.00525	.011	453.	0.0000	83.69	95.6	66.5	200E-05
2	6	.00372	.028	1227.	0.0000	83.84	95.5	66.5	285E-05
3	10	.00328	.042	1830 .	0.0000	83.73	95.6	66.5	345E-05
4	14	.00302	.055	2377.	0.0000	83.74	95.5	66.5	703E-05
5	18	.00286	.067	2880.	0.0000	86.57	95.6	66.5	.920E-04
6	22	.00284	.076	3390. 3932.	0.0000	93.19	95.5	66.5	.350E-03
8	30	.00286	.087	4521.	0.0000	101.34	95.5	66.3	.515E-03
9	34	.00284	.091	5148.	0.0000	109.75	95.4	66.2	.487E-03
10	38	.00274	.095	5800.	0.0000	118.58	95.5	66.0	.490E-03
11	42	.00275	.099	6493.	0.0000	128.33	95.5	65.9	.468E-03
12	46	.00264	.103	7232.	0.0000	137.29	95.5	65.7	.363E-03
13	50	.00265	.108	7967.	0.0000	144.65	95.6	65.5	.329E-03
14	54	.00243	.112	8755.	0.0000	152.43	95.6	65.4	.183E-03
15	58	.00231	.122	9530.	0.0000	153.19	95.5	65.4	987E-05
16	62	.00228	.132	10258.	0.0000	152.30	95.5	65.4	266E-04
17	66	.00225	.141	10925.	0.0000	151.91	35 . 6	65.4	130E-05
18	70	.01224	.150	11677.	0.0000	152.09	95.4	65.4	.747E-05
19	74	.00221	.158	12328.	0.0000	152.34	35.5	65.4	.879E-05
20	78	.00218	.167	13044.	0.0000	152.64	95.5	65.4	.110E-04
21	82	.00215	.176	13753.	0.0000	153.10	95.4	65.4	.174E-04
22	96	.00216	.184	14446.	0.0000	153.46	95.4	65.4	.920E-05
23	90	.00550	.192	15078.	0.0000	153.61	95.5	65.3	.964E-05
RUN	=	NO. RUN 051475	108	= 77.00	F - STEP	S IN F -	TWALL	CONSTANT	
RUN				= 77.00	F - STEP	S IN F -	TWALL	CONSTANT	
RUN TIN PL	F0 =	051475 65.10 ST	TOB TWB	= 77.00 = 62.00 REDEH2	F	UINF	тн	TINF	KR
RUN TIN PL	F0 = x	051475 65.10 ST .00521	TO8 TWB DEH2	= 77.00 = 62.00 REDEH2	F 0.0000	UINF 87.78	TW 90.5	TINF 64.7	0.
RUN TIN PL 1	F0 = x	051475 65.10 ST .00521 .00367	TD8 TW8 DEH2 .010	= 77.00 = 62.00 REDEH2 477. 1292.	F 0.0000 0.0000	UINF 87.78 87.77	TW 90.5 90.3	TINF 64.7 64.7	0. 566E-06
RUNTIN PL	#FO = X 2 6 10	051475 65.10 ST .00521 .00367 .00325	TD8 THB DEH2 .010 .028 .042	= 77.00 = 62.00 REDEH2 477. 1292. 1921.	F 0.0000 0.0000 0.0000	UINF 87.78 87.77 87.75	TW 90.5 90.3 90.4	TINF 64.7 64.7 64.7	0. 566E-06 340E-05
RUN TIN PL 1 2 3	2 6 10 14	051475 65.10 ST .00521 .00367 .00325	TD8 THB DEH2 .010 .028 .042 .055	= 77.00 = 62.00 REDEH2 477. 1292. 1921. 2501.	F 0.0000 0.0000 0.0000	UINF 87.78 87.77 87.75 87.68	TH 90.5 90.3 90.4 90.3	TINF 64.7 64.7 64.7	0. 566E-05 340E-05 109E-04
RUN TIN PL 1 2 3 4 5	= X 2 6 10 14 18	051475 65.10 ST .00521 .00367 .00325 .00301	TD8 TH8 DEH2 .010 .028 .042 .655 .067	= 77.00 = 62.00 REDEH2 477. 1292. 1921. 2501. 3035.	F 0.0000 0.0000 0.0000 0.0000	UINF 87.78 87.77 87.75 87.68 87.56	TW 90.5 90.3 90.4 90.3 90.3	TINF 64.7 64.7 64.7 64.7	0. 566E-06 340E-05 109E-04 .653E-04
RUN TIN PL 1 2 3 4 5 6	2 6 10 14 18 22	051475 65.10 ST .00521 .00367 .00325 .00301 .00287	TD8 TW8 DEH2 .010 .028 .042 .055 .067	= 77.00 = 62.00 REDEH2 477. 1292. 1921. 2501. 3035. 3551.	F 0.000 0.000 0.000 0.000 0.000 0.000 0.000	UINF 87.78 87.77 87.75 87.68 87.56	TW 90.5 90.3 90.4 90.3 90.3	TINF 64.7 64.7 64.7 64.7 64.7	0. 566E-06 340E-05 109E-04 .653E-04 .249E-03
RUN TIN PL 1 2 3 4 5 6 7	# FO = X 2 6 10 14 18 22 26	051475 65.10 ST .00521 .00367 .00325 .00301 .00287 .00276 .00191	TD8 TW8 DEH2 .010 .028 .042 .055 .067 .076	= 77.00 = 62.00 REDEH2 477. 1292. 1921. 2501. 3035. 3551. 4324.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UINF 87.78 87.77 87.75 87.68 87.56 89.74 94.58	TW 90.5 90.3 90.3 90.3 90.4 90.6	TINF 64.7 64.7 64.7 64.7 64.7 64.7	0. 566E-05 340E-05 109E-04 .652E-04 .249E-03 .342E-03
RUNTIN PL 12345678	= X 2 6 10 14 18 22 26 30	051475 65.10 ST .00521 .00367 .00325 .00301 .00287 .00276 .00191 .00165	TD8 TW8 DEH2 .010 .028 .042 .055 .067 .076 .088 .104	= 77.00 = 62.00 REDEH2 477. 1292. 1921. 2531. 3035. 3551. 4324. 5417.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0037	UINF 87.78 87.77 87.75 87.68 87.56 89.74 94.58	TW 90.5 90.3 90.4 90.6 90.6	TINF 64.7 64.7 64.7 64.7 64.7 64.6	0. 566E-06 340E-05 109E-04 .653E-04 .249E-03 .342E-03 .343E-03
RUNTIN PL 123456789	2 6 10 14 18 22 26 30 34	051475 65.10 ST .00521 .00367 .00325 .00301 .00287 .00276 .00191 .00165	TDB TWB DEH2 .010 .028 .042 .055 .067 .076 .078 .104 .118	= 77.00 = 62.00 REDEH2 477. 1292. 1921. 2501. 3035. 3551. 4324. 5417. 6490.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0037 .0035	UINF 87.78 87.77 87.75 87.68 87.56 89.54 99.99	7 W 90 · 5 90 · 3 90 · 4 90 · 3 90 · 4 90 · 6 90 · 6	TINF 64.7 64.7 64.7 64.7 64.7 64.7 64.6 64.6	0. 566E-06 340E-05 109E-04 .653E-04 .249E-03 .342E-03 .343E-03
RUNTIN PL 12345678910	= X 2 6 10 14 18 22 26 30 34 38	051475 65.10 ST .00521 .00367 .00325 .00301 .00287 .00276 .00165 .00164	TOB TWB DEH2 .010 .028 .042 .055 .067 .076 .088 .104 .118	= 77.00 = 62.00 REDEH2 477. 1292. 1921. 2501. 3035. 3551. 4324. 5417. 6490. 7580.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0007 .0037 .0033	UINF 87.78 87.77 87.75 87.68 87.56 89.74 94.58 99.99 105.47 111.53	TW 90.5 90.3 90.4 90.6 90.6	TINF 64.7 64.7 64.7 64.7 64.7 64.7 64.6 64.6	0. 566E-06 340E-05 109E-04 .653E-04 .249E-03 .343E-03 .343E-03 .343E-03
RUNTIN PL 1 2 3 4 5 6 7 8 9 10 11	= X 2 6 10 14 18 22 6 30 34 38 42	051475 65.10 ST .00521 .00367 .00325 .00301 .00287 .00276 .00165 .00164 .00158	TOB TWB DEH2 .010 .028 .042 .055 .067 .076 .088 .104 .118 .131	= 77.00 = 62.00 REDEH2 477. 1292. 1921. 2501. 3035. 3551. 4324. 5417. 6490. 7580. 8708.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0037 .0033 .0031	UINF 87.78 87.77 87.75 87.68 87.56 89.74 94.58 99.99 105.47 111.53 117.87	TW 90.5 90.3 90.4 90.3 90.4 90.6 90.6	TINF 64.7 64.7 64.7 64.7 64.7 64.7 64.6 64.6	0. 566E-06 340E-05 109E-04 .653E-04 .249E-03 .342E-03 .343E-03 .343E-03 .350E-03 .322E-03
RUNTIN PL 123456789101112	= X 2 6 10 14 18 22 26 30 34 38	051475 65.10 ST .00521 .00367 .00325 .00301 .00287 .00191 .00164 .00166 .00160	TOB TWB DEH2 .010 .028 .042 .055 .067 .076 .088 .104 .118 .131 .142 .154	= 77.00 = 62.00 REDEH2 477. 1292. 1921. 2501. 3035. 3551. 4324. 5417. 6490. 7580. 8708. 9848.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0037 .0035 .0031 .0030	UINF 87.78 87.77 87.75 87.68 87.56 89.74 94.58 99.99 105.47 111.53 117.87 123.61	7 W 90 . 5 90 . 3 90 . 4 90 . 6 90 . 6 90 . 6 90 . 6	TINF 64.7 64.7 64.7 64.7 64.7 64.7 64.6 64.6	0. 566E-06 340E-05 109E-04 .653E-04 .249E-03 .343E-03 .343E-03 .343E-03
RUNTIN PL 1 2 3 4 5 6 7 8 9 10 11	= X 2 6 10 14 18 2 2 6 0 3 3 4 4 6	051475 65.10 ST .00521 .00367 .00325 .00301 .00287 .00276 .00165 .00164 .00158	TOB TWB DEH2 .010 .028 .042 .055 .067 .076 .088 .104 .118 .131	= 77.00 = 62.00 REDEH2 477. 1292. 1921. 2501. 3035. 3551. 4324. 5417. 6490. 7580. 8708.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0037 .0033 .0031	UINF 87.78 87.77 87.75 87.68 87.56 89.74 94.58 99.99 105.47 111.53 117.87 123.61 128.60 133.84	TW 90.5 90.3 90.4 90.3 90.6 90.6 90.6 90.6 90.5 90.5	TINF 64.7 64.7 64.7 64.7 64.7 64.6 64.6 64.6	0. 566E-06 340E-05 109E-04 .652E-04 .249E-03 .342E-03 .343E-03 .343E-03 .350E-03 .322E-03 .224E-03
RUNTIN PL 12345678910111213	= 2 10 14 18 22 30 34 46 50	051475 65.10 ST .00521 .00367 .00325 .00301 .00287 .00191 .00165 .00164 .00160 .00160	TOB TWB DEH2 .010 .028 .042 .055 .067 .076 .088 .104 .118 .131 .142 .154	= 77.00 = 62.00 REDEH2 477. 1292. 1921. 2501. 3035. 3551. 4324. 5417. 6490. 7580. 8708. 9848. 10981.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0037 .0035 .0031 .0031	UINF 87.78 87.77 87.75 87.68 87.56 89.74 94.58 99.99 105.47 111.53 117.87 123.61	7 W 90 · 5 90 · 3 90 · 6 90 · 6 90 · 6 90 · 5 90 · 5	TINF 64.7 64.7 64.7 64.7 64.7 64.6 64.6 64.6	0. 566E-05 340E-05 109E-04 .653E-04 .249E-03 .342E-03 .343E-03 .350E-03 .326E-03 .264E-03
RUNTIN PL 1234567891011121314	= = 260 118260 4450 4554	051475 65.10 ST .00521 .00367 .00325 .00301 .00287 .00191 .00165 .00164 .00158 .00160 .00150	TOB TWB DEH2 .010 .028 .042 .055 .067 .076 .088 .104 .118 .131 .142 .154 .165 .175 .175 .167	= 77.00 = 62.00 REDEH2 477. 1292. 1921. 2501. 3035. 3551. 4324. 5417. 6490. 7580. 8708. 9848. 10981. 12164. 13278. 14365.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0037 .0035 .0031 .0030 .0028 .0028	UINF 87.78 87.77 87.75 87.68 87.56 89.74 94.58 99.99 105.47 111.53 117.87 123.61 128.60 133.84 137.03	90.5 90.3 90.4 90.3 90.6 90.6 90.6 90.6 90.5 90.5 90.5	TINF 64.7 64.7 64.7 64.7 64.7 64.6 64.5 64.3 64.3 64.0 63.9	0. 566E-06 340E-05 109E-04 .652E-04 .249E-03 .342E-03 .343E-03 .350E-03 .322E-03 .264E-03 .250E-03 .250E-03 .2105E-03 .105E-03
RUNTIN PL 1234567891011231451617	= = 2604826048260482666666666666666666666666	051475 65.10 ST .00521 .00367 .00325 .00301 .00287 .00191 .00164 .00158 .00160 .00150 .00150	TOB TWB DEH2 .010 .028 .042 .055 .067 .076 .088 .104 .118 .131 .142 .154 .165 .175 .167 .199 .206	= 77.00 = 62.00 REDEH2 477. 1292. 1921. 2501. 3035. 3551. 4324. 5417. 6490. 7580. 8708. 9848. 10981. 12164. 13278. 14365. 15138.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0035 .0033 .0031 .0030 .0028 .0028	UINF 87.78 87.77 87.75 87.68 87.56 89.74 94.58 99.99 105.47 111.53 117.87 123.61 128.60 133.84 137.03 141.73	7 W 90 · 5 90 · 3 90 · 4 90 · 6 90 · 6 90 · 6 90 · 6 90 · 5 90 · 5 90 · 5 90 · 5	TINF 64.7 64.7 64.7 64.7 64.7 64.6 64.6 64.6	0566E-06340E-05109E-04 .653E-04 .249E-03 .343E-03 .343E-03 .350E-03 .322E-03 .264E-03 .250E-03 .205E-03 .105E-03 .105E-03
RUNTIN PL 123456789101123145161718	= = 26048260482604826070	051475 65.10 ST .00521 .00367 .00325 .00301 .00287 .00191 .00166 .00158 .00160 .00150 .00150	TOB TWB DEH2 .010 .028 .042 .055 .067 .076 .088 .104 .118 .131 .142 .154 .165 .175 .197 .206 .213	= 77.00 = 62.00 REDEH2 477. 1292. 1921. 2501. 3035. 3551. 4324. 5417. 6490. 7580. 8708. 9848. 10981. 12164. 13278. 14365. 15138. 15871.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0037 .0035 .0031 .0030 .0028 .0026 .0026	UINF 87.78 87.77 87.75 87.68 87.56 89.74 94.58 99.105.47 111.53 117.87 123.61 128.60 133.84 137.03 141.73 144.06	7 W 90 . 5 3 90 . 4 90 . 6 90 . 6 90 . 5 90 . 5 90 . 5 90 . 7 90 . 5 90 . 7 90 . 5	TINF 64.7 64.7 64.7 64.7 64.7 64.6 64.5 64.6 64.3 64.1 64.0 63.9 63.8	0. 566E-06 340E-05 109E-04 .652E-04 .249E-03 .342E-03 .343E-03 .350E-03 .350E-03 .264E-03 .250E-03 .250E-03 .105E-03 .105E-03 .109E-03
RUNTIN PL 1234567891112314516171819	= = 260482604826048260774	051475 65.10 ST .00521 .00367 .00325 .00301 .00287 .00191 .00165 .00166 .00150 .00150 .00150 .00150	TOB TWB DEH2 .010 .028 .042 .055 .067 .076 .088 .104 .118 .131 .142 .154 .165 .175 .167 .199 .206 .213	= 77.00 = 62.00 REDEH2 477. 1292. 1921. 2531. 3035. 3551. 4324. 5417. 6490. 7580. 8708. 9848. 10981. 12164. 13278. 14365. 1536. 15419.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0037 .0035 .0033 .0030 .0028 .0026 .0026 .0026 .0026 .0026 .0026	UINF 87.78 87.77 87.75 87.68 87.56 89.74 94.58 99.99 105.47 111.87 123.61 128.60 133.84 137.03 141.73 144.06 146.26	90.5 90.3 90.3 90.6 90.6 90.6 90.6 90.5 90.5 90.5 90.5 90.5	TINF 64.7 64.7 64.7 64.7 64.7 64.6 64.3 64.0 64.0 64.0 63.9 63.8 63.8	0. 566E-06 340E-05 109E-04 .652E-04 .249E-03 .342E-03 .343E-03 .350E-03 .326E-03 .264E-03 .250E-03 .122E-03 .105E-03 .109E-03 .109E-03 .793E-04
RUNTIN PL 12345678911123145617181920	= = 2604826048260482607745	051475 65.10 ST .00521 .00367 .00325 .003276 .00191 .00165 .00166 .00160 .00150 .00150 .00150 .00150	TOB TWB DEH2 .010 .028 .042 .055 .067 .076 .088 .104 .118 .131 .142 .154 .165 .175 .167 .199 .206 .213 .217	= 77.00 = 62.00 REDEH2 477. 1292. 1921. 2531. 3035. 3551. 4324. 5417. 6490. 7580. 8708. 9848. 10981. 12164. 13278. 14365. 15138. 15871. 16419. 17043.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0037 0035 .0031 .0030 .0028 .0027 .0026 .0026 .0026 .0026 .0026 .0020	UINF 87.78 87.77 87.75 87.68 87.56 89.74 94.58 99.99 105.47 111.87 123.61 128.60 133.84 137.03 149.73 144.06 146.26 147.82	7 W 90 · 5 3 90 · 4 90 · 6 90 · 6 90 · 6 90 · 5 90 · 5 90 · 6 90 · 6 90 · 6 90 · 6 90 · 6 90 · 6 90 · 6 90 · 6 90 · 6 90 · 6 90 · 6 90 · 6 90 · 6 90 · 6	TINF 64.7 64.7 64.7 64.7 64.6 64.3 64.0 64.0 64.0 63.9 63.8 63.7	0. 566E-06 340E-05 109E-04 .652E-04 .249E-03 .342E-03 .343E-03 .350E-03 .322E-03 .250E-03 .250E-03 .122E-03 .105E-03 .109E-03 .109E-03 .109E-03 .109E-04 .671E-04
RTIN PL 123456789011231456718901	F 26048260482604826077782	051475 65.10 ST .00521 .00367 .00325 .00301 .00287 .00191 .00165 .00164 .00158 .00160 .00150 .00150 .00150	TDB TWB DEH2 .010 .028 .042 .055 .067 .076 .088 .104 .118 .131 .142 .154 .165 .175 .167 .199 .206 .213 .223	= 77.00 = 62.00 REDEH2 477. 1292. 1921. 2531. 3035. 3551. 4324. 5417. 6490. 7580. 8708. 9848. 10981. 12164. 13278. 14365. 15138. 156419. 17043. 17716.	0.0000 0.0000 0.0000 0.0000 0.0000 0.0003 0.0037 .0035 .0031 .0030 .0026 .0026 .0026 .0026 .0026 .0026 .0026	UINF 87.78 87.77 87.75 87.68 87.56 89.54 99.99 105.47 111.53 117.87 123.60 133.84 137.03 144.06 146.26 146.26 147.82	7 W 90.53 90.43 90.69 90.69 90.59 90.69 90.59 90.69 90.59 90	TINF 64.7 64.7 64.7 64.7 64.7 64.6 64.5 64.3 64.0 63.9 63.8 63.7 63.7	0. 566E-06 340E-05 109E-04 .652E-03 .342E-03 .343E-03 .350E-03 .322E-03 .250E-03 .250E-03 .250E-03 .102E-03 .102E-03 .102E-03 .102E-03 .102E-03
RUNTIN PL 12345678911123145617181920	= = 2604826048260482607745	051475 65.10 ST .00521 .00367 .00325 .003276 .00191 .00165 .00166 .00160 .00150 .00150 .00150 .00150	TOB TWB DEH2 .010 .028 .042 .055 .067 .076 .088 .104 .118 .131 .142 .154 .165 .175 .167 .199 .206 .213 .217	= 77.00 = 62.00 REDEH2 477. 1292. 1921. 2531. 3035. 3551. 4324. 5417. 6490. 7580. 8708. 9848. 10981. 12164. 13278. 14365. 15138. 15871. 16419. 17043.	F 0.0000 0.0000 0.0000 0.0000 0.0000 0.0037 0035 .0031 .0030 .0028 .0027 .0026 .0026 .0026 .0026 .0026 .0020	UINF 87.78 87.77 87.75 87.68 87.56 89.74 94.58 99.99 105.47 111.87 123.61 128.60 133.84 137.03 149.73 144.06 146.26 147.82	7 W 90 · 5 3 90 · 4 90 · 6 90 · 6 90 · 6 90 · 5 90 · 5 90 · 6 90 · 6 90 · 6 90 · 6 90 · 6 90 · 6 90 · 6 90 · 6 90 · 6 90 · 6 90 · 6 90 · 6 90 · 6 90 · 6	TINF 64.7 64.7 64.7 64.7 64.6 64.3 64.0 64.0 64.0 63.9 63.8 63.7	0. 566E-06 340E-05 109E-04 .652E-04 .249E-03 .342E-03 .343E-03 .350E-03 .322E-03 .250E-03 .250E-03 .122E-03 .105E-03 .109E-03 .109E-03 .109E-03 .109E-04 .671E-04

		NC. RUN			F - STEP	S IN F.T	WALL		
RUN	=	051475	TOB	= 77.00					
TIN	FO =	65.00	TWB	= 62.00					
PL	×	51	DEHS	REDEHZ	F	UINF	TH	TINF	KR
1	2	.00515	.010	471.	0.0000	87.78	90.7	64.7	c.
2	6	.03364	.028	1278.	0.0000	87.76	90.6	64.7	566E-06
3	10	.00323	.042	1908.	0.0000	87.75	90.6	64.7	340E-05
4	14	.00300	.054	2477.	0.0000	87.68	90.6	64.7	109E-04
5	18	.00284	.066	3004.	0.0000	87.56	90.6	64.7	.653E-04
6	22	.03274	.075	3524.	0.0000	89.73	90.6	64.7	.249E-03
7	26	.00186	.087	4293.	.0037	94.58	90.8	64.6	.342E-03
8	30	.00159	.193	5375.	.0035	99.99	90.8	64.5	.343E-03
9	34	.00161	.118	6445.	.0033	105.46	90 . 8	64.4	.343E-03
10	38	.00154	.130	7535.	.0031	111.52	90.8	64.4	.350E-03
11	42	.00155	.141	8633.	.0030	117.86	90 . 8	64.3	.322E-03
12	46	.00153	.152	9735.	.0028	123.61	90.8	64.2	.264E-03
13	50	.00196	.124	8269.	.0027	128.60	100.3	64.1	.250E-03
14	54	.00173	.136	9449.	.0026	133.84	100.5	64.0	.205E-03
15	58	.00165	.150	10640.	.0026	137.03	100.5	63.9	.122E-03
16	62	.00154	.163	11759.	.0025	139.49	100.7	63.9	.105E-03
17	66	.00210	.172	12640 .	0.0000	141.72	100.8	63.8	.109E-03
10	70	.00217	.179	13350.	0.0000	144.06	100.6	63.8	.102E-03
19	74	.00220	.184	13957.	0.0000	146.25	130.7	63.7	.793E-04
20	78	.00217	.191	14637.	0.0000	147.82	100.7	63.7	.671E-04
21	82	.00214	.198	15288.	0.0000	149.25	100.7	63.7	.612E-04
22	86	.00213	.205	15968.	0.0000	150.58	100.7	63.6	. 37 7E-04
23	90	.00216	.213	16686.	0.0000	151.32	100.6	63.6	.209E-04

1000 RUN	.00242	1.147	.149	1.061	.127	147E-03		TBAR	.434	144.	.459	.471	. 502	.522	645.	.576	.601	.625	• 645	.670	769.	.725	.763	162.	.623	. 660	068.	.921	946.	695.	066.	866.	1.000	1.000	1.000
F=6.0000	11	11	"	16	"	H		-	97.09	80.10	79.77	19.43	78.59	78.04	77.31	76.55	75.88	75.20	74.65	73.58	73.31	72.48	71.44	20. 58	69.78	68.76	67.52	60.19	66.38	65.77	65.19	25.49	64.51	64.91	64.51
KR=0.15E-3,	ST	DEH	DEHS	30	0E2	æ¥		Y/DE2													1.772											10.236			13.780
	040175	15	5.8	17.97	92.39	64.91	0000	YZDEHZ	.087												1.510														11.745
MEAN PROFILE	**	H	,,	11	6 11	"	. 0	>	.013	.016	.020	.025	.035	.045	960	.080	.105	.130	.155	.190	.225	.275	.350	.425	.500	.600	.700	. 800	006.	00001	1.150	1.300	1.450	009.1	1.750
THEA	RUN	PLATE	×	UINF	1	TINE	u.	Į.	-	2	٣	4	w	9	1	•	6	10	#	12	13		15			18							52		
DOD RON	.00247	.843	.103	908.	.113	. 532E-05		TBAR	.473	.492	.511	. 532	• 556	.581	.608	.635	.653	.678	.705	.728	.759	.788	.814	.838	.873	906	. 935	026.	.991	1.000	1.000				
F = C . 0003	"	"	"	"	11	"		-	67.62	78.55	78.43	77.86	77.23	76.53	75.81	75.08	74.44	73.89	73.16	72.55	71.69	70.53	70.22	25.69	68.61	67.72	66.91	65 . 69	65.41	65.16	65.16				
KR=0.15E-3.	ST	0EH	DEHZ	30	236	×		Y/0E2	.124	.158	.230	.301	.389	.531	.738	.929	1.150	1.372	1.681	1.991	2.434				4.425										
	040175	6	34	88.28	2.32	65.16	0000	V/DEH2	.136	.184	.252	.330	.427	.583	111.	1.019	1.262	1.505	1.845	2.184	2.670	3.155	3.641	4.126	4.854	5.583	6.311	7.282	8.252	9.223	10.194				
N PROFILE	"	"	"	"	6 "	"	.0 "	>	.014	.019	.026	.034	110.	.060	.080	.105	.130	.155	190	.225	.275	.325	.375	.425	.500	.575	.650	.750	.850	.950	1.050				
THEAN	RUN	PLAT	*	UINF	=	TINF	L	14	+	~	m	4	r,	9	1	•	6	10	11	12	13	14	15	16	17	18	19	20	21	22	23				

THEAN	PROFILE		KR=0.15E-3,	F = 0. 0000	000 RUN	THEA	MEAN PROFILE		KR=0.15E-3,	, F=0.0000	1000 RUN
RUN	10 =	040175	ST	11	.00242	RUN	"	040175	ST	,,	.00242
PLATE	11	17	DEH	11	1.217	PLAT	11	19	DEH	н	1.280
×	*	99	DEHZ	,,	.159	*	**	7.4	0EH2	= 2	.170
UINE	= 10	2.70	96	"	1.119	UINF	**	7.55	30	"	1.144
=	6 =	2.32	JE2	"	.131	11	11	2.66	0.62		.130
TINF	9 "	65.01	X	"	153E-03	TINF	**	4.98	¥	"	141E-03
u	. 0	0000				L	11	2000			
4	-	Y/05H2	Y/0E2	-	TBAR	t d	>	YZDEHZ	Y/DE2	-	TBAR
1	.013	.082	660.	61.08	.422	1	.013	.076	.100	81.04	.420
2	.016	.101	. 122	80.42	.436	2	.016	*60°	. 123	80.65	.434
8	.020	.126	. 153	15.61	.454	8	.020	.118	. 154	80.37	***
,	.025	.157	.191	19.64	.468	\$. 025	.147	. 192	80.00	.457
5	.035	.220	.267	78.96	684.	2	.035	.206	. 269	79.27	.484
9	.045	.283	.344	78.26	.515	9	.045	.265	346.	78.72	. 504
1	090.	.377	. 458	77.71	.535	1	.060	.353	294.	78.02	.529
•	.080	.503	.611	76.92	.564	•	.080	. 471	.615	77.31	.555
6	.105	099.	. 802	16.09	*65*	6	.105	.618	. 808	76.51	.583
10	.130	.818	.992	75.53	.615	10	.130	.765	1.000	75.92	. 605
11	.155	516.	1.183	74.93	.637	11	.155	.912	1.192	75.31	.627
12	190	1.195	1.450	74.22	.663	12	190	1.118	1.462	74.60	.653
	.225	1.415	1.718	73.66	.683	13	.225	1.324	1.731	73.98	.675
	.275	1.730	5.099	72.83	.713	14	.275	1.618	2.115	73.15	.705
	.350	2.201	2.672	71.82	.751	15	.350	5.059	2.692	72.17	.740
16	.425	2.673	3.244	70.90	.784	91	.425	2.500	3.269	71.27	.773
	.500	3,145	3.817	70.15	.812	17	.500	2.941	3.846	79.64	.603
	.600	3.774	4.590	69.11	.850	1.8	.600	3.529	4.615	69.45	.840
	.700	4.403	5.344	68.24	.881	19	.700	4.118	5.385	63.55	.871
	. 800	5.031	6.107	67.44	.911	20	. 800	4.706	6.154	67.75	006.
	006.	5.660	6.870	66.79	.935	21	006.	5.294	6 . 923	67.01	.927
-	0000	6.289	7.534	66.11	096.	22	1.000	5.882	7.692	66.39	676.
-	.150	7.233	8.779	24. 59	.983	23	1.150	6.765	8.846	65.65	.976
-	.300	8.176	4.954	65.13	.995	54	1.300	7.647	10.000	65.22	.991
-	. 450	9.119	11.969	65.01	1.000	52	1.450	8.529	11.154	65 . 07	166.
-	. 600	10.063	12.214	65.01	1.000	92	1.600	9.412	12.308	85.49	1.000
-	.750	11.006	13.359	65.01	1.000	22	1.750	10.294	13.462	95 - 49	1.000

F=0.0000 RUN	.00287	.531	. 065	964.	240.	.722E-04		TBAR	064. 0																								096.	286. 1	166.	9 1.000	9 1.000
	**	11	11	"	"	"		-	79.3	78.8	78.4	77.5	77.4	77.0	76.5	76.01	75.6	75.1	74.5	73.91	73.21	72.5	71.8	71.21	70.57	70.03	4.69	68.9	68.41	67. 8	67.3	66. 81	66.1	65.51	65.1	64.9	94 • 5
KR=0.29E-3,	ST	DEH	DEH2	30	0E2	×		V/0E2	.181	.222	.278	.347	.431	. 528	. 625	.750	.889	1.056	1.250	1.528	1.806	2.083	2.431	2.178	3, 125	3.472	3.819	4.157	4.514	4.861	5.278	5.694	6.250	446.9	7.639	8.333	9.038
	022575	2	18	17.36	93.08	66.49	0.000.0	Y / DEH2	.200	.246	.308	.385	.477	.585	-695	.831	.985	1.169	1.385	1.692	2.000	2.308	2.692	3.077	3.462	3.846	4.231	4.615	5.000	5.385	5.846	E. 308	6.923	7.692	8.462	9.231	10.000
PROFILE	11	11	11	"	11		. 0	>	.013	.016	.020	.025	.031	.038	. 045	.054	.064	920.	060.	.110	.130	.150	.175	.200	.225	.250	.275	.300	.325	.350	.380	.410	.450	.500	.550	.600	.650
THEAN	RUN	PLATE	×	UINF	=	TINE	u	14	1	2	٣	•	S	9	7	•	6	10	11	12	13	1;	15	16	17	18	19	20	21	22	23	54	52	92	22	28	53
0000 RUN	.00232	1.349	.196	1.192	.131	.139E-03		TBAR	.488	.421	.430	544.	. 473	164.	.517	.543	.569	.593	.612	.637	659.	989.	.725	.758	.787	.823	.855	.887	.914	. 938	. 968	.986	966.	1.000	1.000		
F = 0.0000	"	,,	11	11	,,	11		-	91.40	81.04	60.79	80 . 36	79.60	79.10	78.36	77.65	76.91	76.26	75.73	75.02	74.40	73.65	72.57	71.64	70 . 84	69 . 69	68.65	68.05	67.31	66.63	65.80	65.31	65.63	64.91	64 . 61		
KR=0.15E-3,	12	DEH	DEH2	30	0E2	×		Y/052																3.244													
•	040175	22	98	115.43	2.76	4.91	0.000.0	YZDEHZ	070.	.086	.108	.134	.188	242.	.323	.430	.565	669.	. 833	1.022	1.210	1.478	1.882	2.285	2.688	3.226	3.763	4.301	4.839	5.376	6.183	6.989	7.796	8.602	604.6		
W PROFILE	*0 =	11	11	= 11	6 "	"	.0	-	.013	.016	.020	.025	.035	.045	.060	.080	.105	.130	.155	.193	.225	.275	.350	.425	.500	.600	.790	.800	006.	1.000	1.150	1.300	1.450	1.600	1.750		
THEAN	RUN	PLATE	×	UINF	=	TINE	u	P.	1	~	m	3	S	9	1	8	6	10	11	12	13	14	15	16	17	18	19	20	21	22	23	54	52	92	27		

1	11	022575	ST	11	.00271	RUN	= 02	022575	ST	11	.00265
PLATE		6	DEH	"	689.	PLATE	**	11	DEH	*1	.702
	11	34	DEHZ	" 2	.091	×	*	42	DEHZ	"	860.
UINF	11	102.31	30	**	.642	UINF	= 11	1.98	36	**	. 650
===	**	95.94	962	11	.078	*	6 =	93.04	0E2	"	.077
TINE	*	64.74	X	"	.279E-03	TINF	9 11	64.60	X	11	.280E-03
	11	0.000.0				L	.0 =	000000			
P.	>	V/DEH2	V/062	-	TBAR	Į.	>	YZDEHZ	Y/052	-	TBAR
	.01		.167	79.85	.464	1	.013	.133	.169	80.13	.454
~	.016		.205	79.58	474.	2	.016	.163	.208	79.67	
	.019	9 .209	177	79.27	.485	8	.019	.194	.247	79.42	
	.02		. 295	78.88	664.	3	.023	.235	.299	79.08	.491
10	.027		.346	78.60	.509	2	.027	.276	.351	78.75	
.0	.03		.397	78.33	.518	9	.031	.316	.403	78.50	
	.037		474.	77.87	. 534	7	.037	.378	.481	78.13	
_	10.		.577	77.38	.552	•	540.	654.	.584	77.67	
•	.05		.705	76.86	.570	6	.055	.561	.714	77.17	
	. 065		. 833	76.34	685.	10	. 165	.663	. 844	76.62	
11	.07		. 962	15.57	.602	11	.075	.765	. 974	76.25	
	.08	6 .934	1.090	15.50	.616	12	.085	. 967	1.104	75.85	
	.10		1.282	24.96	.637	13	.100	1.020	1.299	75.35	
	==		1.474	24.48	. 655	14	.115	1.173	1.494	74.80	
	.130		1.667	74.01	.671	15	.130	1.327	1.688	74.33	
16	.15		1.923	73.46	.691	16	.150	1.531	1.948	73.78	
	.17	5 1.923	2.244	72.75	.716	17	.175	1.786	2.273	73.06	
	.20		2.564	72.14	.738	18	.200	2.041	2.597	72.45	
	.22		2.885	71.52	.760	19	.225	2.296	2.922	71.52	
	. 25		3.205	71.00	.778	20	.250	2.551	3.247	71.33	
	.27		3.526	70.48	161.	21	.275	2.80€	3.571	73.81	
	.31		3.974	69.80		22	.310	3.163	4.02E	70.15	
	.35		4.487	69.09	949.	23	.350	3.571	4.545	69.38	
	04.		5.128	68.25		72	004.	4.082	5.195	68.51	.862
	.450		5.769	67.51	206.	52	054.	4.592	5.844	67.71	168.
	. 50		6.410	66.77		52	.500	5.102	467.3	25 . 99	.917
	. 55		7.051	66.15		27	.550	5.612	7.143	66.32	
	. 60		7.692	65.63		28	.600	6.122	7.792	65.73	
62	. 65	0 7.143	9.333	65.26	.982	59	.650	6.633	8.442	65.27	916.
	.75		9.615	64.75	_	30	.750	7.653	9.740	64.60	1.000
	. 85		10.897	64.75	-	31	. 850	8.673	11.039	S4. 60	1.000
											200

F= C.0000 RUN	.00221	1.091	.162	696.	.133	.107E-04		TBAR	.415	.424	. 433	.442	994.	.483	.507	.528	645.	.575	• 605	.635	. 665	.691	.728	.766	. 611	.857	.911	956.	.987	866.	1.000	1.000								
	u			"	,,			-	91.02	80.78	80.50	80.25	79.54	79.04	78.37	17.17	77.15	76.40	75.52	74.65	73.80	73.05	71.97	70.88	69.55	68.23	66.67	65.36	94.49	64.15	60.49	60.99								
KR=0.29E-3,	ST	Hac	DEHS	30	062	XX		Y/0E2	.105	. 128	. 150	. 188	.263	.338	.451	.602	.752	116.	1.278	1.654	2.030	2.406	2.970	3.534	4.286	5.038	5.977	6. 517	8.045	9.173	10.301	11.429								
•	022575	19	7.4	9.54	3.04	60.4	00000	Y/DEH2	.086	.105	.123	.154	.216	.278	.370	767.	.617	.802	1.049	1.356	1.567	1.975	2.438	2.901	3.519	4.136	106.4													
THEAN PROFILE	= 02	"	11	"	11	*	"		.014	.017	.020	.025	.035	.045	.060	.080	.103	.130	.170	.220	.270	.320	.395	0440	.570	.670	. 795	.920	1.070	1.220	1.370	1.520								
THEA	RUN	PLAT	×	UINF	==	TINF	u.	4	1	2	•	3	S	9	7	•	6	10	==	12	13	14	15	16	17	18	19	20	21	22	23	54								
000 RUN	.00261	072.	.104	999.	.077	289E-03		TBAR	.455	894.	724.	984.	564.	.502	.517	.535	.551	.567	.583	965.	.614	.632	949.	.667	269.	.712	.733	.753	.771	161.	.823	.854	.882	.910	.933	.952	026.	.991	1.000	1.000
F=C. 0000	"	"	"		"			-	80.08	79.68	19.49	79.15	78.90	78.71	78.28	77.76	77.32	76.66	76.39	16.05	75.53	75.03	74.62	74.03	73.32	72.73	72.14	71.58	71.05	70 . 34	65.69	69.89	67.92	67.12	24.39	65.91	65.42	94 . 80	95. 79	95. 49
KR=0.29E-3,	ST	HEC	DEH2	30	062	X X		Y/052			.247		.351	.403	.481	.584	.714	* * * *	*16.	1.104	1.299	1.494	1.688	1.948	2.273	2.597	2.922	3.247	3.571	4.026					7.143	7.792	8.442	9.740	11.039	12.338
PROFILE - KR=	2575	12	94	7.33	26.5	4.5E	0.0000	Y/0EH2	.125	.154	.183	.221	.260	.298	.356	.433	.529	•625	.721	.817	296.	1.106	1.250	1.445	1.683	1.923	2.163	2.404	5.644	2.981	3,365	3.846	4.327	4.808	5.288	5.769	6.250	7.212	8.173	9.135
J.	0.25			11	6	9			013	16	13	23	27	31	37	45	25	65	15	185	00	12	30	20	15	00	52	20	15	10	20	00	20	00	20	00	20	20	. 850	950
THEAN PR	**	PLATE =	**		#	**	11	*				•		•	•		•	•	•	•	:	-	7	።	7				2	.3		3	4	.5	'n	9.			•	•

SUN =	030875	ST	"	. 00145	RUN	*	030875	72	11	.00129
"	r.	DEH		.768	PLATE		6	DEH		1.047
"	1.0	DEHS		.108	× :		34	DEHZ		.164
11	87.00	30	-	7+7.	ANTO		2.31	06	"	. 96
"	47.67	052	"	.117	-		97.87	0E2	"	
"	65.93	KR	"	.552E-04	HAIL	"	2.85	×		284E-03
"	.0039				L.		6600			
>	YZDEHZ	1/0E2	-	TBAR	14	>	Y/DEH2	11062	-	TBAR
10	13 .120	1111	86.81	.342		.013	620.	.100	87.58	. 322
-		.137	86.37	.356	~	.016	860.	. 123		.334
6	.020 .185	.171	85.90	.371	m	.019	.116	.146	96 . 89	.343
0	25 .231	.214	85.39	.387	,	.023	.140	.177	86.59	.352
0		.274	84.83	707.	2	.027	.165	.208	86.35	.360
ò		.342	84.21	424.	ų	.032	.195	.246	85 . 81	.377
0	.050 .463	.427	83.55	. 445	~	.039	.238	.300	85.15	.397
6	•	.556	82.69		•	940.	.280	.354	84 . 88	904.
0		.726	81.74		6	. 055	.335	.423	84 . 28	.425
-		168.	80.93		10	.065	.396	.500		2445
-		1.111	79.61	.559	11	. 075	154.	.577	83.29	.456
-			79.10		12	.087	.530	699.	82.66	.475
=			78.11	.616	13	.100	.610	692.	82.08	. 493
N			77.03		1,6	.115	.701	.885	81 . 57	605.
~			75.67		15	.130	. 793	1.000	81.08	. 524
m		2.178	14.36	.734	16	.150	.915	1.154	80 . 36	.547
m	.375 3.472	502	73.17		17	.170	1.037	1.308	79.76	.566
3			72.04		18	.195	1.189	1.500	79.12	.586
4		090	73.64	.842	19	.220	1.341	1.692	78.45	909.
2			28.65		0.7	552.	1.555	1.962	77.63	.632
'n		4.915	68.83		12	562.	1.799	5.269	76.73	. 660
9	.625 5.787	5.342	45 - 29		22	.340	2.073	2.615	75.78	0690
9		5.769	67.17		23	. 390	2.378	3.000	74.72	.723
-			95.99		772	0 1 1 .	2.683	3.385	73.80	.752
			66.20		25	067.		3.769	72.89	.780
			96 - 92		92	.550		4.231	71.91	.811
	75 8.102	1.479	95 . 59		27	.625		4.838	70.71	. 848
6			65.53	-	28	.700		5,385	69.61	. 883
6	975 9.028	2	65 . 93	1.000	56	.800		6.154	92.89	.925
					30	006.	5.488	6.923	67.13	.960
						0000	6.098	7.692	66.40	.983
					32 1	1.100	6.707	8.462	66.03	*66
						.250	7.622	9.615	65.85	1.000
					1 72	007	6 527	0 36 0 .	20	
					* * * * * * * * * * * * * * * * * * * *			0	02 . 62	7.00

.00125	1.167	197	1.040	.131	.295E-03		TBAR	.308	.318	.326	.336	.347	.358	316	. 200	165.	614.	944.	154.	114.	264.	.511	.529	.551	.569	. 595	•626	.653	199.	.716	.743	.776	.815	.850	. 892	.930	196.	.981	566.	1.000
	"	* 2	,,	,,	,,		-	88.05	87.74	87.47	87.08	86.61	86.44	65.49	92.24	02.00		83.62	83.24	82.61	82.12	81.51	80 . 93	80 . 23	19.64	78.79	77.81	76.93	12.54	74.91	20.47	72.98	71.72	20.59	69.54	68.01	67.03	66.36	65.50	65.75
ST	H30	DEN	30	062	KR		Y/052	660.	. 122	. 145	.176	.236	.244	867.	166.	907	. 430	499.	.763	. 878	. 992	1.145	1.298	1.489	1.679	1.947	2.252	2.595	2.977	3,359	3.740	4.198	4.771	5.344	6.107	6.870	7.634	8.397	9.542	10. 687
030875	12	94	117.67	7.98	65.75	.0039	Y/05H2	990.	.081	960.	.117	.137	.162	.198	* 52.5	6170		.445	.508	.584	.660	.761	.863	066.	1.117	1.294	1.497	1.726	1.980	2.234	2.487	2.792	3.173	3.553	4.061	4.569	9.016	5.584	6.345	7.107
11	11	**	= 11	6 "	9		>	.013	.016	.019	. 023	.027	.032	.039	0 10	250.	976	.087	.100	.115	.130	.150	.170	.195	.220	.255	.295	.340	.390	0 440	064.	.550	.625	.700	. 800	006.	.000	. 100	.250	400
RUN	PLATE	×	UINE	=	TINE	u	14	-	~	m	3	S	91		0 (2:	12	13	14	15	16	17	1.8		20											-	_	_	•
.00132	1.141	188	1.019	. 131	300E-03		TBAR	.300	.311	.322	.332	.342	.354	•369	. 383	. 401	. 410	244	**	.482									969.	•726	.754	.784	.824	.857	006.	.938	.967	586.	166.	1000
"	"	"	"	"	"		-	90.00	87.70	87.34	43 . 78	86.70	86.31	85.83	82.38	20.00	25.40	63.32	82.77	82.20	81.68	81.01	97 . 39	19.70	19.07	78.24	77.30	76.29	75.32	74.37	73.45	72.50	71.22	70.14	68.76	95.29	66.62	40 . 99	65.65	73 33
15	DEH	DEH2	30	162	×		W/062	660.	.122	.145	.176					024.	677	4664	.763							1.947							.771	5.344	.107					
978050	11	25	1.95	7.70	5.56	.0039	Y/DEH2	.069	.085	.101	.122	.146	.170	.207	542	562.	945	. 463	.532	.612	.691	864.	706°	1.037	1.170	1.356	1.569	1.809	2.074	2.340	5.60€	2.926	3.324	3.723	4.255	4.787	5.319	5.851	6.649	7 44.7
**	**	,,	= 11		"	"	-	.013	.016	.019	. 023	.027	.032	.039	940.	.055	.002	.087	.100	.115	.139	.150	.170	.195	.220	.255	. 295	.340	.390	0 74.	064.	.550	.625	.700	.800	006.	. 900	1.109	1.250	600
N	PLATE		INE		TINE		-	-	~		4	2	9	_	*	•			. 10	3	w.	9	1		6	0		22	3		ı	9	1		6	0	11 1	12 3	33	

YON	"	030875	ST	**	86000.	RUN	11	050275	ST	"	.00301
PLATE	**	19	DEH	"	1.761	PLATE	11	,	DEH	"	***
*	11	12	DEHS	"	.316	×	**	14	DEHZ	**	.052
UINF	= 1	30.12	30	"	1.576	UINF	11	7.38	30	**	.42
H	"	97.98	062	"	.230	*	"	14.21	230	**	. 062
TINE	11	65.40	X	"	863E-35	TINF		65.80	¥	,,	154E-07
		.0039				u.	.0	000000			
14	>	Y / DEH2	Y/0E2	-	TBAR	14	>	Y /DEH2	Y/0E2	-	TBAR
-	.013		. 057	89.22	.269		.015	.288		79.27	.526
2	.017		.074	88.83	.281	2	.020	.385		78.67	.547
	.023	.073	.100	88.46	.292	ю	.027	.519	.435	78.12	.566
*	.031		. 135	87. 87	.310	,	.035	.673		77.46	063.
2	.041		.178	87.29	.328	2	540.	. 865		76.60	.613
9	.055		.239	86.60	.349	9	150.	1.096		76.16	.635
~	.072		.313	85.99	.368	7	.070	1.346		15.46	.660
	060.		.391	85.35	.388	•	.085	1.635		74.83	.682
6	.110		.478	84.74	904.	6	.105	2.019		74.07	.709
10	.130		.565	84 . 28	.420	10	.130	2.500		73.15	.741
11	.155		.674	83.73	.437	11	.155	2.981		72.36	.769
	.190		.826	83.63	654.	12	.180	3.462		71.59	.796
	.240		1.043	82.23	.483	13	.210	4.038		70.76	.825
	.290		1.261	81.43	.508	1.4	.250	4.808		69.72	.862
15	.365		1.587	89.45	.538	15	.300	692.5		45 - 89	· 904
	.465		2.022	79.12	.579	16	.350	6.731		64.19	.941
	.565		2.457	77.85	.618	17	004.	7.692		66.63	.971
	.665		2.891	76.70	.653	18	.450	8.654		66.07	066.
	.780		3.391	75.21	669.	19	.500	9.615		99 . 59	866.
	006.		3.913	73.78	.743	20	.550	10.577		95.80	1.000
-	.050		4.565	71.53	.800	21	.600	11.538	9.677	65.80	1.000
22 1	.200		5.217	70.13	.855						
_	.400		6.087	45 . 19	.922						
_	. 600		6.957	96.40	696.						
-	. 800		7.826	65.64	. 993						
-	.975		8.587	65.40	1.000						
-	The second second										

RUN	11	73	66	92	73	90		~				1	2	0	2			6	2	_	6			_								
	.0027	.673	•	.6		.272E-06		TBAR	94.	. 48	64.	.51	.535	.56	.58	.61	.64	.67	. 70	.74	. 76	. 807	.04	.87	.91	.94	.97	.99	. 99	1.00	1.00	1.00
= 0.000			"	14				-	99.01	10.30	9. 78	9.23	78.71	8.01	72.7	6.35	94.5	15.4	3.81	2.79	1.56	69.0	9.63	9.63	7. 86	6.82	6 . 05	65.5	65.37	65.31	5.31	5.31
K=0.28E-6, F=0.0000	ST	0EH	DEHS	30	062	¥		Y/0E2					1 614.																	11.301 6	12.329 6	13.356 6
	050275	6	34	95	.15	65.31	0000.0	Y/0EH2	.146	.191	.247	.315	.393	.506	.674	668.	1.180	1.461	1.742	2.135	2.528	3.090	3.652	4.213	5.056	5.899	6.742	7.584	8.427	9.270	10.112	10.955
THEAN PROFILE -			"	= 104	*6 =	= 65	- 0.0	-	.013	.017	.022	.028	.035	. 045	.060	.080	.105	.130	.155	190	.225	.275	.325	.375	054.	.525	.600	.675	.750	. 825	006.	.975
THEAN	NO.	PLATE	×	- IN	==	TINE	u	4	-	~	m	4	s	¢	~	•	6	01	=	12	13	1,4	15	16	17	1.8	19	20	21	22	23	54
DOG RUN	.00288	.631	.081	.583	.076	.272E-06		TBAR	024.	064.	605.	.530	.557	.578	.600	.623	.659	069.	.721	.756	962.	.831	.863	206.	146.	.977	.993	1.000	1.000			
F=0.0	11	"	"	"	"	"		-	80.76	80.18	19.64	79.03	78.25	77.64	77.01	76.34	75.31	24.47	73.54	72.53	71.37	70 . 35	69.43	68.16	67.03	66.17	65.71	65.50	65.50			
K=0.28E-6, F=0.0000	31	HEH	DEHZ	30	DES	¥		V/062	.171	. 224	.289	.382	.500	.632	. 789	186.	1.316	1.711	2.105	2.632	3.289	3.947	4.605	2.592	6.579	7.566	8.553	9.539	10.526			
THEAN PROFILE - K=	050275	7	92	3.93	4.28	65.59	00000	Y/0EH2	.160	.210	.272	.358	694.	.593	.741	926.	1.235	1.605	1.975	5.469	3.086	3.704	4.321	2.247	6.173	660.7	8.025	8.951	9.877			
PROF	"	"	**	"	6 =	9 =	.0 .	-	.013	.017	.022	.029	.038	8 40 .	.060	. 675	.100	.130	.160	.200	. 250	.300	.350	.455	.500	.575	.650	.725	. 800			
THEAD	RUN	PLATE	×	UINF	=	TINE	L	14	-	~	•	4	2	y	-	C)	σ	10	11	15	13	14	15	16	17	18	19	20	21			

PLATE = 110	11 42 94.12 94.15 1.000 7/0EH2 137 .137	9 EH 9 EE 9 EE 7 Y DE 2 186	,,		NO.	,	050275		"	
H	4.15 4.15 4.98 6000 V/DEH2 .137 .137	~		269.	PLATE	H	12	DEH	11	.685
	4.15 4.98 6000 Y/DEH2 .137 .179		,,	560.	*	"	94	H30	"	160.
	4.15 4.98 6000 Y/DEH2 .137 .179 .232		"	.610	UINF	"	128.60	30	11	.603
	4.98 6000 Y/DEH2 .137 .179 .232		11	690.	=	11	94.18	0E2	"	. 06
> 00000000000000000000000000000000000	7/DEH2 137 179 232		"	-294E-06	TINE	11	64.79	¥	"	2946-0
	.137 .137 .179				u		.0000			
	.137		-	TBAR	P4	-	Y/DEH2	Y/0E2	-	TBAR
	.232		80.83	.456	1	.013		.200	80.54	.451
	.232		12.08	.472	2	.017		.262	80.53	.465
	296		79.79	264.	8	.022	.224	. 338	80.00	. 483
			92.64	.510	3	. 628		.431	79.56	864.
	.368		78.82	.525	5	.035		.538	79.03	.516
	474.		78.17	845.	9	.045		269.	78.28	.541
	.632		17.43	.573	7	.060		.923	77.53	.567
	248.		16.47	909.	•	.080		1.231	76.62	.598
	1.105		15.54	.638	6	.105		1.615	75.65	.631
	1.368		14.73	999•	10	.130		2.000	74.74	.661
	1.632		13.89	•685	11	.155		2.385	74.00	.687
	2.000		95.21	.726	12	.190		2.923	72.91	.724
	2.368		15.06	.757	13	.225		3.462	72.01	.755
	2.895		19.07	.795	14	.275		4.231	70.80	. 796
	3.421	_	25 . 69	.830	15	.325		5.000	69.77	.831
	3.947	5.435	66.89	.863	16	.375		5.769	68.80	.864
	4.737		67.72	906*	17	.450		6.923	67.47	606.
	5.526		96.70	.941	18	.525		8.077	66.42	.945
	6.316		65.87	076.	19	.600		9.231	65.59	.973
	7.105		55 . 38	986.	20	.675		1 (. 385	65.13	. 988
	7.895	10.870	55.11	966.	21	.750		11.538	64 . 52	966.
ĺ	8.684	11.957 6	55 . 01	666.	22	.825		12.692	64.82	666.
	424.6	13.043	85 . 49	1.000	23	.900		13.846	64.79	1.000
	10.263	14.130	86.99	1.000	54	.975	6.6.6	15.000	64.79	1.000

PROFILE - KR	KR=0,F=0 RUN	z		UMEAN PROFILE	PRO	•	KR=0.F=0 R	RUN	
	051	11	619.	RUN	**	010875	051		.113
	DE2	"	640.	PLATE	#	5	0E2	"	.072
	I	11	1.61	*	H	1.8	I	11	1.57
	9	11	6.79	UINF	n	86.90	ی	11	6.67
	BETA	"	0.00	CF/2	H	₹6200.	BETA	" -	00.0
	REDEZ	II	2199.	UTAU	#	4.71	REDE	= 2:	3230.
	REK	11	77.	u	#	0.000.0	REK	11	75.
	X X	. 0		30	,,	267.	×	. 0	
	30/4	>	UZUINF	4	>	Y/0E2	1/0E	>	U/UINF
	.018	28.86	.333	1	. 006		.012	28.97	.333
	.020	42.62	.337	2	. 907		.014	29.68	.342
	.026	31.60	.364	m	.009		.018	31. 41	.361
	.035	34.12	.394	3	.012		.024	33.41	.384
	240.	36.54	.426	2	.016	.222	.032	35.64	.410
	.058	39.11	.451	90	.021		250.	37.87	.436
	.073	41.38	124.		.028		.056	40.55	.467
	.088	43,33	.500	•	.035		.070	45.49	684.
	.108	45.56	.525	6	.045		.0 91	45.03	.518
	.132	47.73	.551	10	.057		.115	47.31	. 544
	.161	50.18	.579	11	.070		.141	49.57	.570
	.196	52.87	.610	15	.085		.171	51.90	.597
	.234	55.38	.639	13	.100		.201	54.10	.623
	.278	58.11	.679	14	.115		.231	55.96	.644
	.322	60.60	669.	15	.130		.262	56.00	.667
	.363	93.49	.739	16	.150		.302	60.29	969.
	.439	66.93	.772	17	.175		.352	63.02	.725
	164.	84.69	. 805	1.8	.200		.402	55.41	.753
	.556	72.52	.836	19	.230		.463	69.46	.788
	.614	24.98	.865	20	.250		. 523	71.22	.820
	.687	78.00	006.	21	.290		.584	73.80	648.
	.760	80.56	.929	22	.325		.654	76.56	.661
	. 833	92.76	.955	23	.360		.7 24	79.26	.912
	906.	84.53	.975	54	.400		.8 05	81.68	.942
	766.	85 . 81	066.	25	.450		.905	84.39	.971
	1.111	86.56	866.	56	. 500		1.006	86.01	066.
	1.257	86.70	1.000	27	.550		1.107	86.65	166.
_	10401	86.70	1.000	28	.600		1.207	86.90	1.000
				29	.650		1.308	86.90	1.000

RUN	"	010875	051	11	.144	RUN	"	010875	051	"	.207
PLATE	,,	1	052	11	260.	PLATE		12	DE2	"	.13
	#	56	I	"	1.55	*	,,	46	I	11	1.5
JINE	"	86.87	و		6.87	UINF	**	86.62	9	"	6.73
CF/2	"	.00269	BETA		00.0	CF/2	"	.00244	BETA		0.0
UTAU	,	4.51	REDEZ	"	4136.	UTAU	n	4.28	REDE	= 2	6173
	"	0.000.0	REK	11	72.	L		0.000.0	REK	"	68.
DE	11	979.	×	.0 =		O.F.		1.015	×	= 0.	
14	-	V/062	YZDE	>	UZUINF	Ā	-	Y/0E2	4/DE	>	U/UINF
-	900			25.46	. 293	1	. 006			25.23	.291
2	.007			26.29	.363	2	.007			26.11	. 301
	600.			28.61	. 332	2	.009			28.24	.326
4	.012			31.21	.359	4	.012			30 . 36	.350
	.016			33.17	.389	2	.016			32.58	.376
	.021			36.11	.416	9	.021			34.59	104.
	.028	.301	.043	38.59	***	7	.028	.201	.028	37.50	. 433
	.036			40.61	.471	•	.036			39.61	.457
	.945			43.14	164.	6	.045			41.56	.480
	. 055			44.51	.517	10	.055			43.44	.502
	190.			47.12	245.	==	.067			45.36	.524
	040			49.05	. 565	12	.080			46.91	.542
	560 .			50.89	995.	13	.095			48.47	.560
	.110			52.67	909.	17	.112			50.21	.580
15	.130	1.398	.201	2.79	.631	15	.130			51.96	009.
	.150			56.73	.653	16	.155			53.86	.622
	.175			21.65	.681	17	.185			56.11	. 648
	.200			61.22	.705	18	.220			58.26	.673
	.230			63.60	.734	19	.260			60.42	.698
	.265			66.40	.764	20	.310	2.230	.3 65	63.11	.729
	.305			24.69	661.	21	.370		.365	40 . 99	.762
	.350			72.47	.834	22	.445		.438	69.39	.601
	004.			15.54	.870	23	.520		.512	72.58	.838
	.450			78.50	106.	54	.595		.586	75.34	.870
	. 500		.774	80.03	.932	25	.675	4.856	. 665	78.08	.901
	.550			83.30	656.	92	.775		.764	81.24	. 938
	629.			85.58	.985	27	.875		.862	83.64	996.
	. 700			15.98	166.	26 1	.000		.985	85.58	. 988
	.775	8.333	1.200	18.98	1.000	29 1	.125	•	1.108	86.45	966.
	.850		1.316	86.87	1.000	30 1	.275		1.255	86.62	1.000

	. 321	.223	1.44	44.9	00.0	9905.	.99		UZUINF	.282	262.	.321	.351	. 381	604.	.436	.461	.485	. 509	525.	.553	500	.630	.661	.680	.709	.736	.768	161.	.824	. 863	. 895	.927	656.	196.	966.	1.000
No	и	"	11		11	= 2			>	24.44	25.25	27.75	30.38	32.99	35.43	37.72	39.62	45.00	44.04	45.50	. 0 . 7	51.00	54.56	57.23	58.87	61.44	63.78	66.54	69.06	71.36	74.73	77.55	80.27	83.01	85.19	86.23	86.60
KR=0,F=0 RUN	061	052	I	9	BETA	REDE	REK	æ	30/4	*000	*00.	900.	. 0 08	.0 12	.016	.021	.327	.934	.041	950.	290.	160	.124	.153	.183	.227	.277	.336	.395	.453	245.	.630	.714	.836	166.	1.072	1.190
	010875	22	98	96.60	92200	4.12	0000	1.698	Y/052	.027	.031	.045	.063	060.	.121	.157	.202	.256	.314	.381	174.	.740	.942	1.166	1.390	1.726	2.108	2.556	3.004	3.453	4.126	4.798	5.471	6.368	7.255	8.161	9.058
PROFILE	0 "	"					0 =			900	206	010	014	020	027	035	540	150	070	580	501	165	210	260	310	385	04	270	670	770	920	070	220	420	620	820	020
MEAN	z	PLATE		NE	72	N O				•	•	•	•	•	•	•	•	•	•	•	•	• •	•	•	•	•	•	•	•	•	•	1.	1.	-	1.	1.	5
5	2	4	×	In	5	5	4	96	4	-	2	m	3	8	9	1	•	6	2	= :	17	2 -	15	16	17	18	19	20	21	22	23	54	25	56	27	28	53
	.266	.182	1.46	6.53	0.00	8081.	67.	:	UZUINF	7 .276																											_
NO		,		"	"	"	"	. 0.	U U/UINF													50 67 59															_
=0.F=0 RUN		052 = .182		"	"	"	"	. 0.	VIDE U UZUINE	23.67	25.06	27.03	29.26	31.77	33.86	36.54	36.73	40.62	43.68	45.62	47.42		52.62	54.70	57.52	60 . 02	62.87	65.72	68.61	72.50	75.68	79.40	82.42	84.68	86.06	86.39	86.53
KR=0,F=0	061 =	052 =	"	"	BETA =	PEDE2 =	REK	KR = 0.	,	.004 23.67	.005 25.06	.0 07 27.03	.009 29.26	.012 31.77	.016 33.86	.021 36.54	.027 38.73	.034 40.62	.044 43.68	.057 45.62	20.70 47.42	69.59	.115 52.62	.141 54.70	.178 57.52	.222 60.02	.277 62.87	.333 65.72	.407 68.61	.499 72.50	.592 75.68	.703 79.40	.814 82.42	.925 84.68	1.072 86.06	1.220 86.39	1.369 86.53
		052 =	"	"	BETA =	PEDE2 =	REK	. 0.	n 30/A	.033 .004 23.67	.038 .005 25.06	.049 .007 27.03	.066 .009 29.26	.098 .012 31.77	.115 .016 33.86	.154 .021 36.54	.198 .027 38.73	.253 .034 40.62	.330 .044 43.08	.423 .057 45.62	.522 .070 47.42	66.64 60.59	. A52 .115 52.62	1.044 .141 54.70	1.319 .178 57.52	1.648 .222 60.02	2.060 .277 62.87	2.473 .333 65.72	3.022 .407 68.61	3.709 .499 72.50	4.396 .592 75.68	5.220 .703 79.40	6.044 .814 82.42	6.868 .925 84.68	7.967 1.072 86.06	9.066 1.220 86.39	10.165 1.369 86.53

SUN .	033175	0E1	,,	.127	RUN	11	033175	0.51	"	.173
LATE =	9	052	"	.083	PLATE	"	6	052	1)	.114
"	22	I	"	1.54	×	11	34	1	"	1.52
I NE =	87.92	9	"	6.71	UINF	11	87.30	9	"	6.84
: 2/4:	.00276	BETA	*	91	CF/2	"	.00250	BETA	"	02
UTAU =	4.62	PEDE2	"	3740.	UTAU	"	4.37	REDES		5106.
"	0.0000	REK	"	74.	u	11	0.0000	REK	it	70.
*	.577	ă X	. "	780E-05	30	n	908.	ď¥	"	840E-05
×	110E2	*/DE	,	UZUINF	14	>	Y/062	¥/0E	ס	UZUINE
1 .00	510. 91	.010	83.62	.331	1	.006	.053	2000	28.15	, 322
2 .00			31.13	.354	2	. 008		.010	29.80	.341
3 .01			33.46	.381	2	.011		.014	31.68	. 363
10. 4			35.20	004.	,	.014		.017	33,33	.382
5 .018			37.25	.424	5	.019		.024	35.53	104.
6 . 02			39.10	5445	9	.026		.032	39.05	.436
7 .03			41.42	.471	2	.034		.042	40.20	097.
.00			44.16	.502	80	.044		.055	42.59	. 488
60.			46.20	.525	6	.060		720.	45.38	.520
90. 01			25.87	•556	10	.080		660.	48.14	.551
11 .06			51.71	.588	11	.105		.130	51.13	.586
		-	24.27	.617	12	.130		.161	53.74	.616
			57.38	.653	13	.155		.192	55.57	.637
			59.71	619.	14	.190		.236	58.39	699.
15 .18			65.39	.710	15	.225		.279	60.75	969.
			64 . 95	.739	16	.275		.341	£4.21	.736
			67.41	.767	17	. 325		.403	86.99	.767
			64.07	.802	1.8	.375		.465	15.69	.801
			74.25	. 845	19	.425		.527	72.83	.834
			77.67	. 883	50	.500		.620	76.50	.876
			26.08	.921	21	.575		.713	78.87	.915
			83.59	.951	22	.650		.806	82.69	. 947
			85.65	726.	23	.750		.931	85.51	616.
			87.32	. 993	42	.850		1.055	86.85	\$66.
			87.52	1.000	25	950		1 1 70	07 70	1000
									000	0000

000 RUN	.178	.127	1.41	2.66	39	6318.	.00	144E-03	UZUINF	.350	.370	.385	.405	.419	.443	.464	964.	.527	. 559	965.	.628	•629	.680	.709	.735	.763	. 802	.832	.860	168.	.923	146.	696.	186.	966.	1.000	1.000	1.000
, F=0.0	"	"	11	"	11	= 2	*		5	34.01	35.90	37.40	39.31	40.67	45.55	45.07	48 . 15	51.14	54.21	57.83	66.09	63.63	66.03	68.84	71.38	74.09	77 . 84	47.08	93.48	86.79	89.59	91.95	90 . 46	95.48	49.96	97.06	97.06	97.06
KR=0.15E-3,	051	DE2	I	ی	BETA	REDE	REK	X X	Y/0E	.006	.008	600.	.012	.015	.019	.024	.033	.042	.057	.075	660.	.123	.146	.179	.212	.259	.330	.401	.471	.566	.660	.754	848.	.943	1.084	1.225	1.367	1.508
	33175	15	5.8	97.06	30265	5.00	0000	1.061	Y/0E2	240.	.063	620.	.102	.126	.157	197	.276	.354	224.	.630	.827	1.024	1.220	1.496	1.772	2,165	2.756	3.346	3.937	4.724	5.512	£.299	7.087	7.874	9.055	10.236	11.417	12.598
N PROFILE	**		"	11	11	*1	*	11	>	900.	.038	.010	.013	.016	.020	.025	.035	.045	.060	.080	.105	.130	.155	.190	.225	.275	.350	.425	.500	.600	.700	.800	006.	000.1	1.150	1.300	1.450	1.600
UMEAN	RUN	PLATE	×	UINF	CF/2	UTAU	ų.	30	4	-	~	m	4	2	ø	~	•	6	10	11	12	13	14	15	16	17	1.8	19	20	21	22	23	54	25	26 1	27	28	29
DGG RUN	.182	.126	1.45	6.12	04	.6065	74.	143E-03	UZUINF	.337	.356	.374	.394	.420	. 443	.473	.495	. 523	.548	.580	.611	.638	•659	.687	.710	.743	.781	.817	.853	.885	.912	.938	196.	-985	266.	1.000	1.000	
F=0.0	"	"	"	"	"	"	,,	. "	ם	30.82	32.50	34.19	36.00	38.40	40 . 48	43.22	45.20	47.74	50.09	66.29	55.85	58.29	60.18	62.79	64 . 82	67.82	71.37	14.64	25.77	80 . 83	83.27	85.70	88.36	65.68	91.03	91 . 34	91.34	
KR=0.15E-3,	051	052	I	و	BETA	SEDE2	REK	X X	YZDE	.006																												
	33175	12	94	91.34	03258	4.64	.9006	.963	Y/062	840.	.063	620"	.103	.135	.175	.230	*62*	.373	.476	.635	. 833	1.032	1.230	1.508	1.786	2,183	2.778	3.373	3.968	4.563	5.159	5.754	6.548	7.341	8.135	8.929	9.722	
N PROFILE	0 "	"	"	"	"	"	0 =	"	-	.006	.008	.010	.013	.017	.022	.029	.037	190.	.060	.080	.105	.130	.155	.190	.225	.275	.350	.425	.560	.575	.650	.725	.825	.925	1.025	1.125	1.225	
UMEA	NON	PLATE	×	UINF	CF /2	UTAU	u	30	4	-	2	m	3	5	9	1	•	6	10	11	12	13	14	15	16	17	1.8	19	20	21	22	23	54	52	56	27	82	

RUN	"	033175	0£1	"	.183	RUN	11	033175	0E1	11	.182
PLATE	11	17	052	"	.131	PLATE	"	19	052	"	.130
×	"	99	I	11	1.40	×	11	74	I	"	1.40
UINE	"	102.04	ی	,,	5.58	UINF	**	107.33	9	"	5.62
CF/2	"	.00266	BETA	11	04	CF/2	11	.00257	BETA	"	41
UTAU	**	5.26	REDE	= 2	6854.	UTAU	"	5.44	REDE	= 2:	7193.
	"	0.000.0	REK	11	. + 0	4	"	0.0000	REA	"	87.
30	11	1.119	œ		1465-03	OE	n	1.144	×	u	.145E-03
4	>	1/0E2	30/1	ס	UZUINF	14	>	Y/DE2	30/4	5	UZUINF
-	900.	940.		34.26	.336	1	.006		.005	36.40	.339
2	. 008	.061		36.29	.356	2	. 608		.007	38.33	.357
2	.010	.076		38.11	.373	M	.010		600.	40.16	.374
3	.913	660.		40.31	.395	1	.013		.011	42.62	.397
2	.016	.122		42.33	.415	5	.016		.014	44.78	.417
9	.020	.153		44.62	. 437	9	.020		.017	46.95	.437
7	.025	.191		66.94	.461	7	.025		.022	64.64	.461
	.135	.267		50.63	964.	•	.035		.031	53.55	664.
6	640.	.344		53.42	.524	6	.045		.039	56.61	.527
10	.060	. 458		26.50	.558	10	. 96 0		.052	90.09	.559
11	.080	.611		60.41	.592	11	.080		020.	64.00	965.
12	.105	. 802		42.49	.630	12	.105		.092	67.81	.632
13	.130	266.		67.41	.661	13	.130		.114	71.61	.662
	.155	1.183		69.55	.681	14	.155		.135	73.42	.684
15	.190	1.450	.170	72.44	.710	15	.190	1.462	.166	77.62	.718
	.225	1.718		75.01	.735	16	.225		197	79.29	.739
	.275	5.099		78.02	.765	17	.275		.240	82.54	692.
	.350	2.672		81.72	.801	1.8	.350		.3 06	86.24	+08.
	.425	3.244		84.52	.832	19	.425		.372	89.50	.834
	.500	3.817		87.66	.859	20	.500		.437	92.52	.862
21	.600	4.580		90.82	068.	21	.600		.524	95.69	.892
	.700	5.344		93.43	.916	22	.700		.612	98.35	.916
	. 800	6.107		95.93	046.	23	.800		669.	100.92	046.
	006.	6.870		93.06	.961	72	. 900		.787	102.66	. 958
-	.000	7.634		99.66	116.	52	1.000		.874	104.59	+26.
26 1.	.150	8.779	-	101.28	.993	92	1.150		1.005	106.31	066.
27 1.	.300	426.6	-	101.72	266.	27	1.300	10.000	1.136	107.11	866.
28 1.	.450	11.069	1.296	102.04	1.000	28	1.450		1.267	107.33	1.000
29 1	1.600	12.214		105.04	1.000	62	1.600		1.399	107.33	1.000

0000 RUN	.081	.051	1.61	6.72	10	2317.	.08	.364E-05	U/UINF	.329	.355	.385	.410	.431	.451	.475	664.	. 525	.545	.574	. 605	.633	199.	169.	.733	.769	909.	.844	.878	.910	. 938	. 963	.982	\$66.	1.006	1.000		
F=C.0000	11	11	"	"	"	"	"	11	>	76.82	31.26	33.99	36.11	37.58	39.16	41.69	43.96	46.32	48.08	50.64	53.31	55.85	58.56	61.47	64.63	67.19	71.03	74.41	77.38	80 . 28	82.74	84 . 88	86.63	87.76	88.18	88.18		
KR=0.29E-3	051	052	1	و	BETA	REDES	REK	X.	1/0E	.017	.023	.032	070.	640.	.057	2200	680.	.109	.129	.156	.193	.230	.273	.322	.374	.431	.503	.575	249.	.718	062.	.862	846.	1.063	1.207	1.351		
•	020675	•	10	88.18	00315	4.95	0000.	.348	Y/0E2	.118	.157	.216	.275	.333	.392	064.	.608	.745	. 882	1.078	1.314	1.569	1.863	2.196	5.549	2.941	3.431	3.922	4.412	206.4	5.392	5.882	6.471	7.255	8.235	9.216		
PROF	"	**	,,	,,	,,	**	"	11	-	900	800	011	014	.017	050	. 025	.031	038	540	.055	190	080	960	112	130	150	175	200	522	250	275	300	330	370	420	470		
UMEAN PROFILE	RUN	PLATE	×	UINF	CF/2	UTAU	L	30	t a	1	~	m		S	9		•	σ			12																	
. 0000 RUN	.181	.131	1.38	5.41	38	7643.	93.	1396-03	UZUINE	.350	.368	.384	504.	.424	944.	.471	.505	. 534	.567	. 605	.639	.668	169.	.721	. 745	.773	608	.839	.863	. 893	.917	686.	.957	.972	.987	566.	1.000	1.000
F=6.0	"		11	"		**	**		>	39.84	41.86	43.72	60 . 94	48.33	50.77	53 . 64	57.50	60.86	64.53	68.86	72.80	76.11	83.64	82.16	84.85	88.01	92.15	95.58	98.27	01.73	24.40	96.89	95.80	10.67	12.36	13.29	13.89	13.89
KR=0.15E-3,	DE1	052	I	9	BETA	REDEZ	REK	×	4/0E	.005	.007	.008	.011																								1.216 1	1.342 1
	033175	22	96	113.89	.00263	5.84	0.000	1.192	Y/0E2																												11.069	~
PROF	"	"	"	"	11	"	"	"	-	900	.008	.010	.013	.016	.020	.025	.035	.045	.069	.080	.105	.130	.155	190	.225	.275	.350	.425	.500	.600	. 700	.809	006.	.000	.150	.300	.450	.600
UNEAN PROFILE	SCN	PLATE	*	UINF	CF/2	UTAU	4	30	F	-	2	2	3	5	9		•	6	10	11	15	13	1,4	15	16	17	18							-	-	-	28 1	-

UMEAN	PR	JHEAN PROFILE - KR	KR=0.29E-3,		F=0. 0000 RUN	UMEAN	JHEAN PROFILE		KR=0.29E-3,		F= C. 0000 RUN
RUN	"	020675	0E1	"	.115	NOW	"	020675	0.51	11	. 115
PLATE	**	3	DE2	*	.073	PLATE	11	~	052		.077
×	11	1.8	I	"	1.57	*	**	26	I	"	1.49
UINF	"	88.76	9	"	6.93	UINF	,,	93.92	ی	u	5.95
CF/2	"	.00273	BETA	"	01	CF /2	"	60200	BETA	11	42
UTAU	"	4.64	REDEZ	"	3386.	UTAU	11	5.22	REDE	= 2	3773.
L	11	0.000.0	REK	"	75.	L	"	00000	PEK	**	84.
90	11	. 501	×	"	786E-05	30	,,	.579	×	11	281E-03
=	-	Y/0E2	4/0E	,	U/UINF	14	-	Y/062	470E	5	UZUINF
	.00		.012	28.76	.324	1	900.	.078	.010	30.75	.327
2	.00		.016	30.82	.347	2	.008	.134	.014	33.02	.352
	. 61		.022	33.01	.372	8	. 310	.130	.017	35.21	.375
4	.01		.028	34.56	.394	,	.012	.156	.021	37.18	.396
2	.01		.034	36.57	.412	ın	.014	.182	.024	36.88	.414
9	.02		040.	38.14	.430	9	.017	.221	.029	49.83	.435
1	.02		.050	40.00	.451		.020	.260	.035	42.57	.453
•	.03		.062	41.95	.473	•	. 023	.299	040.	44.21	.471
6	.036		920.	40.44	964.	6	.027	.351	.047	96 . 34	684.
10	. 04		060.	45.62	.514	10	.032	.415	.055	47.79	605.
11	.054		.108	47.59	.536	11	.039	905.	190.	64.59	.530
12	.064		.128	64.64	.557	12	.047	.610	.081	52.07	. 554
13	.076		.152	51.46	.580	13	.057	.740	860.	54.31	.578
14	.09		.180	53.65	+09*	14	.070	606.	.121	26.95	909.
15	.111		.220	56.37	.635	15	.085	1.104	.147	59.32	.632
16	.13		.259	58.59	• 665	16	.100	1.299	.173	61.61	.656
11	.15		.309	61.55	.693	17	.115	1.494	.199	63.39	.675
18	.18		.359	64.38	.725	1.6	.130	1.688	.225	64.97	.692
19	.20		60 7.	80.19	.756	19	.150	1.948	.259	57.27	.716
20	.23		654.	94.69	.782	20	.175	2.273	.302	69.71	.742
21	.25		.509	71.57	908.	21	.200	2.597	.345	71.79	.764
22	.28		.559	74.10	.835	22	.230	2.987	198.	74.47	.793
23	.30		609.	76.24	658.	23	.265	3.442	.458	77.04	.820
54	. 33		•629	78.36	.883	54	.309	3.896	.518	79.51	.847
52	.35		60 2.	80.19	.903	52	.340	4.416	.587	92.12	.874
92	. 39		.778	82.65	.931	92	.390	5.065	.674	85.05	906.
27	.43		.858	65.48	.958	27	044.	5.714	.760	87.84	.935
82	. 48		856.	87.13	.982	92	067.	6.364	.846	90.14	096.
59	.53		1.058	98.32	566.	62	045.	7.013	.933	91.95	616.
30	. 58		1.156	88.69	666.	30	166.	7.662	1.019	93.09	.991
31	.630	0 8.630	1.257	88.76	1.000	31	.640	8.312	1.105	93.73	866.
32	.68		1.357	88.76	1.000	32	069.	8.961	1.192	93.92	1.000
						33	.740	9.610	1.278	93.52	1.000

.111	.077	1.43	9.46	41	4465.	.66	.282E-03	U/UINF	.375	.395	.414	.435	***	.472	264.	.510	.524	. 548	.572	.598	. 619	656	.676	669.	.718	0.74.0	.767	.788	. 808	.827		888	.913	.936	756.	. 96.8	.981	686.	866.	1.000	1.000
"	"	"	"			"		>	41.59	43.70	45.83	48.22	50 . 31	52.31	54.53	56.51	58 . 05	60.79	63.39	66 . 28	70 81	72.63	74.84	77.34	19.48	82.01	85.00	87.32	89.52	91.57	90.00	98.32	101.16	103.65	105.62	107.24	108.64	109.54	110 . 50	•	110.77
051	052	I	9	SETA	REDE	REK	œ ¥	30/1	600.	.012	.015	.020	.024	.029	.035	.041	.047	.056	.068	1000	966.	129	.152	.175	.198	.228	.266	.304	.342	.380		.532	.603	.684	.769	.835	.912	. 984	1.140	1.292	1.444
22275	11	42	10.77	0	6.14	.0000	.658	YZDEZ	.078	.104	.130	.169	.208	.247	.299	.351	. 403	.491	.584	.714	344	1.104	1.299	1.494	1.688	1.948	2.273	2.597	2.922	3.247	1.000	4.545	5.195	5.844	6.494	7.143	7.792	8.442	9.740	11.039	12.338
3 "	Let	"	-			0 =		>	900.	.009	. 010	.013	. 116	.019	. 023	.027	.031	.037	. 045	. 25.5	. 065	195	.100	.115	.130	.150	.175	.260	. 225	062.		350	604.	.450	.500	.550	.600	. 550	.750	. 850	.950
NO.	PLAT	×	UINF	CF12	UTAU	u	30	F	-	2	M	,	2	9	7	•	6	10	#	12	13	2	16	17	1.8	19	20	21	22	23	3.6	26	27	28	62	30	31	32	33	34	35
.112	.078	1.+4	5.56		4154.	92.	.279E-03	U/UINF	.369	. 392	. 410	.435									.614		.672					.782						•	756.		•	•	666.	666.	1.000
11	"	11	"	11	= 2	**	"	Ð	37.51	40.19	42.69	44.61	46.42	48.17	50 . 38	52.14	53.68	25.90	58.01	60.71	65 - 59	46.67	68.52	70.85	72.94	75.53	77.83	80.23	82.48	84.43	00 . 13	91.04	93.69	95.98	15.76	99.73	100.84	101.73		105.55	102.61
051	41	I	و	85TA	REDEZ	REA	×	¥/05	600.	.0.12	.016	.020	.025	.030	.036	-045	.348	.058	.079	.085	.101	226	156	.179	.202	.234	.273	.312	.350	.369		545	.623	.701	611.	.857	.935	1.012	1.163	1.324	1.480
022275	6	34	102.61	.00356	5.68	9.0960	.642	Y/0E2	170.										.577				1.282		-			2	2	*) (3.500	, ,	u	10	9	7.051	~	•	3	10.897	12
"		11	11	"	"	11	11	>	.006	. 008	.010	.013	.016	.019	. 023	.027	.031	.037	. 045	. 655	.065	200	.100	.115	.139	.150	.175	.200	. 225	.250	2120	350	.400	054.	.500	.550	.600	.650	.750	.850	.950
NON	LAT	_	UINF	C/ 3	TAU		30	14	-	~		4	S	9	~	•	5	0	=	~	5	. 4	16	12	8	6	0.	21	25		* u		1		6	20	31	32	33	*	2

128.59 100238 100238 10000 1739 1739 1739 1739 1739 1739 1731 1733 1739 1739
739. 59 6.27. 59 6.27. 8EEF 6.23. 8EEF 739. 8EEF 739. 8EEF 739. 8EEF 739. 911 111. 989. 911 722. 923 722. 923 722. 104 722. 104 722. 104 722. 104 723. 333. 964 724,44 725,500. 964 725,500. 974 727,500. 974 725,700. 974 725,700. 974 725,700. 974 725,700. 974 725,700. 974 725,700. 974 725,700. 974 725,700. 974
7.25
739 739 739 739 739 739 7052 7133 7133 722 722 723 724 725 727 727 727 727 727 727 727
739 7,062 7,39 7,062 1111 1131 1133 1222 1339 1339 1444 1722 1657 1657 1657 1722 1722 1722 1722 1722 1722 1722 1744 1765 1766 1767 1768
739 YDE2 YDE .067 .067 .111 .113 .133 .222 .278 .378 .378 .411 .611 .510 .510 .511 .511 .511 .522 .723 .724 .726 .726 .726 .727 .726 .727 .728 .728 .728 .728 .737 .737 .737 .737 .737 .738 .737 .73
7,0E2 .067 .089 .111 .111 .113 .156 .156 .189 .222 .278 .333 .011 .611 .611 .611 .611 .611 .621 .611 .621 .621 .621 .621 .621 .621 .621 .621 .621 .621 .621 .621 .623 .623 .623 .623 .623 .623 .623 .624 .625 .623 .623 .623 .624 .625 .623 .626 .623 .626 .627 .628 .638 .644 .644 .644 .644 .644 .644 .644 .644 .644 .644 .644 .644 .644 .644 .643 .643 .658 .643 .644
.089 .089 .111 .111 .111 .111 .111 .126 .222 .222
1111 1111 1111 1133 1222 1222 1222 1223 1214 1211 1214 1224 1224 1224 1224 1224 1224 1224 1224 1224 1224 1233 1233 1233 1244 1256 1257 1257 1254 1254 1254 1257 1254
111 1133 1189 1189 1262 1272 1272 1411 1010 1
133 1356 1366 1378 1378 1378 1378 1411 1511 1
156 189 189 189 187 187 187 187 187 187 187 187
189 222 227 333 627 611 611 611 611 100 1106
.222 .278 .278 .411 .411 .611 .500 .722 1.167 1.167 1.444 1.657 1.444 1.667 1.
.333 .034 .411 .050 .500 .051 .611 .051 .651 .038 1.167 .162 1.444 .176 1.667 .162 1.667 .230 2.167 .230 2.167 .230 1.889 .230 2.500 .356 2.500 .356 2.500 .356 2.500 .356 2.500 .356 2.500 .356 2.500 .356 2.500 .356 2.500 .356
.333 .611 .611 .611 .611 .651 .856 .106 1.167 1.444 .1762 1.667 .1667 .2.167 .2.167 .2.500 .3.333 .4.74 .6444 .2.500 .3.64 .2.500 .3.64 .3.689 .3.64 .4.74 .5.700 .3.64 .6.73 .6.33 .6.33 .6.33 .6.33 .6.33 .6.33 .6.33 .6.33 .6.33 .6.33 .6.33 .6.33 .6.33 .6.43 .6.33
. 511 . 511 . 611 . 651 . 722 . 876 . 106 . 106
. 500 . 611 . 722 . 856 . 1004 1.167 1.333 1.667 . 175 1.889 . 2.54 2.889 3.333 . 406 3.889 . 474 4444 . 5.41 6.389 . 354 . 564 . 564 . 564 . 663 . 66
722 1.072 1.167 1.333 1.667 1.444 1.167 1.444 1.167 2.569 2.569 3.333 4.064 3.889 3.354 5.789 6.389 7.590 8.611 1.049
.055 .722 .088
.077 .856 .104 .090 1.000 .122 .120 1.333 .142 .150 1.667 .203 .170 1.889 .233 .170 1.889 .233 .255 2.500 .354 .255 2.500 .354 .250 3.333 .406 .350 3.889 .474 .475 5.278 .643 .575 6.389 .778 .575 6.389 .778
105 1.100 1.167 142 150 1.33 1.62 1.65 1.65 1.75 1.65 1.75 1.657 .203 1.75 1.65 2.167 .203 1.204 1.205 2.500 3.33 1.406 1.75 5.25 1.339 1.339 1.339 1.339 1.339 1.339
120 1.333 1.62 130 1.667 .203 170 1.889 .233 195 2.167 .264 225 2.500 .356 330 3.333 .406 350 3.889 .474 475 5.278 .643 675 6.389 .778 675 6.389 .778 675 9.611 1.049
1.667 2.167 2.167 2.167 2.500 2.500 3.333 4.066 3.689 4.746 4.746 6.389 7.500 7.500 9.139 1.186 1.186
150 1.667 .203 170 1.889 .233 195 2.167 .264 .265 2.500 .304 .300 3.333 .406 .301 3.889 .474 .400 4.444 .541 .475 5.289 .474 .475 5.289 .643 .575 6.389 .778 .675 7.500 .913 .775 8.611 1.049
. 177 1.889 .233 .255 2.500 .304 .256 2.889 .352 .300 3.333 .406 .30 3.889 .474 .400 4.444 .541 .475 5.289 .778 .575 6.389 .778 .575 6.389 .778 .575 9.611 1.049 .875 9.722 1.184
. 195 2.167 .264 .225 2.500 .304 .250 2.889 .352 .300 3.333 .406 .350 3.889 .474 .400 4.444 .541 .475 5.278 .643 .575 6.389 .778 .675 7.500 .913 .775 8.611 1.049 .875 9.722 1.184
.255 2.500 .304 .250 2.889 .352 .300 3.333 .406 .300 3.333 .406 .401 4.444 .541 .475 5.289 .778 .575 6.389 .778 .675 7.500 .913 .775 8.611 1.049 .875 9.722 1.184
.260 2.889 .352 .300 3.333 .406 .350 3.889 .474 .400 4.444 .541 .475 5.289 .748 .675 7.500 .913 .775 8.611 1.049 .875 9.722 1.184
.300 3.333 .406 .350 3.889 .474 .400 4.444 .541 .475 5.278 .643 .575 6.389 .778 .675 7.500 .913 .775 8.611 1.049 .875 9.722 1.184
.350 3.889 .474 .400 4.44541 .475 5.278 .643 .575 6.389 .778 .675 7.500 .913 .775 8.611 1.049 .875 9.722 1.184
.475 5.278 .643 .575 6.389 .778 .675 7.500 .913 .775 8.611 1.049 .875 9.722 1.184
.475 5.278 .643 .575 6.389 .778 .675 7.500 .913 .775 8.611 1.049 .875 9.722 1.184
.575 6.389 .778 .675 7.500 .913 .775 8.611 1.049 .875 9.722 1.184
.675 7.500 .913 .775 8.611 1.049 .875 9.722 1.184 .975 10.833 1.319
.875 8.611 1.049 .875 9.722 1.184 .975 10.833 1.319
9.722 1.184
10.833 1.319

. 0039 RUN	.132	.075	1.77	11.00	20.	3343.	55.	572E-05	UZUINF	.228	.249	.277	.305	. 331	.360	.389	.420	844.	624.	.519	. 553	.588	.621	.660	.700	.751	.806	.872	. 923	.970	.993	1.000	1.000			
F=0.0	"	"	11	"	"	"		. "	ס	19.70	21.54	23.96	26.35	28.63	31.16	33.64	36 . 34	38.78	41.40	16.4	47.86	50.08	53.74	57.11	45.09	66.49	69.76	75.45	80.25	83.91	85.52	86.52	86.52			
KR=0.29E-3	0£1	DE2	I	9	BETA	REDES	REK	æ	YZDE	.013	.017	.024	.032	.043	.058	.076	160.	.123	.151	.194	.238	.281	.324	.378	.432	.508	165.	.702	.610	.918	1.026	1.134	1.242			
•	030475	m	10	86.52	00157	3.43	.0039	. 463	Y/062	.080	.107	.147	.200	.267	.360	194.	.600	.760	.933	1.200	1.467	1.733	2.000	2.333	2.667	3.133	3.667	4.333	5.000	2.667	6.333	2.000	7.667			
PROFILE	11	11	11	ti	11	Ħ	11	11	>	900.	.000	.011	.015	.020	.027	.035	.045	.057	.070	060.	.110	.130	.150	.175	.200	.235	.275	.325	.375	.425	.475	.525	.575			
UMEAN	RUN	PLATE	×	UINF	CF/2	UTAU	L	30	ŧ	-	2	•	3	5	9	7	•	6	10	11	12	13	14	15	91	17	1.0	19	20	12	22	23	54			
1000 RUN	.200	.133	1.50	6.78	00	8847.	102.	900E-06	U/UINF	.288	.311	.329	.344	.357	.371	.390	.411	544.	.473	.503	.540	.570	.602	.642	•679	.716	.745	.789	.824	.870	.911	.951	.980	966.	1.000	1.000
F=0.0000	11	"	,	"	11	"	,		>	36.98	39.60	42.23	44.15	15.63	.7.71	50.16	52.87	57.24	50.74	69. 49	96.69	13.28	77.31	\$5.54	87.30	91.98	92.78	11.32	25.50	11.83	17.08	22 . 25	25.96	128.05	28.50	28.50
0.296-3,	0£1	062	1	ی	BETA	REDEZ	PEK	K	W/DE																									1.082 1		
ILE - KR=0	020675	19	7.4	28.59	00243	6.33	0000	696.	Y/0E2	540.	.060	.075	060.	.105	.128	.150	.188	.263	.338	.451	.602	.752	116.	1.278	1.654	2.030	2.406	2.970	3.534	4.286	5.038	5.977	6.917	8.045	9.173	10.301
PROFILE	0 "	"		= 1	"	"	0 "		-	900.	900.	.010	.012	.014	.017	.020	. 025	.035	.045	.069	.080	.100	.130	.170	.220	.270	.320	388	.470	.570	.670	.795	.929	0.00	1.220	1.370
UNEAN	RUN	PLATE	*	UINE	CF/2	UTAU		30	4	-	2	1	3	2	9	1	•	6	10	==	12	13	14	15	16	11	1.6	19	20	21	22	23	54	25 1	26	27

SUN =	030475	061	11	.205	RUN	11	030475	0£1		.206
PLATE =	2	052	11	.117	PLAT	"	7	0E2	11	.12
"	18	I	"	1.76	×	**	92	I	u	1.6
UINF =	87.07	ی	11	11.71	UINF		95.64	ی	"	9.34
CF/2 =	.00136	BETA	"	41	CF/2		.00164	BETA	"	-1.4
UTAU =	3.21	REDEZ	**	5264.	UTAL		3.75	REDE	2 =	6196
	.0039	REK	**	52.		"	.0039	REK	"	61
= 30	.747	2	"	680E-04	30		.876	×		.284E-0
7	V/DE2	30/A	ח	U/UINF	14	>	Y/062	YZDE	>	U/UINE
1 .0		.008	18.35	.211	1	.006	240.		22.26	.240
2 .0		.011	20.12	. 231	2	.008			24.02	.259
3		.013	21.23	.244		.010			25.74	.278
0.		.017	22.95	.264	•	.013			27.71	.299
5 .0		.021	24.24	.278	2	.016			29.44	.318
0. 9		.027	25.78	.29€	9	.020			31.76	.343
7		.033	27.38	.314	7	.025			33.67	.363
		.043	29.32	.337	•	.032			35.88	.387
0. 6		+50.	31.25	.359	6	0 40 .			38.04	. 411
0. 01		.067	33.22	.382	10	.050			60.04	. 433
11 .0		.087	35.97	.413	11	. 165			43.21	994.
12 .0		.114	38.78	6445	12	.085			46.55	.502
13		.141	41.40	524.	13	.105			49.19	.531
14		.174	44.13	.507	16	.130			52.05	.562
15 .1		.207	96.94	. 534	15	. 155			24.45	.587
16 .1		.248	64.64	.568	16	.185			56.86	.614
2. 71		.301	53.40	.613	17	.225			29.64	. 647
1.8		.368	57.69	.663	18	.275			63.43	.685
		.435	61.93	.711	19	.325			66.99	.723
20 .3		.502	66.01	.758	20	.375			70.04	.756
		.569	69.67	708.	21	.450			74.50	708.
		.636	73.72	.847	22	.525			78.65	648.
		.7.03	77.17	. 886	23	.600			82.78	168.
24		.770	80.33	.923	54	.675			86.09	.929
		.837	82.52	.952	25	.750			89.02	.961
		706	85.03	.977	92	.825			90.63	.982
		176.	86.12	686	22	.900		-	92.08	766.
		1.037	86.70	966	82	.975		_	92.64	1.000
50	125 7.051	1.104	87.00	666	62	1.050		1.199	92 . 64	1.000
			N/ III	171111						

10 39 RUN	197	1 3	1.50	6.35	-1.44	7524.	72.	2	UZUINE	.273	.209	.302	.326	.343	.359	.305	116	435	154.	.482	.505	.522	046.	.588	.608	.631	649.	.673	.693	.719	.773	1964.	.623	948.	.871	868.	.923	.950	.973	. 988	666.	1.000
1, F=0.0039	*		"		"	. 2 =	11		>	30 . 33	32.20	33 . 64	36.54	36.20	39.97	14.	46.24	48.40	50.89	53.58	56.13	58.05	62 25	65.41	67.66	70.18		74.82	7.15	80.00	85.96	88 . 74	91.57	94.12	96 . 86	05.66	102.68	105.72	108.28	109.68	110.67	111.25
KR=0.29E-3,		UE2		ی		REDEZ			A/DE	900.	.008	.010	.013	.016	.019	. 0.26	.031	.038	.045	.054	190.	.074	.000	.113	.128	.147	.167	.191	•215	062.	334	.383	.432	.481	.540	.613	.687	.7 65	. 883	.981	1.079	1.227
	030475	11	25	11.25	00161	4.46	.0039	1.019	Y/062	940.	.061	920.	660.	.122	.145	206	244	.298	.351	.420	964.	.573	763	.878	266.	1.145	1.298	1.489	1.679	1.94/	2.595	2.977	3.359	•		4.771			6.870	•	8.397	10.687
PROFILE		"		"	"	11	"		>	.006	.008	.010	.013	.016	.019	. 827	.032	.039	.046	.055	.065	. 075		.115	.130	.150	.170	.195	022.	205	340	.390	044.	064.	.550	.629	.700	. 800	.900	000.	.100	. 400
UMEAN	RUN	PL AT	×	UINF	CF/2	UTAU		96	ŧ		2	6	*	ı,	•		. 6	10	11	12	13	3 1	12	11	1.6	19	20	12.	77	5 4 6	52	32	27	28	53	30	31	32	33	34 1	35 1	37 1
RUN	200	30		35	45	3.	. ,	03	NF	,	3	m													3	3	,	2													6	2
039	•	! -	1.54		-1-	199	ė	278E-0	UZUIN	.25	.27	.29	.314	.332	. 345	2000	707	.427	. 446	.469	164.	.512	552	.57	.59	.61	. 63	. 65	10.		750	.789								666.	66.	1.0
F=0.0039				"	-1.	1 684	9	= .278E-	ח מעתו	. 83																														.16	01.55 .99	
				"		. 2				25.83	27.74	29.78	31.93	33.89	35.42	37.32	41.08	43.43	45.39	47.67	50.21	52.04	55.50	120 58.08 .57	92.09	62.27	64.45	92.99	26.89	71.64	77.20	80.20	82.67	85.24	88.09	91.38	4.27	94.76	99.73	101.16	101.55	101.56
- KR=0.29E-3,	051 =	1 620		II : C	BETA =	REDEZ =	REK =		>	.006 25.83	.006 27.74	.010 29.79	.014 31.93	.017 33.89	.020 35.42	128 37.32	033 41.00	.041 43.43	.048 45.39	.057 47.67	.069 50.21	.078 52.04	104 55 10	58.08	.135 60.26	62.27	.177 64.42	.203 66.76	253 68.92	707 71.64	353 77.20	80.20	.457 82.67	.509 65.24	.572 88.09	.650 91.38	.728 94.27	.832 97.46	.936 99.73	.692 1.040 101.16	2 1.143 101.55	1.299 101.66
KR=8.29E-3,	030475 051 =		1 1 1	II : C	BETA =	REDEZ =	REK =		0 30/A 2	.046 .006 25.83	.062 .008 27.74	.077 .010 29.78	.100 .014 31.93	.123 .017 33.89	.146 .020 35.42	20.00 0000	2000 033 41.08	.300 .041 43.43	.354 .048 45.39	.423 .057 47.67	.500 .069 50.21	.078 52.04	769 104 56 10	.885 .120 58.08	1.000 .135 60.26	.156 62.27	1.306 .177 64.42	1.500 .203 66.76	1.692 .229 68.92	1.962 .265 /1.64	2.615 .353 77.20	.405 80.20	3.385 .457 82.67	3.769 .509 85.24	4.231 .572 88.09	4.808 .550 91.38	5.385 .728 94.27	6.154 .832 97.46	6.923 .936 99.73	7.692 1.040 101.16	.462 1.143 101.55	9.615 1.299 101.56

TA = 1.31 NE = 1.49 NE = 1.84 M	KOY	"	030475	0€1	"	.195	RUN	11	030475	130	11	.239
## 146.65 G	PLATE	"	12	052	11	.131	PLATE	11	15	052		.15
100 100	×	11	94	I	11	1.49	*	**	4 5	r		1.54
## 10171 BETA # -1.36	UINF	**	116.62	و	"	7.37	UINF		128.18	9		11.27
The color The	CF/2	*	.00171	BETA	"	-1.36	CF /2		76000.	951	4	- 2
The color of the	UTAU	**	4.82	REDE	"	7888.	UTAU		3.99	058	E2 =	10251
TAMES KR = .297E-03 DE = 1.220 KR = .297E-03 TAMES VADE U UVUNF TAMES TAMES <th< td=""><td></td><td></td><td>.0039</td><td>REK</td><td>#</td><td>78.</td><td>u</td><td>11</td><td>.0039</td><td>REK</td><td>**</td><td>64</td></th<>			.0039	REK	#	78.	u	11	.0039	REK	**	64
VADE2 VADE UVUINF PT Y VADE2 VADE VADE </td <td>30</td> <td></td> <td>1.048</td> <td>X X</td> <td>. "</td> <td>297E-03</td> <td>30</td> <td>11</td> <td>1.220</td> <td>*</td> <td>"</td> <td>210E-04</td>	30		1.048	X X	. "	297E-03	30	11	1.220	*	"	210E-04
006 .046	14	-	1/DE2	A/DE	,	UZUINF	14	-	Y/062	30/1	>	UZUINE
100		.006	940.	900	32.10	.275		.006			31.29	2744
1010 1076 1010 36.26 311 3 1010 105 1010 105 1010 1010 1011 1010 1012 1012		.008		.008	34.09	262		800			33.67	25.8
013		010		.010	36.26	.311	. M	010			34.91	272
016 .122 .015 40.97 .351 95 .017 .110 .014 40.14 .016		.013		.012	38.45	.330	. 4	.013	100.	.011	36.65	288
019 -145 -019 42.53 -365 6 -022 -147 -019 -025 -019 -0	2	.016		.015	40.67	. 351	2	.017		.016	40.14	313
023 .176 .026 .44.76 .384 7 .030 .194 .025 .46.35 .043 .052 .335 .043 .053 .043 .046 .056 .273 .043 .041 .065 .419 .053 .043 .041 .065 .419 .053 .043 .046 .056 .049 .052 .335 .043 .056 .049 .053 .066 .046 .065 .049 .053 .066 <td< td=""><td>9</td><td>. 019</td><td></td><td>.018</td><td>42.53</td><td>.365</td><td>•</td><td>.022</td><td></td><td></td><td>42.51</td><td>. 332</td></td<>	9	. 019		.018	42.53	.365	•	.022			42.51	. 332
027 -206 -026 -46.87 -402 -040 -258 -033 -66.78 -448 0.033 -66.78 -448 0.033 -66.78 -448 0.033 -66.78 -66.39 -0.033 -66.78 -66.39 -0.033 -66.39 -66.39 -0.032 -66.39 -0.033 -66.39 -66.39 -66.39 -66.39 -66.39 -66.30 -66.30 -66.30 -66.30 -66.30 -66.30 -66.30 -66.30 -66.30 -66.30 -66.30 -66.30 -66.30 -66.30 -66.30 -66.30 -67.30<	1	.023		.022	44.76	.384	1	.030			46.35	. 362
.032 .244 .031 46.76 .448		.027		.026	46.87	.402	•	040.			50.11	.391
039 .296 .037 52.07 .446 10 .065 .419 .053 57.93 .046 53.92 .462 11 .080 .516 .066 .065 .065 .065 .065 .065 .065 .065 .065 .065 .062 .062 .066 .062 .066 .062 .066 .062 .072 .		.032		.031	\$8.78	.418	6	. 052			54.18	. 423
155 .420 .052 56.36 .462 11 .000 .516 .066 61.46 .055 .420 .052 56.36 .462 12 .095 .613 .078 65.07 .065 .420 .052 59.03 .420 .052 59.03 .420 .052 59.03 .052 59.03 .052 .095 .420 .052 59.03 .052 59.03 .052 .095 .420 .052 61.27 .072 61.27 .551 .15 .155 1.000 .127 75.15 .100 .763 .095 .66.74 .572 116 .135 1.104 .157 1.107 .75.15 .100 .763 .095 .66.74 .572 116 .135 1.104 .152 1.104 .152 1.27 75.15 .100 .992 .124 70 .69 .60 .60 .107 .255 1.774 .225 1.7		.039		.037	52.07	944.	10	.065		.053	57.93	.452
.420 .052 56.36 .463 12 .095 .613 .076 .65.07 .055 .496 .062 .96.03 .506 .13 .110 .710 .090 .68.06 .075 .647 .572 .155 .157 .107 .		.046		740.	53.92	.462	11	.080		.066	61.46	624.
.065 .496 .062 596 13 .110 .710 .090 68.06 .075 .573 .072 61.21 .525 14 .130 .093 .107 .112 .714 .155 1.00 .127 .157 .100 .127 .157 .100 .127 .157 .100 .127 .157 .100 .127 .157 .100 .127 .157 .100 .127 .157 .100 .127 .157 .100 .157<		.055		.052	56.36	.483		.095		.078	65.67	.508
.075 .61.21 .525 14 .130 .839 .107 71.44 .087 .664 .083 64.27 .551 15 1.600 .127 75.15 .100 .664 .083 64.27 .572 16 .135 1.194 .152 .794 .152 .1114 .194 .152 .194 .152		.065		290.	59.03	.506		.110		060.	90 . 89	.531
187 .664 .083 64.27 .551 15 .155 1.000 .127 75.15 .100 .763 .095 66.74 .572 16 .185 1.194 .152 79.11 .115 .763 .095 .66.74 .572 17 .152 .145 .152 .774 .225 .1774 .225 .1774 .225 .1774 .225 .1774 .225 .1774 .225 .1774 .225 .1774 .225 .1774 .225 .1774 .226 .275 .1774 .226 .275 .1774 .226 .275 .1774 .226 .275 .1774 .226 .275 .1774 .226 .275 .1774 .226 .275 .2719 .307 .266 .277 .266 .277 .266 .277 .266 .272 .281 .272 .281 .272 .281 .272 .281 .272 .281 .272 .281 .272 .281 .272 .281 .282 .282 .281 .282 .282 .281 .282 .282 .281 .282 .284 .780 .282 .282 .284 .782 .282 .2	14	.075		.072	61.21	. 525		.130		.107	72.44	.557
115 .763 .095 66.74 .572 16 .135 1.194 .152 79.11 115 .876 .110 69.04 .592 17 .225 1.452 .164 83.29 115 .972 .124 70.89 .608 18 .275 1.774 .225 87.82 1150 1.145 .143 73 .633 .653 19 .275 2.097 .266 92.77 1170 1.294 .165 79.14 .679 .22 .225 2.097 .266 92.77 118 .225 1.947 .243 84.24 .722 .22 .525 3.387 .430 105.71 118 .255 1.947 .243 84.24 .722 .22 .525 3.387 .430 105.71 118 .255 1.947 .274 .275 .275 .270 4.516 .656 117.62 119 .255 1.947 .372 93.72 .804 .26 .25 .925 3.387 .430 105.71 110 3.359 .420 96.59 .828 .22 .925 5.96 .774 .141.16 110 6.107 .753 110 .3 .948 .32 1.800 11.613 1.475 128.18 1 1100 7.634 .954 114.88 .985 1.100 7.634 .955 114.88 .985 1.100 7.634 .955 114.88 .985 1.100 8.397 1.050 115.92 .985	15	.087		.083	64.27	.551		.155		.127	75.15	.586
115 .876 .110 69.04 .592 17 .225 1.452 .184 83.29 130 .992 .124 70.89 .608 18 .275 1.774 .225 87.82 170 1.296 .162 76.49 .656 20 .375 2.419 .266 92.77 195 1.489 .186 79.14 .679 .656 22 .267 2.619 .307 96.51 220 1.679 .210 81.56 .699 .22 .525 3.871 .430 105.71 .255 1.947 .243 84.24 .772 .23 .600 3.871 .492 105.71 .255 1.947 .273 .753 .254 .776 .576 .576 .776 .576 .114.18 .255 1.400 .400 .878 .878 .871 .144.18 .576 .774 .861 .124.55 .440 .57	16	.100		560.	66.74	.572		.135		.152	79.11	.617
130 .992 .124 70.89 .608 18 .275 1.774 .225 07.85 150 1.145 .143 73.83 .633 19 .325 2.097 .266 92.77 170 1.296 .162 76.49 .656 21 .450 2.903 .369 101.56 220 1.679 .210 81.56 .699 22 .525 .387 .430 105.51 255 1.947 .243 84.26 .752 22 .525 .281 87.79 .752 23 .600 3.871 .430 105.51 .101.56 .101.5	11	.115		.110	90·69	265.		.225		.184	83.29	.650
150 1.145 .143 73.83 .633 19 .325 2.097 .266 92.77 170 1.296 .162 76.49 .656 20 .375 2.419 .307 96.51 .195 1.469 .186 79.14 .679 .22 .450 2.243 101.56 .220 1.467 .243 84.24 .722 .23 .603 .367 .430 105.71 .255 1.267 .243 84.24 .722 .23 .603 .430 105.71 .295 2.252 .281 87.79 .722 .23 .601 .430 105.71 .295 2.252 .281 87.79 .773 .26 .926 .770 4.516 .574 .114.18 .390 2.977 .372 .804 .826 .926 .925 .926 .774 .861 124.55 121.65 .400 .410 .458 .871 .861 124.55 127.66 .774 .984 126.57 .984 .871	1.8	.130		.124	70.89	.608		.275		.225	87.82	. 685
170 1.296 .162 76.49 .656 20 .375 2.419 .307 96.51 .295 1.489 .186 79.14 .679 22 .525 3.387 .430 10.571 .255 1.243 81.56 .699 22 .525 3.387 .430 10.571 .255 1.243 81.24 .772 .753 .24 .472 .472 .574 .492 .109.50 .295 2.252 .284 90.44 .775 .254 .401 .451 .492 .109.50 .340 2.977 .372 .804 .26 .925 .926 .774 .861 .174.18 .440 3.359 .420 .826 .274 .861 .2742 .984 .124.65 .174.2 .984 .126.66 .7742 .984 .126.67 .127.64 .984 .126.67 .127.64 .984 .126.67 .127.62 .984 .126.67 .127.62 .984 .126.67 .127.62 .984 .126.67 .126.67 .127.62	61	.150		.143	73.83	.633		.325		.266	92.17	.724
.195 1.489 .186 79.14 .679 22 .450 2.903 .369 101.56 .255 1.679 .210 81.56 .699 22 .525 3.387 .430 105.71 .255 .253 .261 .699 .22 .525 3.387 .430 105.71 .295 .225 .261 .772 .753 .24 .701 .451 .492 114.18 .340 .2595 .324 90.44 .776 .25 .801 .5161 .656 117.52 .390 .2977 .372 .804 .26 .925 5.96 .758 121.65 .440 3.359 .420 .828 .27 .801 .566 .774 .861 124.55 .440 3.359 .420 .878 .28 1.200 .7742 .984 1.200 .450 .476 .868 .871 1.200 .7742 .984 1.200 .470 .489 .871 .871 1.107 1.275 <td< td=""><td>20</td><td>.170</td><td></td><td>.162</td><td>16.49</td><td>•656</td><td></td><td>.375</td><td></td><td>.307</td><td>96.51</td><td>.753</td></td<>	20	.170		.162	16.49	•656		.375		.307	96.51	.753
.220 1.679 .210 81.56 .699 22 .525 3.387 .430 105.71 .295 2.255 .261 84.24 .772 .772 .23 .600 3.871 .492 119.90 .295 2.255 .261 .773 .24 .776 .25 .600 .4516 .574 .114.18 .340 2.977 .372 .904 .776 .25 .925 .596 .758 .121.83 .440 3.359 .420 .468 .828 .774 .861 .774 .861 .774 .861 .774 .861 .774 .861 .774 .861 .124.63 .490 3.740 .468 .871 .272 .804 .871 .272 .994 .274 .994 .126.71 .550 4.771 .596 .101.53 .948 .871 1.107 .175 .127.64 .700 5.344 .668 .107.53 .948 .32 1.800 1.475 .128.18 1.400 .800 6.870 .854 .114.88 .985 .106 .1050 1.475 .128.18 1.106 .100 7.742	12	.195		.186	79.14	613.		.450		.369	101.56	.792
255 1.947 .243 84.24 .722 23 .600 3.871 .492 109.90 .295 2.252 .281 87.79 .753 24 .700 4.516 .574 114.18 .340 2.597 .324 90.44 .776 25 .800 5.161 .656 117.92 .340 2.977 .372 93.72 .804 26 .925 5.968 .758 121.83 .440 3.359 .420 96.59 .828 28 1.200 7.742 .984 124.53 .440 3.771 .596 104.89 .8871 29 1.500 9.677 1.230 127.54 .550 4.198 .525 101.59 .8871 29 1.500 9.677 1.230 127.54 .550 6.107 .763 110.53 .948 32 1.800 11.613 1.475 128.18 1.100 7.634 .954 113.00 .969 32 1.800 11.613 1.475 128.18 1.100 8.397 1.050 115.99 .994	22	.220		.210	81.56	669.		.525		.430	105.71	. 825
.295 2.252 .281 87.79 .753 24 .776 .516 .556 114.18 .340 2.595 .324 90.44 .776 25 .800 5.161 .656 117.52 .340 2.977 .372 .804 .26 .925 5.968 .758 121.83 .440 3.359 .420 96.59 .828 .27 .925 .968 .774 .861 124.53 .450 3.74 .668 101.59 .871 29 1.350 6.774 .861 127.54 .550 4.771 .596 104.89 .099 30 1.350 1.775 1.275 1.742 .994 1.771 1.742 .994 1.771 1.230 1.775 1.28.18 1 .534 .568 113.00 .969 30 1.500 9.677 1.230 127.64 1.861 1.475 128.18 1 .900 6.877 .969 32 1.800 11.613 1.475 128.18 1 .900	23	.255		.243	84.24	.722		.600		264.	109.50	.857
340 2.595 .324 90.44 .776 25 .800 5.161 .656 117.92 .390 2.977 .372 93.72 .804 26 .925 5.968 .758 121.83 .440 3.359 .468 .848 .28 1.200 7.742 .984 126.71 .450 4.19 .871 29 1.300 6.774 .861 127.54 .550 4.19 .871 29 1.350 6.774 .984 127.54 .625 4.19 .689 .871 29 1.300 6.677 1.230 127.54 .700 5.344 .668 110.53 .948 31 1.650 10.645 1.352 128.18 1 .800 6.107 .763 113.00 .969 32 1.800 11.613 1.475 128.18 1 .900 6.870 .859 114.88 .985 1.800 11.613 1.475 128.18 1 1.100 8.397 1.050 1.590 .994 .994 .994 .994 .994 .996	54	.295		.281	87.78	.753		.700		.574	114.18	.891
.390 2.977 .372 93.72 .804 26 .925 5.96 e .758 121.83 .440 3.359 .420 96.59 .828 27 1.050 6.774 .861 124.53 .490 3.740 .468 .871 29 1.350 8710 124.53 .550 4.198 .525 101.59 .871 29 1.350 8710 127.54 .625 4.771 .596 104.69 .871 29 1.500 9.677 1.27.54 .700 5.344 .568 107.53 .922 31 1.650 10.645 1.352 127.66 .700 6.870 .859 113.00 .968 32 1.800 11.613 1.475 128.18 1 1.100 7.634 .954 114.88 .985 1.800 11.613 1.475 128.18 1	25	. 340		.324	47.06	.776		. 800		.656	117.52	.926
.440 3.359 .420 96.59 .828 27 1.050 6.774 .861 124.53 .490 3.740 .468 98.84 .848 28 1.200 7.742 .994 126.71 .550 4.198 .525 101.59 .871 29 1.350 8.710 1.107 127.54 .625 4.77 .534 .668 107.53 .922 31 1.650 10.645 1.352 128.18 1 .700 5.34 .668 110.63 .948 32 1.60 10.645 1.352 128.18 1 .900 6.870 .859 114.88 .985 1.60 11.613 1.475 128.18 1 1.100 8.397 1.050 115.92 .994	92	.390		.372	93.72	+08.		.925		.758	121.83	.950
.490 3.740 .468 98.84 .648 28 1.200 7.742 .994 126.71 .550 4.198 .525 101.59 .871 29 1.350 8.710 1.107 127.54 .700 5.34 .668 107.53 .992 31 1.600 9.677 1.230 127.88 .800 6.870 .859 113.00 .968 32 1.800 11.613 1.475 128.18 1 .100 7.634 .954 113.00 .989 113.00 .985 1.300 11.613 1.475 128.18 1 1.100 8.37 1.050 115.91 .994	27	044.		.420	96.59	.828		050.1		.861	124.53	.972
.550 4.198 .525 101.59 .871 29 1.350 8.710 1.107 127.54 .625 4.771 .596 104.89 .899 30 1.500 9.677 1.230 127.86 .700 5.344 .668 107.53 .922 31 1.650 10.645 1.352 128.18 1 .800 6.107 .763 110.53 .948 32 1.800 11.613 1.475 128.18 1 .900 6.870 .859 113.00 .969 114.88 .985 1.000 7.634 .954 114.88 .985	82	064.		.468	98.84	848.	-	1.200		186.	126.71	686.
.625 4.771 .596 104.89 .899 30 1.500 9.677 1.230 127.86 .700 5.344 .668 107.53 .922 31 1.650 10.645 1.352 128.18 1 .800 6.107 .763 110.53 .948 32 1.800 11.613 1.475 128.18 1 .900 6.870 .859 113.00 .969 32 1.800 11.613 1.475 128.18 1 1.000 7.634 .954 114.88 .985 1.100 8.397 1.050 115.99 .994	62	.550			101.59	.871	_	1.350		1.107	127.54	.995
.700 5.344 .668 107.53 .922 31 1.650 10.645 1.352 128.18 1 .800 6.107 .763 110.53 .948 32 1.800 11.613 1.475 128.18 1 .900 6.870 .859 113.00 .969 32 1.800 11.613 1.475 128.18 1 1.000 7.634 .954 114.88 .985 1.100 8.397 1.050 115.91 .994	30	.625			104.89	669.	_	005.1		1.230	127.68	866.
.800 6.107 .763 110.53 .948 32 1.800 11.613 1.475 128.18 1 .900 6.870 .859 113.00 .969 1.969 1.000 7.634 .954 114.88 .985 1.100 8.397 1.050 115.99 .994	31	.700			107.53	.922	31	1.650	-	1.352	128.18	1.000
1.000 6.870 .859 113.00 1.000 1.14.88 1.100 8.397 1.050 115.99	32	. 800		.763	110.53	846.	32 1	1.800		1.475	128.18	1.000
7.634 .954 114.88 8.397 1.050 115.95		006.		658.	113.00	696.						
8.397 1.050 115.95	34 1	000 .	~	* 654	114.88	.985						
	35 1	.100	•		115.99	766.						

NO NO	160.	. 062	1.57	6.85	. 02	2013.	75.	1536-07	UZUINF	.355	. 371	.395	.421	144.	614.	.506	. 536	. 565	.592	.621	9690	.692	.731	. 765	. 802	.850	786.	946.	.981	966.	1.000	1.000						
F=0.0000				,,	"	11	"		5	31.08	32.53	34.68	36.66	39.14	45.00	44.33	46.95	49.50	51.92	24.40	57.48	60.60	40 - 49	67.01	70.24	4.49	79.18	82.94	85.94	87.25	87.63	87.63						
K=0.28E-6,	05.1	DE2	I	9	BETA	RE DE 2	REK	¥	¥/0E	.014	.019	.026	.035	140.	*90*	.083	.106	.135	.165	.201	.248	.307	.366	924.	964.	.591	.7 09	.627	946.	1.064	1.182	1.300						
•	043075		14	87.63	00280	4.64	0000	. 423	1.0E2	260.	.129	.177	242.	.323	.435	.565	.726	.919	1.129	1.371	1.694	2.097	2.500	2.903	3.387	4.032	4.839	5.645	6.452	7.258	8.065	8.871						
JHEAN PROFILE	40 =						. 0		-	900.	900.	.011	.015	.020	.027	.035	.045	.057	.070	. 005	105	130	155	180	.210	.250	300	350	000	054	.500	.550						
UMEAN	S CN	PLATE	×	UINF	CF/2	UTAU	L	30	4	-	~	m	•	L	9		•	6	10	11	12	13	14	15	16	17	18	19	20	21	22	23						
9 RUN	.372	.230	1.62	12.11	60.	15263.	65.	.611E-05	U/UINF	.197	503	22	39	20	15	6	8	6	6		-		98	22	63	88		.2	•	8						92	0	600
F=0.0039													2	2.	.28	.30	.33	.36	.39	.42	.45		*	.5	'n	.5	• 62	.67	.71	.75	. 803	.643	. 688	.928	.97	6.		
ü	11	"	"	"	11	= 1	11	61	5	25.35																								19.46 .928			28.68 1.000	
	0£1 =	= 230	" "	" 9	BETA =	REDE2 = 1	"	"	Y/0E U U	25.35	26.86	28.56	30.75	33.43	36.61	39.77	43.43	47.48		52 • 55	58.08	61.54	40 - 49	67.13	72.45	75.69	80.68	86.91	95.36	97.55	103.31	108.49	114.24	119.46	124.77	127.59	1.142 128.68 1.00	128.68
- KR=0.295-3.			7¢ H			REDE2 =	REK =		,	.004 25.35	.005 26.86	.006 28.56	.008 30.75	.011 33.43	.015 36.61	.020 39.77	.025 43.43	.035 47.48	51.36	.057 55.25	.070 58.08	.082 61.54	*0 · 19 860°	.121 67.13	.152 72.45	.184 75.69	.232 80.68	.295 86.91	.359 92.36	.422 97.55	.495 103.31	.571 108.49	.666 114.24	.761 119.46	.888 124.77	1.015 127.59	128.68	1.269 128.68 1
	= 030475 051 =		" T 77 "	= 128.68 G =	= .00099 BETA =	REDE2 =	REK =	" " " " " " " " " " " " " " " " " " " "	V/0E U	.026 .004 25.35	.035 .005 26.86	.043 .006 28.56	.057 .008 30.75	.074 .011 33.43	.100 .015 36.61	.135 .020 39.77	.178 .025 43.43	.239 .035 47.48	.313 .046 51.36	.391 .057 55.25	80.85 070. 874.	.565 .082 61.54	+0·+9 860° +29°	.826 .121 67.13	1.043 .152 72.45	1.261 .184 75.69	1.587 .232 80.68	2.022 .295 86.91	2.457 .359 92.36	2.891 .422 97.55	3.391 .495 103.31	3.913 .571 108.49	4.565 .666 114.24	5.217 .761 119.46	6.087 .888 124.77	6.957 1.015 127.59	1.142 128.68 1	8.696 1.269 128.68 1

					1		-
DE1 =	.111	RUN		043075	DE1	,,	.105
"	.076	PLATE		6	052	,,	.073
11	1.46	*		34	I	"	1.43
**	5.83	UINF	"	04.02	9	,,	5.44
BETA =	64	CF /2	"	20€ 00	BETA	**	50
2 =	3681.	UTAU	11	5.74	REDE	= 2	3933.
**	61.	u.	0 "	0.000.0	REK	,,	92.
"	.270E-06	30		• 626	×	,	272E-06
	UZUINE	ŧ	-	Y 10E2	¥/0E	5	U/UINF
33		1	900.	.082	.010	38.74	.372
36		2	.008	.110		41.24	.396
38		F	.010	.137		43.32	.416
0 4		•	.013	.178		45.85	.441
45	42.78 .458	ľ	.017	.233		48.52	994.
12		•	. 022	.301		51.71	164.
		1	.028	.384		54.69	.526
0		•	.035	64.		57.39	.552
33		6	. 345	.616		60 . 51	.582
9		10	.060	.822		64.45	.619
80		11	.080	1.096		68.65	.660
~		15	.105	1.438		12.58	969.
S		13	.130	1.781		75.85	.729
		1	.155	2.123		78.91	.759
2		15	.190	2.603		82.28	.791
9		16	.225	3.082		85.25	.820
5		17	.275	3.767		88.79	.854
25		1.8	.325	4.452		92.03	.885
9		19	.375	5.137		94.82	.912
2		20	.450	6.164		93.20	**6*
25		21	.525	7.192		100.91	.970
93		22	.600	8.219		102.57	986.
63	-	23	.675	9.247		103.53	. 995
93	-	54	.750	10.274		103.82	866.
		52	.825	11.301		104.02	1.000
		36	000	12 230		104.02	1.000

NON	0 "	043075	051	"	860.	RUN	11	043075	06.1	"	160.
PLATE	"	111	052	"	690	PLATE		12	230	**	.065
	18	42	1	,,	1.42	×	#	94	I	**	1.40
TINE	"	17.61	ی	"	5.33	UINF	11	126.72	ی		5.09
2/3	"	00305	BETA	"	15	CF/2	"	.00313	BETA		56
TAU	"	6.50	REDEZ	"	4189.	UTAU	11	7.09	REDE	= 2	4242.
		0000	REK	"	104.		"	0.000.0	REK		113.
36	"	.610	¥	"	.292E-06	30		. 603	¥	H	.292E-06
	-	1/0E2	4/0E	>	UZUINF	4	>	Y/0E2	1/0E	>	UZUINE
-	900	.087	.010	46.11	.392	1	.006	260.	.010	50.63	.401
2	800	.116	.013	47.97	804.	2	.009			53.64	.423
	010	.145	.016	50.09	.426	2	.010			56.21	***
,	.013	.188	.021	52.87	.450	•	.013			59.53	024.
	017	.246	.028	56.29	624.	5	.017			63.58	664.
9	.022	.319	.036	59.67	.507	9	.022			67.15	.530
	.028	907.	940.	63.28	.538	1	.028			70.32	.555
	935	.507	.057	66.28	. 564	•	.035			73.87	.583
6	540	.652	.074	70.17	.597	6	.045			78.06	.616
	960	.870	860.	74.56	.634	10	.060			83.14	.656
	080	1.159	.131	79.40	.675	11	.080			88.27	169.
	105	1.522	.172	83.91	.713	12	.105			93.18	.735
	130	1.884	.213	37.65	.745	13	.130			97.03	.766
	.155	2.246	.254	91.25	.776	14	.155			100.41	.792
	190	2.754	.311	94.85	.806	15	.190			104.35	.823
	522	3.261	.369	98.23	.835	16	.225			107.76	.850
	275	3.986	. 451	02.19	698.	17	.275			111.67	.881
	325	4.710	.533	05.53	768.	1.8	. 325			115.00	. 908
	375	5.435	.615	08.48	.922	19	.375			117.93	.931
	.450	6.522	.738	111.89	.951	20	.450			121.39	. 958
	525	7.609	.861	14.47	.973	21	. 525			123.74	916.
	600	8.696	. 984	16.23	. 988	22	.600			125,39	066.
23	675	9.783	1.107	17.16	966.	23	.675	-		125.14	666.
	.750	10.870	1.230	17.41	866.	45	.750	-		126.52	966.
	825	11.957	1.352	17.61	1.000	52	.825	_		126.72	1.000
	006	13.043	1.475	17.61	1.000	56	.900	-		126.72	1.000

REVNOLES STRESS TENSOR COMPONENTS - KR=0, F=0 RUN = 011175 DE1 = .266 RUN CF/2 = .00234 BETA 0.00 17 DE2 = .182 H = 1.46 PLATE = UTAU = 4.24 REDE2 = 8081. 66 F = 0.0000 H REK = 67. = 6.53 = 87.73 UINF DE = 0. G = 1.352 KR 4 Y/DE U UP2/UI2 VP2/UI2 WF2/UI2 -UV/UI2 02/UI2 RUV RQZ .009 .007 27.59 .00780 .015 .00812 .020 34.11 .030 37.53 .00841 .022 .045 .033 41.08 .00891 .060 . 044 43.67 .00916 .059 .080 46.74 .00935 .074 .100 48.86 .00939 .00309 .00505 .130 .096 51.32 .00935 .00221 .01749 .12€ .411 .122 .00469 .00330 .165 53.79 .00910 .00227 .01709 .414 .133 .148 .200 56.28 .00884 .00318 .00466 .00226 .01667 .427 .136 .222 .00801 .300 61.33 .00302 .00435 .00217 .01538 . 441 .141 .400 .296 .00715 .00305 .00408 64.86 .00198 .01428 . 424 .139 .600 . 444 71.48 .00572 .00254 .00337 .00167 .01162 .438 .144 76.92 83.74 .00124 .143 . 800 .592 .00433 .00181 .00256 .00870 .443 1.100 .814 .00216 .00105 .00113 .00057 .00434 .379 .131 1.400 1.036 87.21 .00041 .00036 .00026 .00011 .00103 .287 .10 € 1.800 1.331 87.73 .00005

REYNC	LOS	STRES	S TENSOR	00	OMPONE	NTS	- KR=	c.	15E-3,	F=0.0000	R	UN		
RUN	=	040375	CF/2	=	.002	266	DE1	=	.183	BETA	=		40	
PLATE	=	17	UTAL) =	5.	19	082	=	.131	REDEZ	=	685	54.	
X	=	56	F	=	0.00	00	Н	=	1.40	REK	=		34.	
UINF	=	100.71	OE.	=	1.1	19	G	=	5.58	KR	=	.146E	-03	
4		Y/DE	U	UPZ	2/012	VP	2/012	W	P2/UI2	-UV/UI2		92/012	RUV	RQZ
.006		.005	33.47	. (0737									
.010		.009	37.60	. (00807									
.020		.018	44.09	. (0873									
.035		. 031	50.04	. (0936									
.045		.040	53.06	. (00950									
.060		.054	56.44	. (0961									
.080		.071	59.97	. 0	0967									
.105		.094	63.56	. (10942									
.130		.116	66.46	. (0909		00224		.00366	.00214		.01499	.474	.143
.155		.139	6 8. 80	. 0	00873		00234		.00351	.00210		.01458	.465	.144
.190		.170	71.75	. (10818		00198		.00332	.00196		.01348	.487	.145
.225		.201	74.46	. 0	10754		20200		.00312	.00146		.01268	.477	.147
.275		.246	77.47	. (10679		00187		.00282	.00173		.01148	.486	.151
.350		.313	80.92		10566		01185		.00263	.00151		.01014	.467	.149
.425		. 380	84.16	. 0	00481		00163		.00229	.00131		.00873	.468	. 150
.500		.447	86.79	. (00410		00153		.00204	.00115		.00767	.459	.150
.700		.626	92.56	. (0259		00108		.00133	.08074		.00500	.442	.148
.900		.804	96.95	. (00143		00065		.00064	.00038		.00272	.394	.140
1.150	1	.028	100.06	. 1	00032									

REYNOLDS STRESS TENSOR COMPONENTS - KR=0.15E-3, F=0.0000 RUN RUN = 040375 CF/2 = .00263 DE1 = .181 BETA -.38 PLATE = 55 UTAU = 5.85 DE2 = .131 REDE2 = 7643. H = 1.39 86 = 0.0000 REK 93. UINF = 114.07 DE .139E-03 1.192 5.41 KR Y Y/OE U UP2/UI2 VP2/UI2 WP2/UI2 -UV/UI2 QZ/UI2 RQ2 .006 . 005 40.05 . 00740 .007 .00773 .008 42.11 .018 .015 49.34 .00874 56.11 .033 .028 .00933 .00957 .045 .038 59.86 .060 . 050 63.70 .00962 67.39 .080 .067 .00963 .105 .088 71.58 .00939 74.94 .00195 .00365 .130 .109 .00907 .00202 .01467 .480 .138 .155 .00569 .00200 .00191 . 130 .00329 .01398 .458 .137 .190 .159 80.85 .00803 .00204 .00317 .00184 .01324 . 455 .139 .225 . 189 83.61 .00750 .00207 .00289 .00176 .01246 .447 .141 .275 87.26 .00195 . 231 .00672 .00266 .00162 .01133 . 448 .143 .350 . 294 91.03 .00563 .00164 .00242 .00138 .00969 . 454 .142 . 357 .00475 .00155 .00215 .00845 .453 .425 94.71 .00123 .14€ 97.39 .500 .419 .00397 .00148 .00183 . CO105 .00728 . 433 .144 .700 .587 103.54 .00241 .00099 .00124 .00067 .00464 . 434 .144 .755 .420 .900 108.02 .00139 .00059 .00065 .00038 .00263 .144 1.150 .965 111.49 .00044

REYNOL	. C:	STRESS	TENSOR	COM	PONE	NTS	- KR=	0 . 2	9E-3,	F=0.0000	RI	UN		
RUN	=	022275	CF/2	=	. 0 0 3	07	0E1	=	.111	BETA	=		.41	
PLATE	=	11	UTAU	=	6.	14	DE 2	=	.077	REDEZ	=	44	66.	
X	=	42	F	=	0.00	00	н	=	1.43	REK	=		99.	
UINF	=	110.77	DE	=	. 6	58	G	=	5.46	KR	=	.282E	-03	
Y		Y/DE	U	UP2/	ois	VP	2/UI2	WF	2/012	-UV/UI2		22/012	RUV	RQZ
.008		.012	43.70	.00	770									
.013			48.22	. 00	842									
.019		.029	52.31	.00	899									
.023		.035	54.53	.00	924									
.027		.041	56.51	.00	939									
.031		. 047	58.05	.00	953									
.037		.056	60.70	.00	958									
.045		. 068	63.39	.00	968									
.055		.084	66.28	.00	966									
.065		.099	68.61	. 00	951									
.075		. 114	70.88	. 00	939									
.100		.152	74.84	.00	885									
. 130		. 198	79.48	.00	815	.1	00241		00382	.00209		.01438	.472	.145
.150		. 228	82.01	.00	767		00229		00357	.00192		.01353	. 458	.142
.175		. 266	85.00	. 00	712		00218		00318	.00183		.01248	.464	.147
.200		.304	87.32	.00	648		00204		00304	.00168		.01156	.462	.145
.225		. 342	89.52	.00	593		00182		00273	.00151		.01048	.460	.144
.275		.418	93.38	.00	487	.1	00154		00230	.00129		.00871	.471	.148
.350		.532	96.32	.00	359		00117		00174	.00096		.00650	.468	.148
.450		.684 1	03.65	.00	224		00079		00109	.00061		.00412	.459	.148
.600		.912 1	08.64	.00	077		00039		00041	.00020		.00157	. 365	.127
.750	1	.140 1	10.50	.00	015									

REYNOLDS STRESS TENSOR COMPONENTS - KR=0.295-3, F=0.0039 RUN .00161 = 030675 CF/2 = DE1 = .197 -1.44 RUN BETA = DE2 = .131 H = 1.50 PLATE = 11 4.44 REDE2 = UTAU = 7524. .0039 REK = 42 F = 72. UINF = 110.67 DE 1.019 G = 8.35 KR .294E-03 UP2/UI2 VP2/UI2 WP2/UI2 -UV/UI2 Q2/UI2 Y Y/DE U RUV RQZ .008 .008 .00836 33.06 .00889 .013 .013 36.92 .023 .023 42.63 .00969 .032 .031 .01031 46.28 .01088 .046 .045 50.88 .065 . 064 56.16 .01135 .075 .074 58.21 .01141 .087 .085 60.64 .01147 .100 .098 62.89 .01145 .01136 .115 .113 65.44 .00318 .00525 67.73 .01117 .00271 .01960 . 455 .138 .130 .128 .00513 . 147 .00301 .150 70.15 .01091 .00269 .01905 .469 .141 . 191 .01000 .00463 .00261 .195 74.68 .00304 .01767 .473 .148 . 295 .00813 .00270 .00381 .00224 .478 .289 82.75 .01464 .153 .390 . 383 88.60 .00667 .00215 .00314 .00186 .01196 . 491 .15 € .00452 .550 .540 96.44 .00167 .00233 .00133 .00852 .484 .15€ .700 . 587 102.38 .00297 .00118 .00158 .00089 .00573 .475 .155 .900 . 883 107.80 .00122 .00070 .00065 .00037 .00257 .400 .144 1.100 1.079 110.24 .00024 .00024 .00015 .00007 .00063 .292 .111

REVNO	LDS	STRE	SS TENSO	R COMPON	ENTS - K=	0.28E-6.	F=0.0000	R	UN		
RUN	=	05037	CF/	2 = .00	305 DE	1 = .09	8 BETA	=		57	
PLATE	=	1:	L UTA	U = 6	.42 OE	2 = .06	9 REDE2	=	418	9.	
X	=	4:	2 F	= 0.0	000 H	= 1.4	2 REK	=	10		
UINF	=	116.23	3 DE		610 G	= 5.3	3 K	=	. 29 2E -	16	
Y		Y/DE	U	UP2/UI2	VP2/UI2	WP2/UI	2 -04/012		Q2/UI2	RUV	RQ2
.006		.010	45.74	.00768							
.010		.016	50.22	.00801							
.017		.028	56.04	.00865							
.028		. 046	52.70	.00922							
.035		. 057	65.95	.00932							
.045		. 074	69.77	.00931							
.060		.095	74.29	.00911							
.080		.131	79.03	. 00869							
.105		.172	83.47	.00808							
. 130		.213	87.43	.00742	.00208	.0030	9 .00185		.01259	.471	.147
.155		. 254	90.56	.00677	.00175	.0028	2 .00164		.01134	.476	.145
.190		.311	94.55	. 00581	.00156	.0024	9 .00145		.00986	.482	.147
. 225		. 369	97.68	. 00494	.00159	. 0021	9 .00131		.00872	. 467	. 150
.275		. 451	101.69	.00391	.00128	.0016	1 .00102		.00700	. 456	.14€
. 325		.533	104. 58	.00306	.00097	.0014	4 .00080		.00547	. 464	.146
.375		.615	107.51	.00236	.00082	.0010	9 .00063		.00427	.453	.148
.450		. 738	110.82	.00156	.00053	.0006	7 .00040		.00276	.440	.145
.525		.861	113.34	.00087	.00040	.0004	3 .00024		.00170	.407	.141
.600		. 984	114.85	. 00041							